

## Therma-Tru. Where home begins.

Choosing a Therma-Tru. door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.\* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.



Uncompromising quality, inside and out.

### Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

## Table of Contents

Introduction  2022 Trends	4-9 10-16 20-21 22-23 24-25
Safety & Security  Decorative & Specialty Glass  Impact-Rated Products	30–35
Patio, Storm & Vent  Hinged Patio Door Systems  Retractable Screen Doors  Impressions  Integrated Storm & Er  Door System	40–41 42–43 ntry
Classic Craft。 4 Decorative & Specialty Glass Accessories	60–69 70–71
Fiber-Classic. & Smooth-Sta	
Decorative & Specialty Glass 13 Accessories	84–141 142
<b>Steel</b> 22	8–253
Profiles <sub>™</sub> 230, 23	3–247
Traditions 230, 24 Decorative & Specialty Glass 23	
Fire Doors	
<b>Pulse</b> <sub>®</sub>	0-273
Finish Options27	
PrismaGuard Stain & Paint 27 Same-Day Stain Kit	
	210
<b>Door System Components</b>	
27	
Special Quote Program	294
3'6" Width Options Chart	
	295
<b>7'0" &amp; 6'6" Height Options Charts</b>	6–297
Product Details 29	
Index 30	
Trade Resources	

# CASUAL HAVEN

**HOME TRENDS** 




Natural Light

Simplified

Serene

Gentle












Calming Environment



# MODERN REVIVAL

**HOME TRENDS** 













# renewed HISTORY

**HOME TRENDS** 





Heritage Architecture

Dressy

**Elevated** 

Classic








Relaxed Refinement














## **NEW** Shaker-Style Entry Door Options

for Fiber-Classic<sub>®</sub> Mahogany Collection<sub>™</sub> & Smooth-Star<sub>®</sub>



## **NEW** Flush-Glazed Saratoga™ Decorative Glass

for Fiber-Classic  ${}_{\!\!^{^{\circ}}}$  Mahogany Collection  ${}_{\!^{^{\vee}}}$  & Smooth-Star  ${}_{\!\!^{^{\circ}}}$ 

Elevate the entry with handcrafted appeal. Shaker-style Craftsman doors and sidelites are now available with flush-glazed Saratoga decorative glass.

Available in Fiber-Classic and Smooth-Star, starting on page 210.



<sup>\*</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

<sup>\*\*</sup>Available for full-lite sidelites only.

## **NEW** 7'0" Shaker-Style Options

for Smooth-Star.

Our assortment of popular Shaker-style looks expands to include 7'0" heights, bringing this on-trend design to more homes. The new 7'0" Craftsman Shaker-style door also features an elevated bottom rail for ADA applications.\*

Available in Smooth-Star, starting on page 210.

### **Available Door & Sidelite**





### **Available Glass Options**



### **Available Glass Shapes & SDL Patterns**

**Glass Shapes with GBG Patterns** 



### Rainglass (XR) Granite (XN) Low-E



Reeded (XK)\*\* Geometric (XG)\*\*

### ditional Sidolito Glass Ontions

# LIFETIME LIMITED WARRANTY Residential






## NEW 8'0" Smooth-Star, Flush-Glazed Doors with Elevated Bottom Rail



## More natural light.

Ideal for multi-family new construction and remodeling, the popular 8'0" Smooth-Star flush-glazed full-lite door has been redesigned with an elevated bottom rail to meet ADA requirements.\* Starting on page 153.







Multi-Resident







Elevated U1: 10-1/4" Book / Hybrid: 10-15/32"


8'0" Flush-Glazed Full-Lite Door

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

<sup>\*</sup>For ADA compliance, door must be 3'0" wide.

## **NEW** Retractable Screen Doors

for Therma-Tru<sub>®</sub> Door Systems



### A breath of fresh air.

Discover a retractable screen solution with a discreet, hidden design – providing a seamless transition from indoors to outdoors. The Therma-Tru retractable screen door allows fresh air and natural light inside while keeping debris and insects out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.

Available with most Therma-True inswing door systems, starting on page 42.



Installation is quick and easy, taking approximately 30 minutes.\*

### Warranty Coverage (Excluding screen mesh.)

When purchased with a Therma-Tru door system.



LIFETIME
LIMITED
WARRANTY

Fiber-Classic


Smooth-Star.

Pulse Fiberglass



Profiles, Traditions, Pulse Steel When installed separately.





\*Based on average DIY skills and standard door application, widths 32"-36".

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

## NEW Impressions ™ Storm & Entry Door System

Therma-Tru<sub>®</sub> in Partnership with LARSON®



## Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution\* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Starting on page 44.

## We're better together.

Therma-Tru and LARSON offer a combined 120+ years of innovation and market-leading solutions to deliver high-quality products you can trust from the #1 entry door brand\*\* and #1 storm door company.\*\*\*





<sup>\*</sup>Patent pending.

<sup>\*\*</sup>Brand Use Studies, 2021 Builder and 2019 Remodeling magazines.

<sup>\*\*\*</sup>Based on market data 2020 / 2021.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions. Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Smooth-Star, Clear Glass with GBGs, Door – S2103, Finish – Onyx Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82302, Sidelites – CCR81851SL, Finish – Shale

## A smart investment.

### **Lifetime Limited Warranties**

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.






#### **Energy Efficiency**

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.

#### **Quality Testing**


Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.





## The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



#### **Door Selections**

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 22–23.



#### **Decorative & Specialty Glass**

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 30–35.



#### **Finish Options**

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, stain on pages 274–278.



#### **Door System Components**

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 24–29.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S2000SL, Finish – Onyx Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest





## Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

### Also consider:

Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



## Make a Smart Investment



# The importance of curb appeal.

A stylish new front entryway can help convey your personal style and highlight your home's overall architectural style and curb appeal.


"The door gives a focal point to the front of the house."


- Homeowner, Survey Respondent



### Fresh look. Increased value.

In a recent survey, real estate agents were shown images of various homes, including some that had been modified with a new Therma-Tru door, and asked to estimate the value of the home. While results varied, the survey suggests choosing a Therma-Tru door that complements the home's architecture could add up to 7% to the perceived value of a remodeled home.\*









## Renovating?

Get the most for your money. A new entry door can pay for itself – and then some. A recent survey suggests homeowners who choose a stylish new Therma-Tru entry can significantly improve the curb appeal of their home, and with a door that complements their home's architecture, can increase the overall perceived value of their home.\*

## Selling soon?

In a recent survey, 44% of homeowners said they were more likely to purchase a home with an enhanced entry, and one in three homeowners said they were willing to pay a premium for one.\*

"In my experience on both the seller and buyer side, the entry door is always key."

- Real Estate Agent, Survey Respondent



According to most real estate agents and trade professionals in a recent survey, curb appeal is one of the top three factors for home buyers.\*

## **Door Selections**

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.


## The Classic Craft<sub>®</sub> Series Pages 46-127

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.










## Fiber-Classic. Collections Pages 128-227

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.











Smooth-Star<sub>® Pages 128-227</sub>

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Steel Pages 228-253

Bring style and affordability together to create very attractive results with our steel doors.







Pulse<sub>® Pages 260-273</sub>


A contemporary series of door styles and glass designs that can be combined to make a bold statement.














## Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.






Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame. In addition, a rot-free Therma-Tru composite door frame\* delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



(recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the weatherstrip's seal even under wind pressure.



Cip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.



## Composite Door Frame\* featuring Tru-Guard Composite Technology


Therma-Tru₀ composite door frame featuring Tru-Guard<sub>™</sub> composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



## Tru-Defense Warranty Rider



A Therma-True door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



### Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-True genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

#### **Double Your Peace of Mind**

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.\* Look for the ( ) icon.



<sup>\*</sup>The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

<sup>\*\*</sup>Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

### **Required Components for Tru-Defense Door System**

with Therma-Tru Fiberglass Door Slab & Components



#### Door Frame •

Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



#### Corner Seal Pads •

(Inswing Only)

Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



#### Composite Adjustable Sill •

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



#### Weatherstrip \*

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep (Inswing Only) A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



**Astragal** ♣ (Double Doors)

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



#### Hinges 💠

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard (Outswing Only)
Creates a barrier at the top
of the door to protect against
moisture infiltration.

### **Recommended Components**



## Multi-Point Locking System ❖ (MPLS)

Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement			
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer	
Latch & Deadbolt (No Sill Pan)**	\$250	\$500	
Latch & Deadbolt with Sill Pan**	\$500	\$1,000	
MPLS (No Sill Pan)	\$1,000	\$2,000	
MPLS with Sill Pan	\$1,250	\$2,500	

Baseline components required to qualify for the Tru-Defense Warranty Rider.

## Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


## Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.<sup>1</sup>



More than half of home burglaries occur during the daytime.<sup>2</sup>



How do burglars enter the home?

34% Front Door<sup>3</sup> 22% Back Door<sup>3</sup>



Home burglary rates are highest in the summer.4

### **Therma-Tru Composite Door Frame**

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.\*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.





<sup>\*</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>\*\*</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

<sup>&</sup>lt;sup>2</sup>Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

<sup>&</sup>lt;sup>3</sup>Source: www.asecurelife.com

<sup>&#</sup>x27;Source: U.S. Department of Justice, Bureau of Justice Statistics, "Seasonal Patterns in Criminal Victimization Trends," June 2014.



## Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.\*\*

Features durable construction that can withstand impact by absorbing and deflecting the force.\*\*

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

### **Therma-Tru Glass**

Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

## Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.\*\*
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.\*\*
- Wood doors and steel doors may weaken over time with exposure to the elements.



# Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products. Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL




### **Triple-Pane Construction**

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.









Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

Find entry doors arranged by glass size, from large to small, to help you find products that meet homeowners' needs for natural light.












## EnLiten™ Flush-Glazed Designs

For Classic Craft, Fiber-Classic, & Smooth-Star, Doors & Sidelites



#### See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking ▲



**Lip-Lite Frame** 

### Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.







**Lip-Lite Frame** 

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600

Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSL; Low-E Glass, Transom – 19220T, Finish – Acorn

<sup>\*</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E class

<sup>\*\*</sup>Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.







## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



#### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



#### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



#### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

### Warranty riders for peace of mind.

#### EnLiten Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Therma-Tru<sub>®</sub> Doors


## Convenient choices for more light.

## Privacy & Textured Glass

Therma-Tru<sub>0</sub> doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse doors and sidelites.





### Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (\*\*) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262 Right Page Top: Smooth-Star, Internal Blinds, Door – S82600



### Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.


- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten<sub>m</sub> flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic, Smooth-Star, Profiles, and Traditions doors and sidelites.


### **Divided Lites**

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see page 68. For Fiber-Classic & Smooth-Star, see pages 140–141.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



## Tough when you need it. Beautiful always.



2 Use the icons to find available Therma-Tru<sub>0</sub> product options in this catalog.





**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*

4 Make sure the product is installed in compliance with the product approval to meet building codes.


The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

<sup>\*</sup>Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders.

No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*



#### **Impact Doors**

Feature a built-in 24-gauge steel plate lining.

#### **Impact Glass**

Features special laminated glass construction.



# Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



# Impact Lip-Lite Frame

Features durable, paintable aluminum construction.

An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.





#### **Other Considerations**

**Fire Doors**See pages 254–259.

Noise Reduction Doors
See page 218.

E Elevated 10" Bottom Rail Look for the (E) symbol.

# Connect with nature, inside and out.



Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth
Right Page, Top: Smooth-Star, Clear Glass, Doors – S2000, Finish – Alpine, Retractable Screen – White
Right Page, Bottom: Impressions Storm & Entry Door System – IM100, Finish – Black; Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2380,
Finish – Raven





# Hinged Patio Door Systems



# Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru. entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.

- Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- **5** Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- **7** Frame Components
- 8 Multi-Point Locking System (Included)
- Removable Screens



#### **Vented Sidelites**

#### Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the ( ) symbol.

#### **Available Configurations**



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

#### Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.




Classic Craft, starting on page 124.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 222.

## **NEW** Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru, entry door systems.



<sup>\*</sup>Adjusts quickly for 32"-36" doors. If less than 32" a hacksaw is required for one cut to each track.

<sup>\*\*</sup>Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.




#### **Available Sizes**

(Available for most inswing units.)



**Single Door System**Widths: 32"-36"
Heights: 6'6", 6'8", 8'0"



French Door System
Widths: 68"-73"
Heights: 6'6", 6'8", 8'0"

#### **Available Color Options**

Coordinates with exterior trim.\*\*







#### **Available Configurations**









See your Therma-Tru seller for details on product availability and ordering.

#### **Warranty Coverage**

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.







Fiber-Classic, Smooth-Star, Pulse Fiberglass

Profiles, Traditions, Pulse Steel

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



# NEW Impressions<sub>™</sub> Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system\* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



1 Choose a Therma-Tru<sub>\*</sub> single entry door\*\* to create an entry that complements your home's architectural style.



2 The Impressions system comes standard with composite brickmould and an aluminum storm door panel. For added protection from rotting, choose a composite frame featuring Tru-Guard™ composite technology.



3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's flat-profile composite brickmould.

<sup>\*</sup>Patent pending


<sup>\*\*</sup>Compatible with with most 6'8" single entry Therma-Tru doors.





#### The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins 4 and the revolutionary hidden closer with Click&Hold technology 5 enable a quick and intuitive installation experience. The storm door panel is handed in the field, simplifying what you need to order. After the installation of the entry door, hand your storm door by installing the closer, sweep and hardware. Then, follow these three simple steps to complete the job.







#### 6 Aluminum Storm Door Options

#### Available for Single Entry Sizes

Choose Low-E or clear glass. Interchangeable screen panel included.




Low-E / Clear

IM100 3'0" x 6'8" 2'8" x 6'8"

#### **Color Options**

Features a maintenance-free finish.



Color matched to PrismaGuard Alpine.

Color matched to PrismaGuard Granite.



**Brown** Complements most PrismaGuard stains.



**Black** Color matched to PrismaGuard Onyx.

#### 🕡 QuickFit<sub>™</sub> Handlesets













# CLASSIC CRAFT.




# An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

## Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.







# Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.\* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuardopremium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.






# Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can





# **Engineered for Moisture Protection**

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



#### Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider\* to welcome more natural light into the home.



# **Tested to Withstand Mother Nature**

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



#### Therma-Tru<sub>o</sub> Door Frame

Created specifically for
Therma-Tru doors to deliver an
entire entry system designed
and engineered to work together
to resist leaks and drafts, and
help maintain energy efficiency
and weather resistance.

\*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.
\*\*Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelite - DRS82131SL, Finish - Acorn Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door - CCR30020; Provincial Glass, Sidelites - CCR3408SL;

Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door - CCV220, Low-E Glass, Sidelites - CCV100SL, Finish - Indigo



# **Designed for Long-Term Performance**

Features fiberglass skins that are 46% thicker\* for added durability and better long-term performance.



#### **Triple-Pane Construction**

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



# **Crafted for a True-to-Wood Appearance**

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



# **Built for Strength** and **Security**

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.\*



#### Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.\*\*



# True-to-Wood Origins


Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain, technology.



#### Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



# Mahogany Grain Formerly Classic-Craft Mahogany & Rustic Derived from the finest African and Honduran Mahogany, blending rustic influences with

exotic roots to build upon the

rich history of one of the most renowned woods in the world.

# Oak Grain Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.

#### Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.











# ARTÍSSA Collection

Rooted in simple nostalgia, the Artíssa
Collection pays homage to the handmade
culture of the American Arts and Crafts
movement. Highlighting the beauty of
straight-forward design, this selection of
premium Classic Craft. doors features clean
lines, Shaker styling and Craftsman-inspired
glass for a casual and welcoming approach
to the entryway.

CASUAL
RELAXED
SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass,
Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs,
Door – CCA230, Sidelites – CCA210SL, Finish – Raven











# FOUNDERS

Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design.

Taking a more decorative approach to the entryway, this selection of premium

Classic Craft. doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.


TRADITIONAL

TIME-HONORED

DECORATIVE

Left Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM82802, Finish – New Earth Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn









# VISIONARY Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft. doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.

MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA2310XE, Sidelite – CCA2310XESL, Finish – Flaxseed Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx





#### **Homeward**<sub>TM</sub>

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

#### Glass Shapes





#### Glass Privacy Rating







**Brushed Nickel** 

<sup>\*</sup>Only available in Classic Craft Oak grain.

#### **Arborwatch**<sub>®</sub>

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines

- narrow reeded glass, 2 M seedy glass,
- 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and
- 6 clear bevels.

#### Glass Shapes





#### Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 54 to see an example on a home.






Brushed Nickel

#### **Arcadia**<sub>TM</sub>

With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

#### Glass Shapes



#### Glass Privacy Rating





Black Nickel



**Brushed Nickel** 



Brass\*

# Decorative & Specialty Glass Designs

#### Augustine<sub>®</sub>

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ogranite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

#### Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

#### Glass Privacy Rating





Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 314 to see an example on a home.

#### Borrassa<sub>®</sub>

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 10 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

#### Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

#### Glass Privacy Rating





Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 48 to see an example on a home.

#### **Provincial**<sub>TM</sub>

A unique diamond-based motif features

1 double waterglass, 2 clear bevels and caming surrounded by a 3 gray baroque glass border. Provincial captivates with stunning clarity.

#### Glass Shapes





Glass Privacy Rating







**Brushed Nickel** 



Brass\*

## Longford

The traditional design of Longford integrates a hint of a Celtic knot with


- 1 seeded glass, 2 clear bevels,
- 3 granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

#### Glass Shapes



Glass Privacy Rating









Brushed Nickel

# Decorative & Specialty Glass Designs

#### Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using

- 1 glue chip glass, 2 clear curved bevels,
- 3 double waterglass and caming.


#### Glass Shapes





#### Glass Privacy Rating







**Brushed Nickel** 



#### Lucerna

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 10 curved, 22 diamond and 3 rectangular bevels surrounded by

smooth, swirling 4 barn wood and heavily textured 6 diamond border glass.

#### Glass Shapes



#### Glass Privacy Rating







Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

#### Zaha<sub>®</sub>

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

#### Glass Shapes



#### Glass Privacy Rating








Black Nickel Brushed Nickel



# Privacy & Textured Glass



#### Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.





#### Geometric (XG)

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.





#### Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.





#### Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.





#### Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.





### Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.





### Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



#### Also Available:

#### Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

# Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

#### Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (►) icon.







# Flush-Glazed Sticking Profiles

EnLiten<sub> $\infty$ </sub> flush-glazed designs feature a seamless look with simple profile around the glass. Look for the ( $\triangle$ ) and ( $\triangle$ ) icons.




**Detailed Sticking** Look for the (△) icon.




Square Sticking
Look for the (▲) icon.

# Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.





Glassic Graft, Fil Graffi 10-block Delitii Sileli



Classic Craft. Canvas 4-Block Dentil Shelf



**4-Block Dentil Shelf** Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf** Shown on 3'0" x 8'0" door.

Bottom: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Dentil Shelf Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Strap Hinges, Finish – Lynx



<sup>\*</sup>Pairs with 3'6" wide doors.

# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.





## Full Lites

# **Fir Grain** Formerly Classic-Craft American Style

# Mahogany Grain Formerly Classic-Craft Mahogany & Rustic



**Canvas** 

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF4)

  Simulated Divided Lites (SDLF5)
- **■** Elevated 10" Bottom Rail Options

#### Privacy & Textured

**Glass Options** 

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XG = Geometric & XR = Rainglass \\ XE = Satin Etch & XN = Granite \\ XC = Chord & \end{array}$ 

## Artíssa Collection

Homeward™◆



CCR9925 3'0"x 6'8"



CCR9925SL 12"x 6'8" 14"x 6'8"



CC9925 3'0"x 6'8"



CC9925SL 12"x 6'8" 14"x 6'8"



CCV9925 3'0"x 6'8"



CCV911SL

12"x 6'8" 14"x 6'8"



CCR1423 3'0"x 6'8"

Mahogany\*



CCR1423SL 12"x 6'8" 14"x 6'8"



CC1423 3'0"x 6'8"



Oak
CC1423SL
12"x 6'8"
14"x 6'8"



CCV1423 3'0"x 6'8"



Canvas

CCV1423SL

12"x 6'8"
14"x 6'8"

<sup>\*</sup>Formerly Classic-Craft Rustic.

<sup>\*\*</sup>Formerly Classic-Craft American Style.

<sup>\*\*\*</sup>Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.










CCA2360\_\_\*\*\* CCA82360\_\_\*\*\* **▲ ⑤** 3'0"x 6'8" **♦ 5 E** 3'0"x 8'0"

CCA2370\_\_\*\*\* **▲ 4** 3'0"x 6'8" **▲ 4 E** 3'0"x 8'0"

CCA4900\_\_\*\*\* CCA84900\_\_\*\*\* **▲** ③ 3'0"x 6'8" **▲** ③ **E** 3'0"x 8'0"













CCA4910L\_\_\*\*\* **▲ ③** 3'0"x 6'8"

CCA4910R\_\_\*\*\*

▲ 🛐
3'0"x 6'8"

CCA84910L\_\_\*\*\* **▲ ③ E** 3'0"x 8'0"

CCA84910R\_\_\*\*\*

▲ 💽 E
3'0"x 8'0"

CCA4920L\_\_\*\*\* 

CCA4920R\_\_\*\*\* 



CCA84920L\_\_\*\*\*

**♦ 5 E** 3'0"x 8'0"





CCA84920R\_\_\*\*\* **♦ 5 E** 3'0" x 8'0"



CCA4930\_\*\*\* CCA84930\_\_\*\*\* **♦ 5 E** 3'0"x 8'0"



CCA4940\_\_\*\*\* CCA84940\_\_\*\*\* **♦ 5 E** 3'0"x 8'0"



CCA2400\_SL CCA82400\_\_SL **6** 12"x 8'0" 12"x 6'8" 14" x 6'8" 14"x 8'0"

#### Full Lites

#### continued


## Fir Grain Formerly Classic-Craft American Style


#### Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

#### Artíssa Collection







**♦ \* ◎ E** 3'0"x 8'0"

**♦ \* ® E** 3'0"x 8'0"

**♦ \* 5 3**'0"x 6'8" **3**'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door - CCA4900XE, Sidelites - CCA2400XESL









CCA84920L ▲ ※ ■ E 3'0"x 8'0"

CCA84920R ▲ ※ ■ E 3'0"x 8'0"

CCA4930 ♦ **\*** 5 3'0"x 6'8" CCA84930 ♦ ※ ⑤ E 3'0"x 8'0" CCA4940 ♦ **\*** 5 3'0"x 6'8"

CCA84940 ♦ ※ ⑤ E 3'0"x 8'0"

CCA2400SL \*\*
12" x 6'8"
14" x 6'8" 



#### Full Lites

#### continued





**Canvas** 

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (A)
- X Wrought Iron (W)

#### **Founders Collection**





3'0"x 6'8"







CC109 3'0"x 6'8"



CC2060SL 12"x 6'8" 14"x 6'8"



CCV10029\*\* 3'0"x 6'8"



CCV109SL\*\*

12"x 6'8" 14"x 6'8"



Mahogany\* CCR30027 3'0" x 6'8"



CCR3400XNSL

12"x 6'8" 14"x 6'8"



CCV10027 3'0"x 6'8"



CCV100XNSL 12" x 6'8" 14" x 6'8"



CCR1528 3'0"x 6'8"



Mahogany

Note: See page 299 for important product details that may help with your purchase decision.

<sup>\*</sup>Formerly Classic-Craft Rustic.

<sup>\*\*</sup>Not available in brass caming.



Canvas

CCV1528 3'0"x 6'8"



Canvas

CCV100XHSL 12"x 6'8" 14" x 6'8"



Mahogany\*

CCR30028\*\* 3'0"x 6'8"



Mahogany

CCR3408SL\*\* 12"x 6'8" 14"x 6'8"



Oak

CC107 3'0"x 6'8"



Oak

CC2040SL 12"x 6'8" 14"x 6'8"



Canvas

CCV10028\*\* 3'0"x 6'8"



Canvas

CCV108SL\*\* 12"x 6'8" 14"x 6'8"



Mahogany\*

CCR30023 3'0"x 6'8"



Mahogany CCR3407SL

12"x 6'8" 14"x 6'8"



Canvas

CCV10023 3'0"x 6'8"



Canvas

CCV103SL 12"x 6'8" 14"x 6'8"



Mahogany\*

CCR30026 3'0"x 6'8"



Mahogany CCR3406SL

**12**"x 6'8" 14"x 6'8"



CC106 3'0"x 6'8"



Oak

CC2044SL 12"x 6'8" 14"x 6'8"



CCV10026 3'0"x 6'8"



Canvas

CCV106SL 12"x 6'8" 14"x 6'8"

#### Full Lites

#### continued



**Mahogany Grain** Formerly Classic-Craft Mahogany & Rustic



Canvas

#### Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- **■** Elevated 10" Bottom Rail Options

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XK = Reeded XC = ChordXG = GeometricXJ = Chinchilla XE = Satin Etch XR = Rainglass XN = Granite

#### **Founders Collection**

Lucerna®



CCR10022 3'0"x 6'8"



CCR3412SL 12"x 6'8"

14"x 6'8"



CC10022 3'0"x 6'8"



CC3412SL 12"x 6'8" 14"x 6'8"



CCV10022 3'0"x 6'8"



Canvas

CCV3412SL 12"x 6'8" 14"x 6'8"



Mahogany\*

CCR30020 3'0"x 6'8"



Mahogany

CCR3400SL **♦ \*** 12"x 6'8" 14"x 6'8"



CCR2025SL **♦ \* 6** 12"x 6'8" 14"x 6'8"



CC100 3'0"x 6'8"



CC2020SL 12"x 6'8"

14"x 6'8"



CCV10020 3'0"x 6'8"



12"x 6'8"

14"x 6'8"



CCV950SL

**≜ \* ■** 12"x 6'8" 14"x 6'8'

- \*Formerly Classic-Craft Rustic.
- \*\*Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

#### Visionary Collection

3'0"x 6'8"

3'0"x 8'0"

3'0"x 6'8"

3'0"x 8'0"



14"x 8'0"

12"x 6'8"

14"x 6'8"

12"x 8'0"

14"x 8'0"

12"x 6'8"

14"x 6'8"

#### Full Lites

#### continued



#### Key

- Flush-Glazed Glass with Square Sticking (FG)
- \* Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options


#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XK = Reeded XJ = Chinchilla XG = Geometric XR = Rainglass XE = Satin Etch XN = Granite

XC = Chord

#### Visionary Collection



<sup>\*</sup>Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com




CCA2340 • \* 3 3'0"x 6'8"

CCA82340 ♦ ※ 🛐 E 3'0"x 8'0"



CCA2380 \* 5 3'0"x 6'8"

CCA82380 ♦ **\* 5 E** 3'0"x 8'0"



CCA2400SL

CCA82400SL **♦ \*** 12"x 6'8" 14"x 6'8" **♦ \*** 12"x 8'0" 14"x 8'0"



CCA2300SL \* 4 12"x 6'8" 14"x 6'8"

CCA82300SL \*\* 4 12"x 8'0" 14"x 8'0"



CCA2310SL • \* • 12"x 6'8" 14"x 6'8"



CCA2320SL ♦ ₩ 🛐 12"x 6'8" 14"x 6'8"



CCA2330SL ♦ **※** 3 12"x 6'8" 14"x 6'8"

CCA82330SL \*\* 3 12"x 8'0" 14"x 8'0"



CCA2340SL ♦ **※** 3 12"x 6'8" 14"x 6'8"



#### 3/4 Lites

# Mahogany Grain Formerly Classic-Craft Mahogany & Rustic Oak Grain

#### Canvas

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

 $\begin{array}{ll} XK = Reeded & XJ = Chinchilla \\ XG = Geometric & XR = Rainglass \\ XE = Satin Etch & XN = Granite \\ \end{array}$ 

XC = Chord

#### Artíssa Collection







CCM9923 3'0"x 6'8"




CC9922 3'0"x 6'8" | CC89922 3'0"x 8'0"



CC9925SL ≜ 12"x 6'8" 14"x 6'8" CC89925SL ≜ 12"x 8'0" 14"x 8'0"



CCV9922 3'0"x 6'8" | CCV89922 3'0"x 8'0"



CCV911SL 12"x 6'8" 14"x 6'8"

CCV8111SL 12" x 8'0" 14" x 8'0"





Mahogany CCM1419 3'0"x 6'8"



Mahogany CCM81418 3'0"x 8'0"



14"x 8'0"

14"x 6'8"

CC1418 3'0"x 6'8" | CC81418 3'0"x 8'0"

\*\*Not available with Reeded (XK) glass.

Note: See page 299 for important product details that may help with your purchase decision.

<sup>\*</sup>Not available with Geometric (XG) or Chinchilla (XJ) glass.

<sup>\*\*\*</sup>Not available with Reeded (XK) or Satin Etch (XE) glass.



CCV05020XC CCV05020XN 3'0"x 6'8"

CCV100\_\_SL\*\*

12"x 6'8"

14"x 6'8"

CCV8100\_\_SL\*\*\*

12"x 8'0"

14"x 8'0"

CCV950\_\_SL\*\*

12"x 6'8"

14"x 6'8"

CCV8950\_\_SL\*\*\*

**12"x 8'0"** 

14"x 8'0"

CC2020\_\_SL\*\* | CC8000\_\_SL\*\*\*

12"x 8'0"

14"x 8'0"

12"x 6'8"

14"x 6'8"

CCM2800

3'0"x 6'8"

CCM82800

**♦ \*** 3'0"x 8'0"

#### 3/4 Lites

#### continued





Canvas

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- **\*** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

#### Artíssa Collection







CCM2806 ♦ **\* 6** 3'0"x 6'8"





14"x 6'8"

CCR8000SL \*\*
12"x 8'0"
14"x 8'0"







▲ \* 12"x 8'0"

14"x 8'0"

12"x 6'8"

14"x 6'8"



<sup>\*</sup>Not available in brass caming.


Note: See page 299 for important product details that may help with your purchase decision.

14" x 8'0"

14" x 6'8"

14"x 8'0"

14"x 6'8"









CCM1495 3'0"x 6'8"







CCV05027 | CCV805027 3'0" x 6'8" | 3'0" x 8'0"



14"x 8'0"

14" x 6'8"

#### 3/4 Lites

#### continued





**Canvas** 

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)

#### **Founders Collection**

orrassa.\*

ă



CCM1475 3'0"x 6'8"



CCM81519 3'0"x 8'0"



CCM1465 3'0"x 6'8"

Longford™



Mahogany

CCR3400XHSL | CCR8000XHSL 12"x 6'8" 14"x 6'8"

12"x 8'0" 14"x 8'0"



CCV1519 3'0" x 6'8"

CCV81519 3'0"x 8'0"



12"x 6'8" 14"x 6'8"

CCV100XHSL

Canvas CCV8100XHSL

12"x 8'0" 14"x 8'0"



Mahogany

CCM203 3'0"x 6'8"



CCM892 3'0"x 8'0"



Mahogany

CCM303 3'0"x 6'8"



CCR3407SL 12"x 6'8" 14"x 6'8"

Mahogany CCR8007SL 12"x 8'0" 14"x 8'0"



Mahogany

CCM3303SL 10"x 6'8" 12"x 6'8" 14"x 6'8"




CCV05023 3'0"x 6'8"

CCV805023 3'0"x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

<sup>\*</sup>Not available in brass caming.



CCV103SL 12"x 6'8" 14"x 6'8"

CCV8103SL 12"x 8'0" 14"x 8'0"



Mahogany

CCM2802 CCM82802 3'0"x 6'8" | 3'0"x 8'0"



Mahogany

CCM204 3'0"x 6'8"



Mahogany

CCM302 3'0"x 6'8"



Mahogany

CCR3412SL 12"x 6'8" 14"x 6'8"

CCR8102SL 12"x 8'0" 14"x 8'0"



CCM3302SL

10"x 6'8" 12"x 6'8" 14"x 6'8"



Lucerna®

CC922

CC898 3'0"x 6'8" 3'0"x 8'0"



Oak

CC3412SL 12"x 6'8" 14" x 6'8"

CC8102SL 12"x 8'0" 14"x 8'0"



CCV05022 CCV805022 3'0"x 6'8" 3'0"x 8'0"



Canvas

CCV3412SL 12"x 6'8" 14" x 6'8"

CCV8102SL 12"x 8'0" 14"x 8'0"





CCR3408SL\*

12"x 6'8" 14"x 6'8"

CCR8008SL\* 12"x 8'0" 14"x 8'0"



CC97

3'0"x 6'8"

CC897 3'0"x 8'0"



Oak CC2040SL CC8007SL 12"x 6'8" 12"x 8'0"

14"x 8'0"


14"x 6'8"



CCV805028\*

3'0"x 8'0"

CCV05028\* 3'0"x 6'8"



Canvas CCV108SL\*

CCV8108SL\* 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"

#### 3/4 Lites

#### continued





Canvas

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord XN = Granite

#### **Founders Collection**



14"x 8'0"



CC96 3'0"x 6'8" | CC896 3'0"x 8'0"



CC2044SL | CC8006SL | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



14"x 6'8"

CCV05026 3'0"x 6'8" CCV805026 3'0"x 8'0"



\_-WO

Privacy & Textured



CCM200\_\_ 3'0"x 6'8"



CCM300\_\_ 3'0"x 6'8"



CCM200 \*\* 3'0"x 6'8"



CCM300

3'0"x 6'8"



CCM3300SL \*\* 10"x 6'8" 12"x 6'8"

14"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82803; Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Lynx

#### **Visionary Collection**











CCM2803 CCM82803

3'0"x 6'8" 3'0"x 8'0"

CCM1842 3'0"x 6'8"

CCR1851SL CCR81851SL 12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"


Mahogany CCM1843SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



Canvas

CCV1843 3'0"x 6'8"

CCV81843 3'0"x 8'0"



CCV1851SL

12"x 6'8" 14"x 6'8"

CCV81851SL 12"x 8'0" 14"x 8'0"



#### 2/3 Lites



#### Key

Low-E Glass (LE)

Black Nickel Caming (1D)

**Brushed Nickel Caming (1C)** 

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = ChordXN = Granite

#### Artíssa Collection



Mahogany\*

CCR9921

CCR89921 3'0"x 8'0" 3'0"x 6'8"



Mahogany\*

CCR9919 CCR89919 3'0"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR9918 3'0"x 6'8"

CCR89918 3'0"x 8'0"



Mahogany\*

CCR822218 3'0" x 8'0" 3'6" x 8'0"



CCV9919 CCV89919 3'0"x 6'8" 3'0"x 8'0"



3'0"x 6'8"

CCV9918 CCV89918 3'0"x 8'0"





CCR1417 3'0"x 6'8"

CCR81417 3'0"x 8'0" 3'6"x 8'0"

Mahogany\*



Mahogany\*

CCR1415 3'0"x 6'8"

CCR81415 3'0"x 8'0" 3'6"x 8'0"



Mahogany\* CCR1414 CCR81414

3'0"x 8'0"

3'0"x 6'8"

\*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Left: Classic Craft Mahogany Grain, Low-E Glass, Door - CCR20520

Right Page, Right: Classic Craft Mahogany Grain, Arborwatch Glass, Door - CCR1415, Sidelites - CCR1423SL,

Finish - Mulberry



Mahogany\*

CCR822214 3'0" x 8'0" 3'6" x 8'0"



Canvas

CCV1415 3'0"x 6'8" CCV81415 3'0"x 8'0"



Canvas

CCV1414 3'0"x 6'8" CCV81414 3'0"x 8'0"



Mahogany\*

CCR20520\_\_ | CCR820520\_\_



Mahogany\*

CCR822220\_\_ 3'0"x 8'0"



CCV20520\_ 3'0"x 6'8"

CCV820520\_ 3'0"x 8'0"



Mahogany\*

CCR20520

3'0"x 6'8"

CCR820520 3'0"x 8'0" 3'6"x 8'0"

CCV20520 3'0"x 6'8"



CCV820520







#### 2/3 Lites

#### continued



#### Key

- Black Nickel Caming (1D)







#### **Founders Collection**





CCR804029 3'0"x 8'0"



CCR820529 3'0"x 8'0"



CCR820029 3'0"x 8'0"



CCR822229 3'0"x 8'0"

#### **Brushed Nickel Caming (1C)** X Wrought Iron (W) **Optional Accessories**



CCV820529 3'0"x 8'0"



CCV822029 3'0"x 8'0"



CCR04027 3'0"x 6'8"

CCR804027 3'0"x 8'0" 3'6"x 8'0"

Mahogany\*



CCR20527 3'0"x 6'8"

CCR820527 3'0"x 8'0" 3'6"x 8'0"



3'0"x 8'0"

CCR20027 3'0"x 6'8" CCR820027

Mahogany\* Mahogany\*

CCR822227 3'0"x 8'0" 3'6" x 8'0"

\*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany\*

CCR04037 3'0"x 6'8"

CCR804037 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR20537 3'0"x 6'8"

CCR820537 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR20037 3'0" x 6'8"

CCR820037 3'0"x 8'0"



Mahogany\*

CCR20537A 3'0"x 6'8"

CCR820537A 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR20037A 3'0"x 6'8"

CCR820037A 3'0"x 8'0"



CCV20527 CCV820527 3'0"x 6'8" 3'0"x 8'0"



CCV22027 CCV822027 3'0"x 6'8" 3'0"x 8'0"



CCV20537 3'0"x 6'8"

CCV820537 3'0"x 8'0"





Mahogany\*

CCR1518 3'0"x 6'8"

CCR81518 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR1516 3'0"x 6'8"

CCR81516 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR1515 CCR81515 3'0" x 6'8" 3'0"x 8'0"



Mahogany\*

CCR822215 3'0"x 8'0" 3'6"x 8'0"

#### 2/3 Lites

#### continued



**Canvas** 

#### Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (W)

#### **Optional Accessories**



Clavos



#### **Founders Collection**



CCR1514 CCR81514

3'0"x 8'0" 3'6"x 8'0" 3'0"x 6'8"



Mahogany\*

CCR1512 3'0"x 6'8"

CCR81512 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR1511 3'0"x 6'8"

CCR81511 3'0"x 8'0"



CCR1512A 3'0"x 6'8"

CCR81512A 3'0"x 8'0" 3'6"x 8'0"



CCR1511A 3'0"x 6'8" CCR81511A 3'0"x 8'0"



CCV1516 3'0" x 6'8"

CCV81516 3'0"x 8'0"



CCV1515 3'0"x 6'8"

CCV81515



CCV1512 CCV81512 3'0"x 6'8"



CCR804028 3'0"x 8'0"











CCR820528 3'0"x 8'0"

CCR820028 3'0"x 8'0"

CCR822228 3'0"x 8'0"

CCV820528 3'0"x 8'0"

CCV822028 3'0"x 8'0"









CCR20523 3'0"x 6'8" CCR820523 3'0"x 8'0"



Mahogany\* CCR20023 3'0"x 6'8" CCR820023 3'0" x 8'0"



CCR822223 3'0"x 8'0"



CCV20523 CCV820523 3'0"x 6'8" 3'0"x 8'0"



CCV22023 CCV822023 3'0"x 6'8" 3'0"x 8'0"



Mahogany\* CCR804026 3'0"x 8'0"



CCR820526 3'0"x 8'0"

#### 2/3 Lites

#### continued



#### Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = ChordXN = Granite

#### **Optional Accessories**





Strap Hinge

#### **Founders Collection**



CCR820026 3'0"x 8'0"



CCR822226 3'0"x 8'0"



CCV820526 3'0"x 8'0"



CCV822026 3'0"x 8'0"





CCR04022 3'0"x 6'8"

Mahogany\* CCR804022 3'0"x 8'0" 3'6"x 8'0"



Mahogany\*

CCR20522 3'0"x 6'8"

CCR820522 3'0"x 8'0" 3'6"x 8'0"



CCR20022

CCR820022 3'0"x 6'8" 3'0"x 8'0"



Mahogany\*

CCR822222 3'0"x 8'0" 3'6"x 8'0"



CCR804032

3'0"x 8'0"



CCR820532

3'0"x 8'0"



CCR820032 3'0"x 8'0"

\*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.











CCR820532A 3'0"x 8'0"

CCR820032A 3'0"x 8'0"

CCV20522 3'0"x 6'8"

CCV820522 3'0"x 8'0"

CCV22022 3'0"x 6'8"

CCV822022 3'0"x 8'0"

CCV820532 3'0"x 8'0"

Textured ರು Privacy



CCR04020\_ 3'0"x 6'8"

CCR804020\_ 3'0"x 8'0"

Mahogany\*



CCR20020\_ 3'0"x 6'8" CCR820020\_\_ 3'0"x 8'0"



CCR804030\_ 3'0"x 8'0"



CCR820530\_\_ 3'0"x 8'0"



CCR820030\_\_ 3'0"x 8'0"



CCR820530A\_\_ 3'0"x 8'0"



CCV822020\_\_ 3'0"x 8'0" CCV22020\_ 3'0"x 6'8"



CCV820530\_\_ 3'0"x 8'0"

#### 2/3 Lites

#### continued



#### Key

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XE = Satin Etch XC = Chord

XR = Rainglass XN = Granite

#### **Optional Accessories**





Strap Hinge

#### **Founders Collection**

## Textured ರು Privacy



CCM302L\_ 3'0"x 6'8"

CCM302R\_ **∆** 3'0"x 6'8"





**∆** 3'0"x 8'0"

CCM8302R\_ **∆** 3'0"x 8'0"









CCM304L\_ 

CCM304R\_ **▲6** 3'0"x 6'8"





Mahogany

CCM8304L\_ 

CCM8304R\_ 









#### Mahogany

CCM8303L\_ **▲ 6** 3'0"x 8'0"

CCM8303R\_ **▲ 6** 3'0"x 8'0"

CCM303L\_ 

CCM303R\_ **▲ 6** 3'0" x 6'8"

Mahogany



CCM301CAL\_ **∆** 3'0"x 6'8"

CCM301CAR\_ **∆** 3'0"x 6'8"



Mahogany

**∆** 3'0"x 8'0"

CCM8301CAL\_ **∆** 3'0"x 8'0"



Mahogany

CCM305CAL\_ **▲ 6** 3'0"x 6'8"





Mahogany

CCM8305CAR\_ **♦ 6** 3'0"x 8'0"



Mahogany

CCM306CAL\_ 6 6 3'0"x 6'8"

CCM306CAR\_ 6 6 3'0"x 6'8"



Mahogany

CCM8306CAL\_ **∆ 6** 3'0"x 8'0"





CCR20020

Mahogany\* CCR820020 3'0"x 8'0" 3'0"x 6'8"



Mahogany\* CCR822220 3'0"x 8'0" 3'6"x 8'0"



CCR804030 3'0"x 8'0"

#### 2/3 Lites

#### continued



#### Key

Flush-Glazed Glass with Square Sticking (FG)

\* Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

#### **Optional Accessories**



Clavos

Strap Hinge

#### **Founders Collection**







3'0"x 8'0"



3'0"x 8'0"







CCV22020 3'0"x 6'8"

CCV822020 3'0"x 8'0"

Canvas



CCM302L **♦ \*** 3'0"x 6'8"

CCM302R **♦ \*** 3'0"x 6'8"





CCM8302L CCM8302R **≜** \*\* 3'0"x 8'0" **♦ \*** 3'0"x 8'0"

CCM304L  CCM304R **\*** # 6 3'0"x 6'8'



CCM8304L • \* • • 3'0" x 8'0"

CCM8304R ▲ \*\* 6 3'0"x 8'0"



Mahogany

CCM303L 





Mahogany

CCM8303L \* 6 3'0"x 8'0"

CCM8303R ▲ \* 6 3'0"x 8'0"



Mahogany

CCM301CAL **♦ \*** 3'0"x 6'8"

CCM301CAR **♦** <del>\*</del> 3'0"x 6'8"



Mahogany

**♦ \*** 3'0"x 8'0"

CCM8301CAL | CCM8301CAR **♦ \*** 3'0"x 8'0"



Mahogany

CCM305CAL ▲ \* 6 3'0"x 6'8"

CCM305CAR ♦ **\* ©** 3'0"x 6'8"



CCM8305CAR ▲ ※ ⑤ 3'0"x 8'0"





#### 2/3 Lites

#### continued



**Canvas** 

#### Key

**Brushed Nickel Caming (1C)** 

#### Visionary Collection



CCR1841 CCR81841

3'0"x 8'0"

3'0"x 6'8"



CCR1839 CCR81839 3'0"x 6'8" 3'0"x 8'0"



CCR1838 CCR81838 3'0"x 6'8" 3'0"x 8'0"

Black Nickel Caming (1D)



CCR822238 3'0"x 8'0"



CCR81847 3'0"x 8'0"



CCR81846 3'0"x 8'0"



CCR81845 3'0"x 8'0"



CCR81846A 3'0"x 8'0"



CCR81845A

\*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision. Right Page: Classic Craft Canvas, Zaha Glass, Door - CCV1839; Clear Glass, Transom - 19200T



CCV1839 3'0"x 6'8"

CCV81839 3'0"x 8'0"



CCV1838 3'0"x 6'8"



CCV81846 3'0"x 8'0"



#### 1/2 Lites

#### Artíssa Collection





#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)



CCM9926 3'0"x 6'8"



**CC9926** 3'0"x 6'8"



CCV9926 3'0"x 6'8"





CCM1424 3'0"x 6'8"



CC1424 3'0"x 6'8"



CCV1424 3'0"x 6'8"



\*Not available in brass caming.

Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCV911SL, Finish – Cabernet

#### **Founders Collection**



CCM609\* 3'0"x 6'8"



CC45 2'8" x 6'8" 3'0" x 6'8"



CC2160SL 12"x 6'8" 14"x 6'8"



CCV06029\* 3'0"x 6'8"



Oak

CC47 2'8"x 6'8" 3'0"x 6'8"



CC2140SL 12" x 6'8" 14" x 6'8"



CCV06028\* 3'0"x 6'8"



CCM603 3'0"x 6'8"



CCV06023 3'0"x 6'8"









CC2144SL 12"x 6'8" 14"x 6'8"



CCV06026 3'0"x 6'8"

#### 1/2 Lites

#### continued



Oak Grain

Canvas

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XE = Satin Etch

#### **Founders Collection**



CCM612

3'0"x 6'8"



CC612 3'0"x 6'8"



CC2122SL 12"x 6'8" 14"x 6'8"



CCV06022 3'0"x 6'8"

## Privacy & Textured



CCM600XE 3'0"x 6'8"



CC48<u>XE</u> 3'0"x 6'8"



CCV06020XE 3'0"x 6'8"

## Low-l



CCM600 \*\* 3'0"x 6'8"



CC48

\*\*
2'8"x 6'8"
3'0"x 6'8"



CC2120SL \*\* 12"x 6'8" 14"x 6'8"



CCV06020 \*\* 3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Finish – Mulberry

#### **Founders Collection**

Arcadia



Mahogany CCM709 3'0"x 6'8"

Longford™ ◆ ::



Mahogany CCM703 3'0"x 6'8"




Mahogany CCM702 3'0"x 6'8"



Low-E

CCM700 3'0"x 6'8"



#### Craftsman Lites



#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

XC = Chord XR = Rainglass XJ = Chinchilla XN = Granite

#### **Optional Dentil Shelves**

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf

#### **Artíssa Collection**







CCA87112 3'6"x 8'0"

CCA231 | CCA8231 | 3'0"x 8'0"







CCA3401SL | CCA3501SL | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



12"x 6'8"




CCV911 • 3'0"x 6'8"



3'0"x 6'8"








<sup>\*</sup>Formerly Classic-Craft American Style. Note: See page 299 for important product details that may help with your purchase decision.






























#### Craftsman Lites

#### continued



Canvas

#### Key

Flush-Glazed Glass with Detailed Sticking (FG)



Low-E Glass (LE)

Simulated Divided Lites (SDL)

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XG = Geometric XJ = Chinchilla XE = Satin Etch XR = Rainglass XC = Chord XN = Granite

#### **Optional Dentil Shelves**

Available for all Classic Craft Craftsman Lite doors.



**4-Block Dentil Shelf** 



Pairs with 3'6" wide doors.

4-Block Dentil Shelf

#### Artíssa Collection








3'0"x 6'8" 3'0"x 8'0"

CCA87600XR **3**'6"x 8'0"







CCA3400\_\_SL\*\* CCA3500\_\_SL\*\* 12"x 6'8" 12"x 8'0" 14" x 8'0" 14"x 6'8"



CCA210\_\_SL\*\*\* 12"x 6'8" 14"x 6'8" 12"x 6'8" 14"x 6'8"







CCV920 \*\*\* **3**'0"x 6'8"



CCV930 \*\*\* **3**'0"x 6'8"



CCV940\_\_\*\*\* 3'0"x 6'8"

<sup>\*</sup>Formerly Classic-Craft American Style.

<sup>\*\*</sup>Not available with Satin Etch (XE) glass.
\*\*\*Not available with Geometric (XG) or Satin Etch (XE) glass.



#### Craftsman Lites

# Fir Grain Formerly Classic-Craft American Style Mahogany Grain Formerly Classic-Craft Mahogany & Rustic

**Canvas** 

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)

#### **Optional Dentil Shelves**

Available for all Classic Craft Craftsman Lite doors.



4-Block Dentil Shelf



4-Block Dentil Shelf

#### **Artíssa Collection**









**♦ ≈** 3'0"x 6'8"



**♦ \*** 3'0"x 6'8"


\*Formerly Classic-Craft American Style.

**≜ ≈ □** 3'0"x 6'8"

**≜ ≈** 3'0"x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Longford Glass, Door – CCM803, Finish – New Earth



#### Center Lites

#### **Founders Collection**



Mahogany CCM809 3'0"x 6'8"



Mahogany CCM3509SL ▲ 12"x 6'8" 14"x 6'8"



Mahogany CCM803 3'0" x 6'8"



Mahogany
CCM3503SL

12"x 6'8"
14"x 6'8"



Mahogany CCM822 3'0"x 6'8"



Mahogany CCM3502SL 12"x 6'8" 14"x 6'8"



Mahogany CCM800

3'0"x 6'8"





#### Solid Panels



#### Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- 9 WBDR Options
- E Elevated 10" Bottom Rail Options

#### Fir Grain\*



CCA81125

3'0"x 8'0"

₽9E

CCA1125

3'0"x 6'8"



Artíssa

CCA1149 5 6 3'0"x 6'8"





CCA1127 3'0"x 6'8" CCA81127 ■ 9 E 3'0"x 8'0"



CCA4905 3 9 3'0"x 6'8"

CCA84905 **9 E** 3'0"x 8'0"



CCA4915L § 6 3'0"x 6'8"



CCA4915R 3 9 3'0"x 6'8"



CCA84915L 3'0"x 8'0"

CCA84915R 139E 3'0"x 8'0"

Artíssa



Artíssa

CCA4925L | CCA4925R | 6 9 3'0"x 6'8"

\*Formerly Classic-Craft American Style. Note: See page 299 for important product details that may help with your purchase decision.











CCA84925L 5 9 E 3'0"x 8'0" CCA84925R
5 9 E
3'0"x 8'0"

CCA4935 5 9 3'0"x 6'8" CCA84935 5 6 E 3'0"x 8'0" CCA4945 5 9 3'0"x 6'8" CCA84945 5 9 E 3'0" x 8'0" CCA1166 5 6 3'0"x 6'8"

CCA81166
5 9 E
3'0"x 8'0"



CCA1158 (3) 6 3'0"x 6'8" CCA81158 3 6 E 3'0" x 8'0"



CCA1147 5 6 3'0"x 6'8" CCA81147
5 9 E
3'0"x 8'0"



Arborwatch.

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.

Artíssa



CCA1100 5 3'0"x 6'8" CCA81100 **9 E** 3'0"x 8'0"



CCA1133 CCA81133 CG E 3'0"x 6'8" CCA8103



CCA1145 4 9 3'0"x 6'8"

CCA81145 E 9 3'0"x 8'0"



CCA1150 5 3'0"x 6'8" CCA81150 (S) 6 E 3'0"x 8'0"

#### Solid Panels



#### Key

🌟 Low-E Glass (LE)

WBDR Options

E Elevated 10" Bottom Rail Options

#### Walnut Grain



#### Visionary

CCW1000 **9 E** 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW81000 **9 E** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

3'6" x 8'0"



#### Visionary

CCW900L 9'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900L 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW900R 9 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8900R 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW901L 5'' x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") CCW8901L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW901R 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8901R 9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

3'6" x 8'0"



#### Visionary

CCW902L 6 2'6" × 6'8" (7'0") 2'8" × 6'8" (7'0") 2'10" × 6'8" (7'0") 3'0" × 6'8" (7'0") 3'6" × 6'8" (7'0")

CCW8902L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS82131SL,

Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW903, Finish – Ashburn



#### Visionary

CCW8902R

#### CCW902R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW8903

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0" 3'6" x 8'0"

CCW903

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



CCW904L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW904R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

CCW8904R



#### Visionary

#### CCW905

9 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")



2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW906L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906L

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW906R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8906R

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



#### Visionary

CCW907L

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0")

CCW8907L 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"





#### Visionary

CCW907R

2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0")

#### CCW8907R 2'6" x 8'0"

2'8" x 8'0" 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8" (7'0") 3'6" x 6'8" (7'0") 2'10" x 8'0"



#### Solid Panels

## **Mahogany Grain** Formerly Classic-Craft Mahogany & Rustic Oak Grain

#### Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- WBDR Options
- WBDR / HVHZ Options

#### **Optional Accessories**





Strap Hinge

#### Mahogany Grain\*



Artíssa

CCR100 CCR8100 3'0"x 6'8" 3'6"x 6'8" 3'0"x 8'0" 3'6"x 8'0"



Artíssa

CCM890 **5** 3'0"x 8'0"



Artíssa

CCR8222 3'0"x 8'0" 3'6"x 8'0"



Founders

CCR100R CCR8100R 3'0"x 6'8" 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



CCR040R 5 3'0"x 6'8'



3'6"x 8'0"



Founders

CCR8225R 5 3'0"x 8'0" 3'6"x 8'0"



Founders

CCR8005A 3'0"x 8'0"



Founders

CCR8205A CCR205A 3'0"x 6'8" 3'0"x 8'0"



CCR200A CCR8200A 3'0"x 6'8" 3'0"x 8'0"

\*Formerly Classic-Craft Mahogany and Rustic. Note: See page 299 for important product details that may help with your purchase decision.







CCR8005 **5** 3'0"x 8'0"



CCR040 5 3'0"x 6'8" CCR8040 **5** 3'0"x 8'0" 3'6"x 8'0"



CCR8205 5 3'0" x 8'0" 3'6" x 8'0" CCR205 3'0" x 6'8"



CCR200 **5** 3'0"x 6'8" CCR8200 **5** 3'0"x 8'0"



CCM60 5 3'0"x 6'8"



CCM801 3'0"x 6'8"



CCM701 9 3'0"x 6'8"



CCR2025XHSL 6 6 12"x 6'8" 14"x 6'8" CCR82035XHSL 12"x 8'0" 14"x 8'0"

#### Oak Grain



CC91 5 3'0"x 6'8"



Founders CC831 9 3'0"x 8'0"




CC60 5 2'8"x 6'8" 3'0"x 6'8" CC860 3'6"x 8'0"



CC40 3'6" x 6'8"

#### Solid Panels

#### Canvas



#### Key

- Flush-Glazed Glass with Square Sticking (FG)
- Simulated Divided Lites (SDLF6)
- **6** WBDR / HVHZ Options

#### **Optional Accessories**





Strap Hinge







CCV205 5 3'0"x 6'8" CCV8205 6 3'0"x 8'0"



CCV220 5 3'0" x 6'8" CCV8220 5 3'0"x 8'0"



CCV831 6 3'0"x 8'0"



CCV060 6 3'0"x 6'8"







#### Transoms

Transoms can be stained or painted to match Classic Craft door systems.

#### Homeward<sub>™</sub>◆**::**



**HWRT** 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only

#### Arborwatch...



ABRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



AB30T

3'0" Door Only

#### Arcadia<sub>™</sub> ◆ :: ❖



#### CC060T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC600T

3'0" Door Only

#### Longford™ ◆ \*\*\*



LFET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



**LFRT** 

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LF30T

3'0" Door Only

#### Provincial<sub>™</sub> ◆ **::** ❖



#### CC040T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC420T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T

3'0" Door Only

#### Lucerna.



#### LCET

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



**LCRT** 

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



#### LC30T

3'0" Door Only

#### Cambridge<sub>™</sub> ◆ **::** ❖



#### CC090T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC920T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC900T 3'0" Door Only

#### Zaha.



#### ZHRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Low-E



Grille Sticks Applied



#### 19020T

\*\*3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



#### 19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

3'0" Door Only



19210T

12" & 14" Sidelite Only

#### Key



Black Nickel Caming (1D)

■■ Brushed Nickel Caming (1C)❖ Brass Caming (1A)



#### Classic Craft. Hinged Patio Doors



#### A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

#### Grain & Texture Options









#### **Glass Options**



**Low-E Glass** 



Flush-Glazed Glass


Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

#### **EnLiten**™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten $_{\tiny \rm IM}$  Flush-Glazed Rider for Construction & Installation, and the EnLiten $_{\tiny \rm IM}$  Flush-Glazed Rider for Homeowners.

I = Available	Classic Craft.	
Door Selections		
Material	Fiberglass	
Warranty	1x Transferable Lifetime	
Finish Options	Stain or Paint	
Flush-Glazed Glass Selections		
Low-E Glass with and without Divided Lites ♦	•	
Privacy & Textured Glass with and without Divided Lites	•	
Lip-Lite Glass Selections		
Low-E Glass with and without Divided Lites	•	
Privacy & Textured Glass with and without Divided Lites	•	
Available Sizes		
Heights	6'8", 8'0"	
Single Widths	3'0"	
Double Widths	6'0"	
Triple Widths	9'0"	
Retrofit Openings		
Additional Options		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	
Impact-Rated Options		
Tru-Defense Eligible		

#### **Available Configurations**





#### EnLiten™ Flush-Glazed Low-E Glass




#### **Available Collections**

- Classic Craft, Fir Grain
- Classic Craft. Mahogany Grain

#### **Available Door Styles**



#### **Available Configurations**



#### EnLiten Flush-Glazed Low-E Glass with Divided Lites




#### **Available Collections**

• Classic Craft<sub>®</sub> Mahogany Grain

#### **Available Door Styles**



#### **Available Configurations**



#### Low-E Glass




#### **Available Collections**

- Classic Craft<sub>®</sub> Mahogany Grain
- Classic Craft, Oak Grain
- Classic Craft, Canvas

#### **Available Door Styles**




#### **Available Configurations**






### Fiber-Classic. & Smooth-Star. Fiberglass Doors



With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.


Top: Smooth-Star, Maple Park Glass, Doors – S86107 Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley Right Page: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door – FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry

Fiber-Classic, & Smooth-Star,















Fiber-Classic<sub>®</sub>
Mahogany Collection<sub>™</sub>

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic

Oak Collection

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



#### See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuardapremium finish and Same-Daya Stain color options on pages 274–278.

#### Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 134.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass starting on page 152.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



#### **Door Construction**

Fiber-Classic, and Smooth-Star, doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



#### Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

#### **2** Security


An enhanced lock block combined with a 1-1/4" engineered lumber lock stile increases rigidity and stability.

#### **3** Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

#### A R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood\*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.





#### Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the ( ) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white – are designed for worry-free use.

#### **Available Sizes:**

	Width		
Height	12"	14"	
6'6"			
6'8"			
8'0"			



#### **Available Configurations:**



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

■ = Available • = Not Applicable S = Stain P = Paint	Fiber-Classic. Mahogany Collection	Fiber-Classic。 Oak Collection	Smooth-Star.
Door Widths			
2'0"			
2'4"			
2'6"			
2'8"			
2'10"			
3'0"			
3'6"	•	•	
Door Heights			
6'6"	•		
6'8"			
7'0"			
8'0"			
Glass Options			
Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds			
Flush-Glazed			
Screen Vented	•	•	
Simulated Divided Lites			
Grilles Between Glass			
Low-E			
Clear			
Additional Options			
Finish	S/P	S/P	Р
Vented Sidelites			

#### Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 222–227.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door - S8140

#### **Additional Options**


- WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*
- Fire-Rated Options: Available on solid-panel doors. See pages 254–259.
- Flush-Glazed Options: Look for these icons and / or a blue highlight to find door styles with flush-glazed glass.

#### Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 299 for more information.

- ▲ Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners. See page 33 for more information.
  - Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 26–27 for details.



<sup>\*</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


#### Decorative & Specialty Glass Designs

#### **Blackstone**<sub>®</sub>

Traditional English design meets
1 clear curved bevels, 2 rainglass
and caming to create the distinctive
styling of Blackstone. Entries get
the best of both privacy and
simple refinement.









**Brushed Nickel** 

#### **Crystalline**™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and caming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel


#### Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

- 1 slump glass, 2 clear bevels,
- 3 clear artique glass and caming.







Brushed Nickel


Black Nickel

#### **Salinas**<sub>®</sub>

Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Glass Privacy Rating



Wrought Iron

#### Maple Park

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.







**Brushed Nickel** 

#### **Black Nickel**

#### **Avonlea**

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.



Glass Privacy Rating



Black Nickel

#### **Saratoga**™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels,

2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.





Black Nickel






**Brushed Nickel** 

#### **Texas Star**

Beautifully crafted with 1 clear bevels, 2 curved bevels, 3 clear waterglass, 4 granite glass, 5 glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating





**Brushed Nickel** 

#### **Wellesley**™

Simple yet charming, Wellesley's Victorian-inspired design uses 1 clear baroque glass, 2 clear curved bevels, 3 waterglass, 4 granite glass and caming to add beauty to any entry.



Glass Privacy Rating





**Brushed Nickel** 




Brass

**Black Nickel** 

#### Riserva<sub>®</sub>

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features 1 oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.





Glass Privacy Rating


Wrought Iron

#### **Concorde**<sub>M</sub>

There's just something friendly about Concorde's cheery four-leaf design. 1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.



Glass Privacy Rating





**Brushed Nickel** 



Brass

#### Black Nickel

#### **Kensington**<sub>™</sub>

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels, 2 glue chip glass,
- 3 granite glass and caming.









**Brushed Nickel** 

Black Nickel


#### **Pembridge**<sub>m</sub>

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.



Note: The use of gray baroque glass varies based on glass size.

Black Nickel





Brushed Nickel



3rass\*


#### **Axis**<sub>®</sub>

Simple and smart, Axis combines

• narrow reeded glass in horizontal
and vertical arrangements to create
contrast and modest privacy. A vertical
band of • clear glass bevels completes
this linear design, ideal for Modern
home styles.



**Black Nickel** 



#### Frosted Images

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of 1 white-frosted glass.






#### **Internal Blinds**

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.







#### **Screen Vented**

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



#### **Privacy & Textured Glass**



Reeded



Glass Privacy Rating



**Geometric** 



Glass Privacy Rating



Satin Etch



Glass Privacy Rating



Chord



Glass Privacy Rating



Chinchilla

Glass Privacy Rating



**Rainglass** 



Glass Privacy Rating



**Granite** 



Glass Privacy Rating


















#### **SDL Bar Options**







# GBG Bar Options Flat Contour White Almond Bronze (20 mm / 0.787 in.) (18 mm / 0.708 in.) Black Tan\* Stone\*

#### Key

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

#### Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.











#### **Dentil Shelves**

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*







#### **Transoms**

For transoms. see page 221.



#### Blackstone. • ::



FCM108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM871 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM310 ■ 2 9 E **1** 9 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"

FCM816



FCM871SL

Mahogany 12"x 8'0" 14"x 8'0"



FCM808SL 10"x 6'8"

■●⊿∦6 12"x 8'0" 12"x 6'8" (7'0") | 14"x 8'0" 14" x 6'8" (7'0")

FCM81918SL



FC108 **5 E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

81918P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC310 ■ 🛮 9 E 2'6" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")

FC816 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC108SL 4 6 10"x 6'8" 12"x 6'8"

14"x 6'8"

81918PSL 4 6 12"x 8'0" 14"x 8'0"



FC808SL 81918SL --116 **--116** 




S6002 9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0") 3'0"x 8'0"




2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")

S816 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" \( \hat{\( \)} \) 2'10" x 8'0" 3'0"x 6'8" 1 (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S6002SL ⊿ ∡ S85892SL **⊿ 3 6** 12"x 8'0" 12" x 6'8" 14" x 6'8" 14"x 8'0"



S4570SL **■●⊿16** 

S85927SL **■●⊿¼∮** 12"x 8'0" 10"x 6'8" 12"x 6'8" \$\(\frac{12}{12}\) (7'0") 14"x 8'0" 14"x 8'0"

#### Key

No Stile Lines










S85892

2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0"





↑ 6'6" Height Available

#### Crystalline<sub>™</sub> ◆ ::



FCM8114 FCM16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM668 ■ 4 9 E FCM814 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



Mahogany

FCM8114SL 2 6 12"x 8'0" 14"x 8'0"



FCM18101SL FCM81800SL 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")



FC16 **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



3'0"x 8'0"



FC668

2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 8'0"



FC46SL 81800PSL 16 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0"

14" x 6'8'



18101SL --116



81800SL 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")
12"x 8'0" 14"x 8'0"




S916 **19** € 2'8"x 6'8" (7'0")





Smooth S668 ■16E

S815 **1** 6 2'8"x 6'8" \$ (7'0") 2'8"x 8'0" 2'10"x 6'8" \$ (7'0") 2'10"x 8'0" 3'0"x 6'8" 1 (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S916SL S814SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6130SL 10"x 6'8" 12"x 6'8" \$\(\delta\) (7'0") 14"x 8'0" 14"x 6'8" 1 (7'0")

S84586SL --116 12"x 8'0"

#### Sedona ♦ ::



FCM100 FCM872 2'8"x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM241 FCM822 **■ 🛮 E** 

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0"



Mahogany FCM872SL

12"x 8'0" 14" x 8'0"



Mahogany FCM816SL 

10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FCM81968SL

12"x 8'0' 14"x 8'0'



Oak

FC100

∡ E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81968P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC241

 Z 3'0"x 6'8" \$ (7'0")

FC822 2'10"x 8'0"



FC100SL 81968PSL 10" x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



FC816SL 81968SL 12"x 6'8" (7'0") 12"x 8'0' 14"x 6'8" (7'0") 14"x 8'0"



S139 ∡ E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S241 ■ **I** E 2'6"x 6'8" **Å** 2'8"x 6'8" \$\(\bar{\Delta}\) (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S139SL <u>ا</u> الــ 12"x 6'8" 14"x 6'8"



S604SL 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$\(\bar{\Delta}\) (7'0")

# Salinas<sub>®</sub> x



FCM113 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'

FCM873 **4**6 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0'



FCM369 ■ **1** 9 E 2'6" x 6'8" (7'0")

FCM817 **1** 2'6"x 8'0' 2'8" x 6'8" (7'0") | 2'8" x 8'0" 2'10" x 6'8" (7'0") | 2'10" x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0'



FCM814SL ■ ● → ¥ 6 10"x 6'8"

FCM81919SL ■ ● → ¥ 6 12"x 8'0" 12"x 6'8" (7'0") 14"x 8'0" 14"x 6'8" (7'0")



Mahogany FCM873SL **∡ 6** 12"x 8'0"

14"x 8'0"



FC113 **1**6€ 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





FC369 FC817 ■ 🛮 🥱 E **4 9** 2'6" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'6" x 8'0" 2'8" x 6'8" \$\(\frac{1}{4}\) (7'0") 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0"x 6'8" \$ (7'0") 3'0"x 8'0"



12" x 6'8" 14" x 6'8'




FC814SL 81919SL



S85893 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") **4**6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0"




S369 2'10"x 6'8" \$ (7'0"



S85893SL

**4** 6

S6008SL \_\_ **\_** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6134SL S85931SL ■ ● → ¼ 6 ■ ● → ¾ 6 12"x 8'0" 10"x 6'8" 14" x 8'0"

FC113SL 81919PSL 16 **4 6** 10"x 6'8" 12"x 8'0" 14"x 8'0'

12"x 6'8" \$\(\frac{1}{4}\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\frac{1}{4}\) (7'0") 14"x 8'0"

S6008

3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



**NEW Scrolled & Flat** Advanta Lite Frame

Flat Lite Frame **Vented Sidelite Options** 

WBDR Options



S817

**4 9** 

2'6"x 8'0'

3'0"x 8'0'

3'6"x 8'0"

2'8"x 8'0" 2'10" x 8'0"





Mahogany

FCM900 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1006 E 5 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM812SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC900

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC1006 ■ **½ 5** E 2'8" x 6'8" **Å** (7'0") 2'10" x 6'8" **Å** (7'0") 3'0" x 6'8" **Å** (7'0")



Oak

FC900SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



Oak

FC812SL 6 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Smooth

S6100 2 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Smooth

S1006

**9 E**2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6" x 6'8"



Smooth

\$6100\$L 12"x 6'8" 14"x 6'8"



Smooth

#### S6131SL 0 4 6 10"x 6'8"





Mahogany

FCM758 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1027 • 4 5 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Mahogany

FCM807SL 10"x 6'8" 12"x 6'8" (7'0")

14"x 6'8" (7'0")



Oak

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")

FC758 **6** E 2'8" x 6'8" (7'0")



FC1027

2'8" x 6'8" \$\(\frac{1}{4}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{4}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{4}\) (7'0")



Oak

FC758SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC807SL

12"x 6'8" (7'0") 14"x 6'8" (7'0")



Smooth S962

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smootr



Smooth

\$962\$L 12" x 6'8" 14" x 6'8"



Smooth

\$6127\$L 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")

# Saratoga<sub>™</sub> ♦ #



FCM905 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6093 ■**1**6E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM815SL FCM81986SL ■ ●⊿ 🛚 6 ■ ● → ¥ 6 12"x 8'0" 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0") 14"x 8'0"



FCM893SL 12"x 8'0" 14"x 8'0"



FC905 **16** € 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC6093 **■** 16 E 3'0"x 6'8" \$ (7'0")



FC905SL 81986PSL 12" x 8'0" 16 10"x 6'8" 12"x 6'8" 14" x 8'0"

14"x 6'8"



81986SL

FC815SL 



2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6093 ■ **1**9E 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S8602SL S154SL \_ I **4 6** 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0'



S602SL S85932SL 





FCM142 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1029 ■ 🛮 E

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM817SL 10"x 6'8" 12"x 6'8" (7'0")

14"x 6'8" (7'0")



FC142 ∡ E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC1029 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")



FC142SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC817SL 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")



S6070 ∡E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S1029 2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$\(\begin{array}{cccc} \(\beta\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\)(7'0")

Texas Star Continues on next page.

#### Key



Black Nickel Caming (1D)

**Brushed Nickel Caming (1C)** 

Flat Lite Frame



**Vented Sidelite Options** 

**WBDR Options** 



Elevated 10" Bottom **Rail Options** 

♣ 6'6" Height Available

# Texas Star ◆ **::** Continued



S6070SL S6135SL 12"x 6'8" 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8' 14" x 6'8" \$\(\bar{\Delta}\) (7'0")

# Wellesley<sub>™</sub> ♦ # ❖



FCM104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FC821



FCM6094 FCM821 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM818SL 10"x6'8" 12"x 8'0" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" \$ (7'0")



FCM874SL 12"x 8'0" 14"x 8'0"



81921P

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC104 **4 6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC6094 2'6"x 6'8" \( \( \) (7'0") \) 2'8"x 6'8" \( \) (7'0") 2'8"x 8'0" 2'10"x 6'8" \( \) (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 8'0" 2'6"x 8'0"



FCM874 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC104SL 81921PSL 12"x 8'0" 10"x6'8" 12"x 6'8" | 14"x 8'0" 14" x 6'8"



FC818SL 81921SL 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 12"x 8'0" 12"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0"

Riserva<sub>®</sub> x



S85896 S155 **4 6 E** 2'6"x 6'8" 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6094 ■ **16** E 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"

S821

**1** 4 6


2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

3'6"x 8'0"

2'10"x 8'0"



S85896SL S155SL 116 12"x 6'8" 12"x 8'0" 14" x 6'8" | 14" x 8'0"



S5870SL S85934SL 10"x 6'8" 12"x 8'0" 12"x 6'8" \$\(\frac{12}{12}\) (7'0") 14"x 8'0" 14"x 8'0"



Mahogany FCM574 FCM8574 2'8"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM571 FCM8571 ■ 16E 2'6" x 6'8" (7'0") 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM8572SL

FCM572SL 10"x 6'8" 12"x 8'0" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" (7'0")



FCM8573SL **1 6** 12"x 8'0"

14"x 8'0"

Oak

FC574 FC8574 **1637 €** 2'6" x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC571 FC8571 2'6" & 7'0")
2'6" x 6'8" \( \) (7'0")
2'8" x 6'8" \( \) (7'0")
2'10" x 6'8" \( \) (7'0") 3'0"x 6'8" \$ (7'0") 3'0"x 8'0"



FC8573SL FC573SL 16 12"x 8'0" 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC572SL FC8572SL ---



S574 6 E 2'6" x 6'8"

\$8574 2'6"x 8'0" 2'8" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



\$571 ■ **4 9** E

3'0"x 6'8" 🛕 (7'0") 3'6" x 6'8"



S573SL \_1 /

S8573SL **4** 6 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S572SL --16

10"x 6'8" 12"x 6'8" Å (7'0") 14"x 6'8" \$\(\frac{1}{4}\)(7'0") S8572SL

12"x 8'0"

14"x 8'0"

■ ● ⊿ ¼ 6



FCM910 2'8"x 6'8" 2'10"x 6'8"

FCM890 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



Mahogany FCM6095

FCM820

**4 4 6** 

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM809SL

**6** 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 8'0" 14"x 6'8" \$ (7'0")



S8571

3'0"x 8'0"

3'6"x 8'0"



FCM890SL

FC910 16 **46** E 12"x 8'0" 2'6" x 6'8" 14"x 8'0"



81928P 16

2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC6095 ■ 16E

FC820

3'0"x 6'8" \$ (7'0") 3'0"x 8'0"

Concorde Continues on next page.

#### Key

No Stile Lines

 Black Nickel Caming (1D) **Brushed Nickel Caming (1C)** 

Brass Caming (1A)



Flat Lite Frame

**NEW Scrolled & Flat** Advanta Lite Frame



**WBDR Options** WBDR / HVHZ Options E Elevated 10" Bottom **Rail Options** 

Å 6'6" Height Available

# Concorde → : Continued



FC910SL 81928PSL 10"x 6'8" 12"x 6'8" 12" x 8'0' 14" x 8'0"

14"x 6'8"



FC809SL 12"x 8'0"



S6090 S85895 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6095 S820 **1**46 ■ 16E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'0"x 8'0" 3'6"x 6'8" 3'6"x 8'0"



S416SL S85895SL **\_** 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"



**- 4** 6

10"x 6'8

S85930SL 12"x 8'0" 14" x 8'0"

# Kensington<sub>™</sub> ♦ **::**



FCM148 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM626 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM813SL 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 🛕 (7'0")



FC148 **4**9 E 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC626 ■ 16E 2'8" x 6'8" 1 (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC148SL 16 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC813SL 



S160 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S626 ■ 16 E 3'6"x 6'8"



S160SL \_ 4 12"x 6'8" 14" x 6'8"



S6132SL 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")

# Pembridge<sub>™</sub> ♦ **::** ❖



Mahogany FCM86550 5 2'8" x 8'0" FCM6550 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6500 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")



FCM86500 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



FCM86550SL 12"x 8'0" 14"x 8'0"



FCM6500SL

**-----**4 10"x 6'8" 12" x 8'0" 12"x 6'8" \$ (7'0") | 14"x 8'0" 



FCM86500SL

FC6550

9 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 8'0"



FC6500

■**19**E 2'8" x 6'8" \$\( \) (7'0") 2'10" x 6'8" \$\( \) (7'0") 2'10" x 6'8" \$\( \) (7'0") 3'0" x 6'8" \$\( \) (7'0") 3'0" x 8'0"




FC6550SL

**4**6 10"x 6'8" 12"x 6'8" 14"x 6'8"

FC86500

2'10"x 8'0"

**4** 9




FC6500SL

12"x 6'8" \$\(\frac{1}{2}\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 8'0"

Axis.

FC86500SL



S6550

S86550 **19** € **4**6 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"




S6500 ■19E

2'8" x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"




S86500 **1** 

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"



S6550SL S86550SL

\_1 🛮 **1** 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6500SL

-15 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")



S86500SL

12"x 8'0"

14"x 8'0"

- 46

FC86550SL

12"x 8'0"

14"x 8'0"

FCM1652

**16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM81652 **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



### FCM1651 ■ 16E

**1**9 2'6"x 8'0" 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" (7'0") | 2'10"x 8'0" 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")

FCM81651



FCM1651SL 10"x6'8"

12"x 6'8" \$\( (7'0") \) 14"x 8'0" 14"x 8'0"



Mahogany FCM81652SL **4**6 12"x 8'0"

14"x 8'0'



Oak FC1652

**1**6€ 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FC1651 ■**1**6E

2'4"x 6'8" A 2'6"x 6'8" \$ (7'0") 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$ (7'0")

#### FC81651 **1**9 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC1652SL FC81652SL **4 6** 10 "x6'8 " 12"x 8'0"

14"x 8'0"

Axis Continues on next page.

12"x 6'8"

14"x 6'8"

#### Key

No Stile Lines

 Black Nickel Caming (1D) **Brushed Nickel Caming (1C)** 

Brass Caming (1A)

Flat Lite Frame

**NEW Scrolled & Flat** Advanta Lite Frame

**Vented Sidelite Options** 

FCM81651SL

■ ● ⊿ ¼ 6

12"x 8'0"



**Rail Options** 

Elevated 10" Bottom


**Å** 6'6" Height Available




FC81652

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

**4**6





## **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass 3'0"x 8'0"

XN = Granite



FC5700\_SL 12"x 6'8" 14"x 6'8"



FC5710\_SL 12"x 6'8" 14"x 6'8"



FC5720\_SL 12"x 6'8" 14"x 6'8"



3'0"x 6'8" 🗘



\$1207\_ ♠ ■ E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å







3'0"x 8'0"

3'0"x 6'8" 🕸



S85715

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

A RIE





\$2010\_SL | \$84886\_SL | 12"x 6'8" \( \bar{\lambda} \) 12"x 6'8" \( \bar{\lambda} \) (7'0") | 14"x 8'0" \( \bar{\lambda} \)





\$2000\_\$L-4C\* 10"x 6'8" \$ 12"x 6'8" \$ 14"x 6'8" \$



\$5700\_ ♠ ■ E 2'6" x 6'8" Å 2'8" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å 3'0" x 8'0" 3'0" x 8'0"







Smooth

S691\_

□ E

2'6" x 6'8" Δ

2'8" x 6'8" Δ

2'10" x 6'8" Δ

2'10" x 6'8" Δ

3'0" x 6'8" Δ

3'0" x 8'0"

3'0" x 8'0"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continues on next page.

#### Key





- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options



# EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites Continued



# **▲ 2** E

2'6"x 6'8" \$ 2'8"x 6'8" \$ 2'10"x 6'8" \$ 3'0"x 6'8" A

#### S8685L\_ **▲ 🛛 E** 2'6"x 8'0" 2'8"x 8'0'

2'10"x 8'0"

3'0"x 8'0"



S685R\_ **△** 2 E

2'10"x 6'8" 🕸 3'0"x 6'8" 🕸



S5700\_SL

S85700\_SL **A 2 0 2** 12"x 8'0" 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 6'8"



S5710\_SL **A 2 0** 

S85710\_SL **2** 10"x 6'8" 12"x 8'0' 12"x 6'8" 14"x 8'0" 14" x 6'8"



S5720\_SL S85720\_SL **A 2 0** 10"x 6'8"

**2** 12"x 8'0' 12"x 6'8" 14"x 8'0' 14"x 6'8'

# **Privacy & Textured Glass with Divided Lites**



FCM138\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1285\_ 🔳 📦 🛚 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S8685R\_

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

**▲ 2 E** 

FCM18\_

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1284\_ 🔳 📦 🛚 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM12102\_SL



Mahogany FCM6124\_SL\*

NI 10"x 6'8" 12" x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



Mahogany

FCM6125\_SL\* 10"x 6'8" 14" x 6'8" Å (7'0")



Mahogany

FCM6126\_SL\* 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" 1 (7'0")



FC138\_ 2'8" x 6'8" (7'0")

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



1285\_ 🔳 阉 🖊 E 2'8" x 6'8" 1 (7'0") 2'10"x 6'8" \$ (7'0")

3'0"x 6'8" \$ (7'0")

Oak



FC18\_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1284\_ ■ 📦 🛚 E 3'0"x 6'8" \$ (7'0")



FC18\_SL 12"x 6'8" 14" x 6'8"



12102\_SL 

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.


XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite



FC06188\_SL\* 10"x 6'8" 12" x 6'8"

14" x 6'8"



FC06184\_SL\* 



Oak FC06189\_SL\* 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC06185\_SL\* 12"x 6'8" Å (7'0") 14"x 6'8" Å (7'0")



FC06190\_SL\* 10"x 6'8" 12"x 6'8" 14"x 6'8"



FC06186\_SL\* 



S128\_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S141\_ 2'8" x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10" x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8"



S108\_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6063\_ 🔳 📦 🖊 E 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \( (7'0") \)
3'6"x 6'8"



S308\_SL 12"x 6'8" 14" x 6'8"



S1170\_SL 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")



Smooth S605\_SL\* 12"x 6'8"

14"x 6'8"

EnLiten™ Flush-Glazed Privacy & Textured Glass



S6124\_SL\* 10"x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")



S606\_SL\* 12"x 6'8" 14"x 6'8"



S6125\_SL\* 10"x 6'8" 14"x 6'8" \$\(\begin{array}{c} (7'0") \\ \end{array}

# Smooth Smooth S607\_SL\* S6126 SL\* 12"x 6'8" 10"x 6'8" 14"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")











S2000\_ S8000\_ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



S2000\_SL S8000\_SL **4** • 12"x 8'0"

# Key



Flush-Glazed Glass with **Detailed Sticking (FG)** 

Simulated Divided Lites (SDL)

- Simulated Divided Lites (SDLF2) **NEW Scrolled**
- Advanta Lite Frame **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

# **Privacy & Textured Glass**



FCM10\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FCM81200\_

2'6"x 8'0"

2'10"x 8'0"

FCM1,283\_ **9 E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM870\_SL **4 6** 12"x 8'0" 14"x 8'0"



FCM81200\_SL FCM12101\_SL --116





81200P\_ 2'8" x 8'0" FC10\_ 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



1283\_ 81200 ■ **1**6E **a 4** 6 2'6"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 1 (7'0") 2'10"x 6'8" \(\bar{\Lambda}\) (7'0") 3'0"x 6'8" \$\(\delta\) (7'0") 3'0"x 8'0"



FC47\_SL | 81200P\_SL 10"x 6'8" 16 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



12101\_SL 81200\_SL 12"x 6'8" ½ (7'0") 14"x 6'8" ½ (7'0") 14"x 8'0" • • J 4 6



S118\_ S818\_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S140 S8140 30140 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" 3'6"x 8'0"



S100\_SL S8601\_SL **4 6** 12"x 6'8" 12" x 8'0" 14" x 6'8" 14"x 8'0"





2'10"x 6'8" Å

3'0"x 6'8" ₺





#### **Privacy & Textured Glass Options**

**■ ■ ■ ■ 4 6** 

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric

2'10"x 8'0"

3'0"x 8'0"

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

XN = Granite

**■●**⊿**16** 

#### **Internal Blinds**



FCM141 # 🛮 6 2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8'

FCM8115 #⊿6 2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0"



FCM81225

■ **\* 3 6** 2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM1286

■ \* **4 5 E** 2'4"x 6'8" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM8115SL

**\* 1 6** 12"x 8'0" 14"x 8'0'




FCM1286SL FCM81225\$L

**■** \* **● 1 6 \* • 1** 6 10"x 6'8" 12"x 8'0" 



FC141 **\* 2 6 E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

81225P 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



1286 ■ \* **1** 6 E 2'4"x 6'8" ₺ 2'6"x 6'8" \$\(\Delta\) (7'0")
2'8"x 6'8" \$\(\Delta\) (7'0")
2'10"x 6'8" \$\(\Delta\) (7'0") 3'0"x 6'8" \$ (7'0")


81225

**\* 4 6** 

2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0'



FC141SL 81225PSL \* 🛮 6 **\* 1** 6 10"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8'



1286SL 81225SL 14"x 8'0"



**# 1** 6 E # **1** 6 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10" x 8'0' 3'0"x 6'8" (7'0") 3'0"x 8'0'



\$81225 \* **4 6** 2'6"x 8'0" S6061 ■ \* **4 6** E 2'4"x 6'8" Å 2'6"x 6'8" Å 2'8"x 8'0" 2'8"x 6'8" \$\(\frac{1}{2}\) (7'0") 2'10"x 8'0" 2'10"x 6'8" \(\bar{\Lambda}\) (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 8'0" 3'6"x 6'8"



S130SL S829SL **\***\_**1 6 \***\_**16** 12" x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



S6128SL • \* • J 4 6 10"x 6'8" 12"x 6'8" \$\(\delta\) (7'0") 12"x 8'0" 14"x 6'8" \$\(\delta\) (7'0") 14"x 8'0"







EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.

#### Key

No Stile Lines



- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options**
- **WBDR Options** WBDR / HVHZ Options
- Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

Fiber-Classic, & Smooth-Star,


# EnLiten Flush-Glazed Clear Glass with Divided Lites Continued



FC1206 \* • • • • 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"








FC1204 • \* • • • 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"





8000-12 • \* • • • • 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



8000-18

\*\* \* \* \* \*

2'6"x 8'0"


2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



FC1205SL • \* • • • 12"x 6'8" 14"x 6'8"



FC1206SL \* \* • • • 12" x 6'8" 14" x 6'8"




FC1204SL • \* • • • 12" x 6'8" 14" x 6'8"



2050SL \*\* ~ † † † 12"x 6'8" 14"x 6'8"





2009SL \*\* • • • • 12" x 6'8" 14" x 6'8"



FC5700 \* 2'6" x 6'8" 2'8" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC5710 \*\* 2 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"









FC685L \* 2 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

FC8685L

\*\* 2
2'6"x 8'0"
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





FC5700SL **\*** 2 12"x 6'8" 14"x 6'8"



FC5710SL **♦ ₩ 2** 12"x 6'8" 14"x 6'8'



Oak FC5720SL **\*** 2 12"x 6'8" 14"x 6'8'



S1205 **▲\***■■++++E 2'10"x 6'8" \$

3'0"x 6'8" \$



S1206 **▲** \* † † † E 2'10"x 6'8" \$ 3'0"x 6'8" A



S1207 **▲\***■++++E 2'10"x 6'8" Å 3'0"x 6'8" \$



S2010 **△** \* **≈** † † † E 2'10"x 6'8" \$ 3'0"x 6'8" \$



S1204 **▲**\* ♦ ♦ ♦ ♦ **E** 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" 🗴

3'0"x 6'8" 🛕



S2050 **△ \* № ↑** ↑ ↑ ► 2'6"x 6'8" A 2'8"x 6'8" 🛕 2'10"x 6'8" 🛕 3'0"x 6'8" 🛕



S8000-12 **▲**\* ♦ • • • E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S8000-18 **▲** \* \* \* \* • E 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S5705 S85705 **♦ \* N**E **▲ \* N** E 2'6"x 6'8" A 2'6"x 8'0" 2'8"x 6'8" 🕸 2'8"x 8'0" 2'10"x 6'8" A 2'10"x 8'0" 3'0"x 6'8" 🕸 3'0"x 8'0"



Smooth S5715 S85715 **▲ \* N** E **▲ \* □ E** 2'6"x 6'8" Å 2'6"x 8'0" 2'8"x 6'8" 🗘 2'8"x 8'0" 2'10"x 6'8" Å 2'10"x 8'0" 3'0"x 6'8" 🕸 3'0"x 8'0"



S5725 S85725 **≜** \* **©** E **▲ \* 🛍 E** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" A 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" A



S1205SL **\*** \* \* \* \* • 



S1206SL **△** \* † † † • 14"x 6'8" \$ (7'0")



S1204SL **\*** \* \* \* \* • 14"x 6'8" 🛣 (7'0")



S2010SL **▲\*≈□ 1 1 1 \* \* •** 10"x 6'8" 🕸 12"x 6'8" \$\(\frac{1}{4}\) (7'0")
14"x 6'8" \$\(\frac{1}{4}\) (7'0")



S2000SL-2C 10"x 6'8" Å 12"x 6'8" Å 14"x 6'8" Å



S2000SL-4C 10"x 6'8" Å 12"x 6'8" 🕸 14"x 6'8" Å

EnLiten Flush-Glazed Clear Glass with Divided Lites Continues on next page.

S84886SL

**▲ \* №** 

12"x 8'0"

14"x 8'0"

## Key

- Flush-Glazed Glass with **Detailed Sticking (FG)**
- Low-E Glass (LE)
- Simulated Divided Lites (SDL) Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
  - Flat or Contour White Grilles Between Glass (GBGF / GBGC)
  - **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options**
- E Elevated 10" Bottom **Rail Options**
- **Å** 6'6" Height Available

# EnLiten Flush-Glazed Clear Glass with Divided Lites Continued



Smooth

#### S2009 2'0"x 6'8" A 2'6"x 6'8" A 2'8"x 6'8" 🕸

S8000-9 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 6'8" 🕸 2'10"x 8'0" 3'0"x 6'8" 1 3'0"x 8'0"



#### Smooth S2009SL

14" x 6'8" \$\(\hat{\chi}\) (7'0")



#### Smooth

S85700

2'6"x 8'0'

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S5700 2'10" x 6'8" 🕸 3'0"x 6'8" 🕸



S5710 2'10"x 6'8" &

3'0"x 6'8" 🕸





2'10"x 6'8" 🕸 3'0"x 6'8" 🕸

S85720 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



#### S691 **♦** \* □ E

2'10"x 6'8" A 3'0"x 6'8" 🕸 S8691 2'6"x 8'0"

3'0"x 8'0"

2'8"x 8'0" 2'10"x 8'0"



#### Smooth

2'10"x 6'8" A 3'0"x 6'8" 🕸

S8685L S685L

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



2'10"x 6'8" 🕸 3'0"x 6'8" 🕸



#### S8685R **△** \* □ E 2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S5700SL S85700SL **♦ \* 2** • 10"x 6'8" 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



#### S5710SL | S85710SL **\* 2 0 \* 2**

10"x 6'8" | 12"x 8'0" 12"x 6'8" | 14"x 8'0" 14"x 6'8"



S5720SL | S85720SL

**♦ \* 2 • • \* 2**10" x 6'8" | 12" x 8'0" | 14" x 8'0" 14" x 6'8"



#### **Clear** Glass with Divided Lites



Mahogany

#### FCM1209 **\* • • •**

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

#### FCM1201 ■ \* † † **/ / / / /**

2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

#### FCM1211 **\*** ♦ ♦ **/**

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

#### FCM1202

■ \* † † **\* ≥** 2'6"x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

FCM1212

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

#### FCM1203

■ \* † † **¾** E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany

#### FCM138

\* N + + + 1 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM1285


■ \* **≥** † † † **½** 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")



Mahogany FCM1208 \* + + + 1 6

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM1200 ■ \* † † ¥ 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



Mahogany FCM18

\* **\*** † † † **\*** 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM1284

■\***■** \* + + 1 4 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM828 \* + + + 🛮 6

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0'



FCM81828 **\*** \* † † **3** 6

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0'



FCM81208P

\* + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM81829 ■ \* † † †

2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM1201SL ■ \* \* \* \* • ■ 🗾 10"x 6'8"


14" x 6'8" \$ (7'0")

12"x 6'8" \$ (7'0")



FCM1202SL

■ \* ↑ ↑ ↑ ● 🗾 10"x 6'8" 12"x 6'8" \$ (7'0") 14" x 6'8" Å (7'0")



<u>Ma</u>hogany FCM1200SL

■ \* \* \* \* \* • ■ ■ 6 10"x 6'8" 14" x 6'8" \$ (7'0")



Mahogany FCM12102SL

■ \* • • • • ■ 6 10"x 6'8" 12"x 6'8" \$ (7'0") 14"x 6'8" \$ (7'0")



FCM81208PSL

\* † † † **1** 9 12"x 8'0" 14"x 8'0'



FCM81208SL ■ \* ♦ ♦ ♦ ●

**4**6 12"x 8'0" 14"x 8'0"

Clear Glass with Divided Lites Continues on next page.

#### Key

No Stile Lines



- Low-E Glass (LE) Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF2) Flat or Contour White Grilles
- Between Glass (GBGF / GBGC) **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **NEW Scrolled & Flat** Advanta Lite Frame
- **Vented Sidelite Options**
- 6 **WBDR Options**
- 6 WBDR / HVHZ Options
- Elevated 10" Bottom **Rail Options**

★ 6'6" Height Available



Mahogany FCM6124SL ■ \* • ✓ ✓





Mahogany
FCM6126SL

10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0") 14"x 6'8" \$\(\frac{1}{2}\) (7'0")



3'0" x 6'8"



Mahogany FCM1289

\* • • • • • E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Mahogany FCM1289SL ■ \* ↑ ↑ ↑



FC1209

\* • • • • E

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



2'10"x 6'8" \$\(\begin{array}{c} (7'0") \end{array}

3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")



FC1211 \* • • • • • E

\* • • • • **E**2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")




FC1202 ■ \* • • • ■ E



Oak FC1212

\* • • • • E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Oak

FC1203

■ \* ↑ ↑ ↑ ■ E

2'6"x 6'8" Å (7'0")
2'8"x 6'8" Å (7'0")
2'10"x 6'8" Å (7'0")
3'0"x 6'8" Å (7'0")



Oak FC138





3'0"x 6'8" (7'0")



FC1200

\*\* \* \* \* \* \* \* \* 6 E
2'6" x 6'8" \$\( \) (7'0")
2'8" x 6'8" \$\( \) (7'0")
2'10" x 6'8" \$\( \) (7'0")
3'0" x 6'8" \$\( \) (7'0")





1284

\* ■ \* ● \* • • ■ 6 E

2'6" x 6'8" Å (7'0")

2'8" x 6'8" Å (7'0")

2'10" x 6'8" Å (7'0")


3'0" x 6'8" Å (7'0")







81828 \* \* \* \* \* \* \* \* \* \* \* 5 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"









- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **Vented Sidelite Options 6** WBDR Options

#### Clear Glass with Divided Lites Continued



S1202 ■ \* † † † **\* ■** E

2'10" x 6'8" \$\(\bar{\Lambda}\)(7'0") 3'0" x 6'8" \$ (7'0") 3'6" x 6'8"



\$1212 **\*** ♦ ♦ ♦ **\* E** 

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$1203 ■ \* • • • • ■ E

2'10"x 6'8" \$\(\hat{\chi}\)(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"




2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





Smooth

\$1208 **\* ↑ ↑ ↑ 1 6** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$1200 ■ \* † † † ▼ 6 E 2'10"x 6'8" \$\(\hat{\chi}\)(7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



Smooth

S108 \*№11114 16E

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Smooth

S6063 ■ \* | • • • • • **16** €

3'6"x 6'8"



S828 \* + + + + + **3** 6 2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S81828

2'6" x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6" x 8'0'



Smooth

S808 \* + + + + + 1 6 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth

S81208 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

3'6"x 8'0"



Smooth

S1209SL **†** 🗾 12"x 6'8" 14" x 6'8"



S1201SL

■ \* \* \* \* \* • ■ **3** 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S1211SL **\*** ♦ ♦ ♦ ↓ 12"x 6'8" 14"x 6'8"



S1202SL



**\*** \* \* \* \* \* • **3** 10"x 6'8" 12"x 6'8" \$\(\frac{1}{2}\) (7'0")
14"x 6'8" \$\(\frac{1}{2}\) (7'0")



S1208SL \* † † † † | 6 12"x 6'8" 14"x 6'8"



Smooth S1200SL 10"x 6'8" 

14"x 6'8" \$\(\bar{\Delta}\) (7'0")



S308SL 14"x 6'8"



Smooth S1170SL \*\* \* 1111+ •¥6 10" x 6'8" 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")



S808SI \***■**111 1+**■**6 12"x 8'0" 14"x 8'0"











■ \* N O

12"x 8'0"



Smooth
00440001
S81186SL
<b>■ * № †</b> †
+ + <b>4 4 6</b>
12"x 8'0"
14"x 8'0"



S6124SL S85924SI ■ \* ■ ● ■ \* ■ ● / 10"x 6'8" 12"x 8'0" 12"x 6'8" \$\( (7'0") \) 14"x 8'0" 14"x 6'8" \$\(\bar{\Delta}\) (7'0")

S606SL S8606SL \* 📦 🛚 12"x 8'0' 12"x 6'8" 14"x 6'8" | 14"x 8'0'

S6125SL ■ \* ■ ● 10"x 6'8" 12"x 6'8" \$\( (7'0") \) 14"x 8'0" 14"x 6'8" \$\(\frac{1}{4}\) (7'0")

S607SL S8607SL \* 📦 🛭 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"






14"x 6'8" \$\(\frac{1}{2}\) (7'0") | 14"x 8'0"



S198 \* \* \* \* \* \* 1 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6062 ■ \* \* \* \* \* \* Z 6 E 3'0"x 6'8" \$ (7'0") 3'6"x 6'8"



S198SL S6062SL \* • • • • **/** ■ \* \* \* \* \* • ■ 12"x 6'8" 10"x 6'8" 14"x 6'8"

# EnLiten™ Flush-Glazed Clear Glass







2000SL 12"x 6'8" 14"x 6'8"



2'0"x 6'8" A 2'0"x 8'0" 2'6"x 6'8" \$ 2'6"x 8'0" 2'8" x 6'8" \$ 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 🕸 3'0"x 6'8" 1 3'0"x 8'0"



Smooth S2000SL S8000SL 12"x 8'0" 14"x 8'0"

# Key



Flush-Glazed Glass with **Detailed Sticking (FG)** 

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)

**Vented Sidelite Options** 

- Fixed Grilles (FXG)
- WBDR Options
- WBDR / HVHZ Options
  - **NEW Scrolled & Flat** Advanta Lite Frame
  - **NEW Scrolled** Advanta Lite Frame
- Elevated 10" Bottom **Rail Options**
- ★ 6'6" Height Available

# **Clear** Glass



<sup>\*</sup>Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight. Note: See page 299 for important product details that may help with your purchase decision.



#### **Transoms**

For transoms, see page 221.



# Blackstone. • ::



FCM765 5 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



FCM765SL | FCM882SL | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC765 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC770 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 81952P 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Oak
FC765SL 81952PSL
5 12" x 6'8" 12" x 8'0" 14" x 8'0" 14" x 8'0"



\$975 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$979 **6** 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Smooth

| \$894 | 6 | 6 |
| 2'8"x 8'0" | 2'10"x 8'0"

3'0"x 8'0"



\$975\$L \$894\$L 4 6 12"x 6'8" 12"x 8'0" 14"x 8'0"

# Crystalline<sub>™</sub> ◆ ::



FCM38

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM38SL | FCM8105SL

6 12"x 6'8" 14"x 6'8" 14"x 8'0" 14"x 8'0"



FC38 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC772 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 81953P 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Crystalline Continues on next page.

# Key

No Stile Lines

\* Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

**Brushed Nickel Caming (1C)** 

✓ Flat Lite Frame

NEW Scrolled & Flat Advanta Lite Frame Vented Sidelite Options

WBDR Options
WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

6'6" Height Available

PVC Doorlite Frame\*

# **Crystalline ◆ ::** Continued



FC38SL 81953PSL 12"x 8'0" 12"x 6'8"

14"x 6'8" | 14"x 8'0"



S977 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S981 S888 2'8"x 8'0" **5** 2'8"x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S758SL S888SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

# Sedona ♦ #



FCM131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM131SL | FCM883SL 12"x 8'0" 14"x 8'0"

12"x 6'8" 14" x 6'8"



FC131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC773 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



81954P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC131SL 81954PSL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S91 S887 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



S91SL S887SL 12"x 6'8" 14"x 6'8" 12"x 8'0" 14"x 8'0"

# Salinas<sub>®</sub> x



Mahogany FCM115

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM115SL FCM884SL

12"x 8'0" 14"x 8'0" 12"x 6'8" 14"x 6'8"



FC115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC775 81955P **4**6 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



81955PSL FC115SL 9 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S6009 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Smooth

# S6010 2'8"x 6'8"

3'0"x 6'8"

\$895 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S6009SL 12"x 8'0" 12"x 6'8"

14"x 8'0"

14"x 6'8"

# Maple Park<sub>∞</sub> ♦ ::



FCM902

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM902SL FCM887SL **6** 12"x 6'8" 12"x 8'0" 14"x 8'0" 14" x 6'8"



FC902 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



81957P FC777 **4**6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



81957PSL FC902SL 12" x 8'0" **9** 12"x 6'8" 14"x 6'8" | 14"x 8'0"



\$6102 **9** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$85898 **6** 2'8"x 8'0" \$6103 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S85898SL S6102SL 12"x 8'0" **5** 12"x 6'8" 14"x 6'8"





FCM764 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM8104SL FCM764SL 12"x 8'0" **5** 12"x 6'8" 14"x 8'0" 14" x 6'8"



FC764 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC769 81967P 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



81967PSL FC764SL 9 12"x 6'8" 12" x 8'0" 14"x 6'8"



S976 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S980 S85900 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S976SL S85900SL 6 12"x 6'8" 6 12"x 6'8" 14"x 6'8" 14"x 8'0"

#### Key

Black Nickel Caming (1D)



X Wrought Iron (1W)

**NEW Scrolled & Flat** Advanta Lite Frame

**WBDR Options** 





FCM907

FCM907 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM907SL | FCM889SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC907 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC776 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 81956P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC907SL 81956PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"




\$6092 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$982 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$891 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6092\$L | \$891\$L | \$6 | 12"x 6'8" | 12"x 8'0" | 14"x 6'8" | 14"x 8'0"

# Texas Star ◆ ::



FCM143 6 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM143SL FCM8103SL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



FC143 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC778

9
2'8" x 6'8"
2'10" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
3'0" x 8'0"



FC143SL 81958PSL 2 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$6071 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$6072 | \$85901 \$2'8" x 6'8" | 2'8" x 8'0" 2'10" x 6'8" | 2'10" x 8'0" 3'0" x 6'8" | 3'0" x 8'0"



Smooth

\$6071\$L

5
12" x 6'8"
14" x 6'8"
14" x 8'0"
14" x 8'0"



FCM147 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM147SL | FCM885SL | 6 | 12" x 6'8" | 12" x 8'0" | 14" x 8'0"



FC147 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC779 81959P 6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 8'0"



FC147SL 81959PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



\$6091 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$983 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



\$6091\$L \$892\$L \$6 12"x 6'8" 12"x 8'0" 14"x 8'0"

# Riserva<sub>®</sub> x



FCM543 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM545SL FCM8545SL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



FC543 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC529 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FC8529 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"

Concorde<sub>™</sub> ◆ **::** ❖





\$543 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$529 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" S8529 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$545\$L \$8545\$L \$6
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"



FCM912 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany

FCM912SL | FCM892SL | 6 | 5 | 12"x 8'0" | 14"x 8'0" | 14"x 8'0"



Oak
FC912
5
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC780 81960P 6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

Concorde Continues on next page.

#### Key

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)Wrought Iron (1W)

NEW Scrolled & Flat Advanta Lite Frame

WBDR Options

WBDR / HVHZ Options

# Concorde<sub>™</sub> ◆ **::** ❖ Continued



FC912SL | 81960PSL | 6 | 12"x 8'0"

14"x 8'0"

14"x 6'8"



\$912 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$97 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" \$10" x 6'8" \$10" x 8'0" \$10" x 8'0" \$10" x 8'0"



# Kensington<sub>™</sub> ♦ ::



FCM156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1442SL | FCM8107SL | 5 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



FC156 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC20042 5 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



FC1442SL | 81961PSL | 6 | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$20042 \$2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$3'0" x 6'8" \$3'0" x 8'0" \$3'0" x 8'0" \$3'0" x 8'0"



\$156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$1442SL | \$902SL | \$912SL | \$902SL | \$912SL | \$9

# **Pembridge**→ ❖



FCM6582 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FC6582 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC6580 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"






\$6582 9 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



# \$6580

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6580SL 9 12"x 6'8" S86580SL 12"x 8'0" 14"x 8'0" 14"x 6'8"

# Axis.



Mahogany

FCM1647 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1646SL FCM81646SL 4 9 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC1647 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC81646 FC1646 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC1646SL FC81646SL 9 12"x 8'0" 12"x 6'8" 12"x 8'0" 14"x 8'0"



S1647 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S1646 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$81646 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



\$1646\$L 9 12" x 6'8" 14" x 6'8" \$12" x 8'0" 14" x 8'0" \$1646SL



#### Key


- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- NEW Scrolled & Flat Advanta Lite Frame
- **WBDR Options**
- **WBDR / HVHZ Options**


# Frosted Images.



# EnLiten ■ Flush-Glazed Privacy & Textured Glass with Divided Lites







# **Privacy & Textured Glass Options**

FC92\_

2'8"x 6'8"

3'0"x 6'8"

2'10"x 6'8"

Oak

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = ReededXG = Geometric

Oak

81946P\_

2'8"x 8'0"

3'0"x 8'0'

2'10"x 8'0"

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

Oak

FC82\_ 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8'


Oak

81945P\_

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"





# **Privacy & Textured Glass**









2'10"x 6'8"

3'0"x 6'8"



2'10"x 8'0"





Internal Blinds Continues on next page.

#### Key

14"x 6'8"



14"x 8'0"

\* Low-E Glass (LE)

Simulated Divided Lites (SDL)

Simulated Divided Lites (SDLF1)

NEW Scrolled & Flat

2'10"x 6'8"

3'0"x 6'8"

Advanta Lite Frame

NEW Scrolled
Advanta Lite Frame

# **Internal Blinds**



FC5425 \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1964P \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC5425SL | 81964PSL | \* 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$5425 **\* 6**2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



\$682 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$8882 \* 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



Smooth

\$5425\$L | \$8682\$L | \$6 | 12" x 6'8" | 14" x 8'0" | 14" x 8'0"

# EnLiten™ Flush-Glazed Clear Glass with Divided Lites

**\* 1 6** 2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"





S2104	S82104
* * *	2'6"x 8'0"
2'6" x 6'8"	2'8"x 8'0"
2'8"x 6'8"	2'10"x 8'0
2'10"x 6'8"	3'0"x 8'0"
3'0" x 6'8"	





Smooth

S2250

S82250

S82250

S82250

S82250

S828250

S828250

S88250

S88250

S88250

S88250

S88250

S88250

S88250

S88250

S890

S90"x 6'8"

2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

3'0"x 8'0"





2'10"x 8'0"

3'0"x 8'0"



12"x 6'8"

14"x 6'8"



14"x 6'8"









14"x 6'8"



Mahogany

FCM2106 \* • • 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM2107

\* • • • **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM2108 **\*** • • • 2'8" x 6'8" 2'10"x 6'8' 3'0" x 6'8"



FCM82 **\* ■ † † † 6** 2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



\* • • 12"x 6'8"

FCM1089SL | FCM8311SL \* • • • 🛮 12"x 8'0" 14"x 6'8" 14"x 8'0"



**\* ↑ ↑ ↑ 5** 12"x 6'8" 14"x 6'8"

FCM2101SL FCM8313SL \* • • • 🗾 12"x 8'0" 14"x 8'0"



FCM92SL



Mahogany FCM8101SL **\* ≥** † † †



Mahogany FCM81900SL 12"x 8'0"



Mahogany FCM81947SL \* 📦 🛚 12"x 8'0"

14"x 8'0'



Mahogany FCM81949SL 

14"x 8'0'



FCM1402 **\*** ♦ ♦ ♦ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8'



\* • • 12"x 6'8" 14"x 6'8"

FCM1400SL| FCM81944SL \* • • • **3** 12"x 8'0" 14"x 8'0"











FC2108 **\*** • • • 2'8"x 6'8" 2'10" x 6'8"

Oak



FC82 **\*≥**†††6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1089 FC8311 **\*** ♦ ♦ ♦ \* • • • <mark>]</mark> 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0' 3'0"x 6'8" 3'0"x 8'0"



FC2101 FC8313 \* • • • **4 4 6** \* \* \* \* 6 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

**\*** • • • 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

FC2106

Oak

FC2107 \* † † † 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Oak

3'0"x 6'8"

Clear Glass with Divided Lites Continues on next page.

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
  - **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **NEW Scrolled & Flat** Advanta Lite Frame **NEW Scrolled**

Advanta Lite Frame



# Clear Glass with Divided Lites Continued



FC2102 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8" | 3'0"x 8'0"





81945P **\* ■ ↑ ↑ ↑ 2 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"




FC92 \* N +++6 2'8"x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



3'0"x 8'0"



FC1089SL FC8311SL **\* • • •** \* • • 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0'



FC2101SL | FC8313SL **\*** ♦ ♦ ♦ **1**2"x 8'0" 14" x 6'8" | 14" x 8'0"



FC92SL FC8310SL \* • † † † † † † † \* † † † 2 6 12"x 8'0" 12"x 6'8"

14"x 6'8" | 14"x 8'0"



81946PSL 12"x 8'0" 14"x 8'0"



81900PSL 12"x 8'0" 14"x 8'0"



81947PSL 12"x 8'0" 14"x 8'0"




81949PSL 12"x 8'0" 14"x 8'0"



FC1402 **\*** ♦ ♦ ♦ 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC1400 **\*** ♦ ♦ ♦ 81944P **\* ♦ ♦ ♦ ∡ 6** 2'8"x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC1400SL | 81944PSL **\* ♦ ♦ ♦ ⊿** 12"x 8'0" \* • • 12"x 6'8" 14" x 6'8" | 14" x 8'0"



S2106 \* • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2107 \* \* \* \* \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2108 \* • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



**\* ≥** † † † † 9 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1089 \* • • • • 🛮 \* • • • • 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'10"x 6'8" 3'0"x 6'8"



# Smooth

\$8313 \* • • • • • • 2'8"x 8'0" 2'10"x 8'0" \$2101 \* † † † † 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



#### S2102 **\* • • • •** 2'8"x 6'8"

3'0"x 6'8"

S8316 **\* • • • •** 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S881 2'10"x 8'0" 3'0"x 8'0"



S92 **\* ≈ \* \* \* \* \* 6** 

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0" 3'0"x 8'0"



S882 2'10"x 8'0"

3'0"x 8'0"

S1089SL | S8311SL



S8313SL

S2101SL 



S82SL 12"x 6'8"





S881SL **++ 4 6** 12"x 8'0"

14"x 8'0"



S8207SL 12"x 8'0" 14"x 8'0"



S8202SL

12"x 8'0" 14"x 8'0"



S8204SL

**\*** ■ **/** 12"x 8'0" 14"x 8'0"



S1402

\* • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1400 \* • • • • 2'8"x 6'8" 2'10"x 6'8"

S898 \* + + + + 1 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



#### S1400SL S898SL \* • • • \* • • • • 🗾 12"x 6'8" 12"x 8'0"

14"x 6'8"

14"x 8'0"

# EnLiten™ Flush-Glazed Clear Glass



#### Key

Flush-Glazed Glass with **Detailed Sticking (FG)** 



- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
  - **NEW Scrolled** Advanta Lite Frame WBDR Options
- **6** WBDR / HVHZ **Options**



Mahogany

FCM32 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



14"x 6'8" | 14"x 8'0"



FC32 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC766 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 81943P \* **1** 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC32SL	81943PSL
* <b>6</b>	<b>* ■ 6</b>
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"



\$80 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$90 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S751SL
<b>*</b> 9
12"x 6'8"
14" y 6'8"

\$880SL \* **4 6** 12"x 8'0" 14"x 8'0"







#### **Transoms**

For transoms, see page 221.



#### Blackstone. • ::



Mahogany

FCM110 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC714 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC164 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC794 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$771 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6085 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Avonlea. •



Smooth \$997

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"



FCM785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM788 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC788 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC792 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$988 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Avonlea Continues on next page.

### Key









NEW Scrolled & Flat
Advanta Lite Frame



WBDR / HVHZ Options

# Avonlea • Continued



Smooth

S991 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S995 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Wellesley<sub>™</sub> ♦ **::** ❖

FCM106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

Concorde<sub>™</sub> ◆ # ❖

FCM163 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Oak

FC713 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Oak

FC163 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC796 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth

S774 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6082

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S999 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC916 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC915 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Oak

FC797 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



Smooth

S773 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S6084 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

\$1000 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM151 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Kensington<sub>™</sub> ♦ #

Mahogany

FCM789 2'8" x 6'8" 2'10"x 6'8"



FC709 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC151 2'8"x 6'8" 2'10" x 6'8"



FC798 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S709 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S163

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S1001 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"





FCM6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC06575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC6576 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$6577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6576 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Frosted Images.



FCM784 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FCM787 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC784 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC787 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC791 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S989 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6081 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S994 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

#### **Clear Glass**



Mahogany

FCM80 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



Mahogany

FCM160 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC710

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Oak



FC160

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC789 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S770

2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S6080

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S992 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

## Key

- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**



#### **Transoms**

For transoms, see page 221.



#### Blackstone. • ::



FCM109 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM863 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Mahogany FCM6032

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6052

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



**9** 12"x 6'8" 14"x 6'8"



**9** 12"x 8'0" 14"x 8'0"



FC109 **9 E** 2'6"x 6'8" 81933P 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



81975P 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



FC109SL 81933PSL 6 12"x 6'8" **9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6000

9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



3'0"x 8'0"



S6032 9E

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6052

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S972

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S85905

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6000SL

**9** 12"x 6'8" 14"x 6'8" | 14"x 8'0"

S85912SL **9** 12"x 8'0"

S86032

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

9E

### Crystalline<sub>™</sub> ♦ #



FCM45 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"



Mahogany FCM6027

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6047 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM45SL FCM898SL **6** 12"x 6'8" **9** 12"x 8'0" 14"x 8'0" 14"x 6'8"



FC45

**9E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

81935P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81977P

**5** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC43SL 81935PSL 12"x 6'8" 12"x 8'0"

14"x 8'0"

14" x 6'8"



S926

S81935P **6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" (7'0") 3'0"x 8'0"



S6027

**5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S86027 **5 E** 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

**6** 2'8"x 6'8"



S6047

2'10"x 6'8" 3'0"x 6'8"



S38 S85907 5 2'8"x 6'8" 5 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



#### Sedona ◆ #



FCM101 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM864 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM6025 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM6045 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

12"x 6'8" 14"x 6'8"



FCM101SL FCM864SL 12"x 8'0" 14"x 8'0"



FC101

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

81936P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



81978P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Sedona Continues on next page.

#### Key

- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- WBDR Options
- WBDR / HVHZ Options



FC101SL | 81936PSL 12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"



S211 | S81936P | 2'8"x 8'0" | 2'6"x 6'8" | 2'10"x 6'8" (7'0") | 3'0"x 8'0" | 3'0"x 8'0"



\$6025 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



\$6045 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$35 2'8"x 6'8" | \$833 2'8"x 8'0" 2'10"x 6'8" | 2'10"x 8'0" 3'0"x 8'8" | 3'0"x 8'0"



S294SL

12" x 6'8"

14"x 6'8"

S85915SL 12"x 8'0" 14"x 8'0"

#### Salinas<sub>®</sub> x



FCM865

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM114 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6031 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6051 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM114SL 6.8" FCM865SL 6 12"x 6'8" 12"x 8'0" 14"x 8'0"



FC114 **6 E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81980P 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC114SL 81937PSL 6 12"x 6'8" 12"x 8'0" 14"x 8'0" 14"x 8'0"



\$6006 **6** E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") \$\$81937P **6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$6031 **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") \$86031 **6** E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



\$6051 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$973 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$\$893 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 8'0"



\$6006\$L | \$85916\$L | \$6006\$L | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"

### Maple Park₃ ♦ #



Mahogany

FCM901 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM886 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Mahogany

FCM6107 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6108 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM901SL | FCM886SL

6 12"x 8'0" 14"x 8'0" 9 12"x 6'8" 14"x 6'8"



FC901 9E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





81982P

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC901SL | 81939PSL

**9** 12"x 6'8" 9 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S6101

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S81939P

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6107 S86107 **6E** 2'8"x 8'0" 6E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6108

2'8'x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6106 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$85897 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6101SL 12"x 6'8"

S85918SL 12"x 8'0" 14"x 6'8" 14"x 8'0"

# Avonlea.



Mahogany

FCM761 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM896 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM968

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM966 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



<u>Mahog</u>any

FCM761SL FCM896SL **5** 12"x 6'8" **9** 12"x 8'0" 14" x 8'0" 14"x 6'8"



Oak

FC761 **5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 81932P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Oak

81974P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Avonlea Continues on next page.

#### Key

Black Nickel Caming (1D)

**Brushed Nickel Caming (1C)** 

X Wrought Iron (1W)



WBDR Options

6 WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options



FC761SL 5 12"x 8'0" "> 8'0" 12"x 6'8"

14"x 6'8"



\$964 **9 E** \$81932P 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8" x 8'0"



\$968 **9 E** \$8968 **9 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S966 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$85906 S970 2'8"x 6'8" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'10"x 6'8" 3'0"x 6'8"



\$85911SL 6 12"x 8'0" S964SL 12"x 6'8" 14"x 6'8" | 14"x 8'0"

## Saratoga<sub>™</sub> ♦ #

81932PSL

14"x 8'0"



FCM888

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

FCM906 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6029 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6049 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S6029

9 E



FCM906SL FCM888SL 6 12"x 8'0" "" 8'0" **9** 12"x 6'8" 14"x 6'8" 14"x 8'0"



FC906 81938P **9E** 2'6" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



81981P 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81938PSL FC906SL 9 12"x 6'8" 6 12"x 6'8" 14"x 6'8" 14"x 8'0"



S213 S81938P **5E** 2'6" x 6'8" 2'8"x 8'0" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S86029 **9E**2'8" x 8'0"
2'10" x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



\$6049 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S41 S85908 2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



000	
S291SL	S85917SL
9 12"x 6'8" 14"x 6'8"	9 12"x 8'0" 14"x 8'0"

#### Texas Star ♦ #



FCM899

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM144

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6074

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM899SL 9 12"x 8'0" 14" x 8'0"



FC144

**9**E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"





81983P

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



Oak

81940PSL 12"x 8'0" 14"x 8'0"



Smooth

S6073 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S81940P

2'10"x 8'0"



S6074 9Ε 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'10"x 8'0"

3'0"x 8'0"



Smooth

S6075 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6076 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S81983 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



85919SL

6 12"x 8'0" 14"x 8'0"

# Wellesley<sub>™</sub> ♦ # ❖



FCM105

6 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM6030

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany FCM6050

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



Mahogany

FCM105SL FCM866SL 9 12"x 6'8" 6 12"x 8'0" 14"x 6'8" 14"x 8'0"



81941P

6 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC105 **5 E**2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



81984P

**5** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Wellesley Continues on next page.

#### Key

Black Nickel Caming (1D)

FCM866

6 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

**Brushed Nickel Caming (1C)** 





WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options

### Wellesley™ ◆ **::** ❖ Continued



FC105SL 81941PSL **9** 12"x 8'0" 12"x 6'8" 14" x 6'8" | 14" x 8'0"



S214 **9 E** 6 2'8"x 8'0" 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 8'0"



S6030 S86030 **6E**2'8"x 8'0"
2'10"x 8'0" **6**E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6050 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S42 S85909 **6** 2'8"x 6'8" 6 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S292SL S85922SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

#### Riserva<sub>®</sub> x



FCM8581 FCM581

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Mahogany

FCM575 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM577 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM583SL FCM8583SL 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC581 FC8581 **9E** 2'6"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8579 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8583SL FC583SL **9** 12"x 6'8" **9** 12"x 8'0" 14"x 6'8" | 14"x 8'0"



\$8581 6 2'8"x 8'0" \$581 **6 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



\$575 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") S8575 **9E** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



\$577 **6** 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



\$579 \$8579 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S8583SL S583SL 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"

## Concorde<sub>™</sub> ◆ **::** ❖



Mahogany

FCM891

9 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FCM911 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6026 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany

FCM6046 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM911SL | FCM891SL

9 12"x 8'0" 12"x 6'8" 14" x 6'8" 14" x 8'0"



FC911

**9E** 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



2'8"x 8'0" 2'10"x 8'0"



81985P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC911SL 81942PSL

**9** 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



S426 **9E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



2'8"x 8'0" 2'10"x 8'0"



S6026 **9**Е 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



3'0"x 8'0"



S6046 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S37 S837 2'8"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



S430SL S85920SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

# Kensington<sub>™</sub> ♦ ::



FCM149

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6036

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



Mahogany FCM6056

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM149SL | FCM867SL 9 12"x 6'8" 14"x 6'8"



12"x 8'0" 14"x 8'0"



Oak

FC8149

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

FC149 **5** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7<sup>1</sup>0")

Oak

FC89701

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Kensington Continues on next page.

#### Key

Black Nickel Caming (1D)

FCM8149

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

- **Brushed Nickel Caming (1C)**
- Brass Caming (1A) X Wrought Iron (1W)
- WBDR Options WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

### Kensington™ ◆ **::** Continued



FC149SL | FC8867SL | 6 | 12"x 8'0"

14"x 6'8" | 14"x 8'0"



\$161 **6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S86036

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

**9**E

\$6036 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$6056 \$2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$43 \$6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" \$89701 \$9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$161SL | \$867SL | \$6 12"x 6'8" | 12"x 8'0" | 14"x 8'0"

# Pembridge<sub>™</sub> ♦ **::** ❖



FCM6560 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0"



FCM6565 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6568 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FC6560 **5 E** 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC86536 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC6565SL | FC86560SL | 6 | 12"x 6'8" | 12"x 8'0" | 14"x 8'0"



\$6560 **5 E** 2'6" x 6'8" 2'8" x 6'8" (7'0") 3'0" x 8'0" 3'0" x 8'0"



\$6565 **9 E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



\$6568 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$6536 \$ \$86536 \$ \$ 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



\$6565\$L | \$86560\$L | \$6565\$L | \$12" x 6'8" | 12" x 8'0" | 14" x 8'0"

#### Axis.



FCM1654

2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

FCM81654



Mahogany

FCM1656 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1656SL | FCM81654SL

12"x 8'0" 12"x 6'8" 14"x 8'0" 14"x 6'8"



FC1654

**9Е** 2'6"x 6'8" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'10"x 8'0"

3'0"x 8'0"



FC1656SL | FC81654SL

12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S1654 6E

2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'8"x 8'0" 3'0"x 8'0"



S81654 2'10"x 8'0"



S1656 6E

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S81656

бE 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1658 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC81654

2'8"x 8'0"

S1653

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S81654SL S1656SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"

# Frosted Images.



Mahogany

FCM66 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Mahogany FCM6023

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6043

5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM66SL

12" x 6'8" 14" x 6'8"



Mahogany FCM13101SL

10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



FC66

**6 E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC44SL

12"x 6'8"



FC11SL

16 10"x 6'8" 12"x 6'8" 14" x 6'8"

Frosted Images Continues on next page.

#### Key

No Stile Lines

Black Nickel Caming (1D)

Brass Caming (1A)

**Brushed Nickel Caming (1C)** 



NEW Scrolled & Flat Advanta Lite Frame **Vented Sidelite Options** 





E Elevated 10" Bottom Rail Options

#### Frosted Images. Continued



13101SL 12"x 6'8" \$\(\Delta\) (7'0")
14"x 6'8" \$\(\Delta\) (7'0")



S206E **9**E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6023 **9**E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6043 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S34 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S289ESL 12"x 6'8" 14"x 6'8"



S138SL **\_** 12"x 6'8" 14"x 6'8"



S2070SL • • 16 10"x 6'8' 12"x 6'8" \$\(\begin{array}{c} (7'0") \\ 14"x 6'8" \$\(\beta\) (7'0")

#### Privacy & Textured Glass with Divided Lites



FCM65\_ 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"



FCM6022\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6042\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM8321\_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65\_SL 12"x 6'8" 14"x 6'8"



FCM3487\_SL 12"x 8'0" 14"x 8'0"



FC65\_ N E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FC8321\_ 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC832\_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC63\_SL 12"x 6'8" 14"x 6'8"



FC3487\_SL 12"x 8'0" 14"x 8'0"



S262 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6022\_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S6042\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S32\_ 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S86022\_ **■**E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S832\_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S263\_SL 12"x 6'8" 14" x 6'8"



S3487\_SL 12"x 8'0" 14"x 8'0"

### **Privacy & Textured Glass**



FCM62\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





FCM6021\_ 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6041\_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM104\_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



FCM62\_SL FCM862\_SL 9 12"x 6'8" 9 12"x 8'0" 14"x 6'8" 14"x 8'0"



FC62\_ 81929P\_ **5 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
3'0" x 8'0"



FC104\_ **E** 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81971P\_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC48\_SL 6 12"x 6'8"



81929P\_SL 6 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S206\_ **6E**2'8" x 6'8" (7'0") 6 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"



S6021\_ **6E**2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



**6E** 2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S6041\_ 2'8"x 6'8" 2'10"x 6'8"

Privacy & Textured Glass Continues on next page.

#### Key





Flat Lite Frame



**Vented Sidelite Options** 

**9** WBDR Options



E Elevated 10" Bottom Rail Options

**Å** 6'6" Height Available

### Privacy & Textured Glass Continued



S104

**6 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



S30\_

6 2'8"x 8'0" 6 2'8"x 6'8" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

\$830\_



S210\_SL

S85910\_SL 9 12"x 6'8" 9 12"x 8'0" 14"x 6'8" 14" x 8'0"

#### **Internal Blinds**



FCM678

3'0"x 6'8"



FCM8678

\* **6** 2'8"x 6'8" 2'10"x 6'8" \* **6**2'8"x 8'0"
2'10"x 8'0" 3'0"x 8'0"



Mahogany FCM6035

\* **6**2'8" x 6'8"
2'10" x 6'8" 3'0"x 6'8"



FCM6055 \* **6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM116 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM678SL

**\***6 12"x 6'8" 14"x 6'8"



FCM8678SL 12"x 8'0" 14"x 8'0"



Oak FC678

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")



FC8678

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC116

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



Oak FC8971

\* **6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC678SL FC8678SL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S132 \* **6** E 2'6"x 6'8"

\* **6**2'8" x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") | 3'0"x 8'0" 3'0"x 6'8" (7'0")



S6035

\* **6 E**2'8" x 6'8" (7'0")



S86035

\* **6** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



Smooth S6055

\* **6**2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S131

2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S971

\* **6**2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8971 \* **6**2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S132SL

12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = ReededXG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

#### **Screen Vented Lites\***



S243

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6034

2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6054 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S137 O E

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

# EnLiten™ Flush-Glazed Clear Glass with Divided Lites



FC1350

2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



2150 **△ \* № ↑** ↑ ↑

2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



FC1409 **A** \* • • •

2'6"x 6'8" 2'8" x 6'8" 3'0"x 6'8"



Oak



S1350 **△ \* № №** 

Smooth

2'6" x 6'8" 2'8" x 6'8" 3'0"x 6'8"



S2150

**▲ \* ■ \* \* \* \*** 2'6"x 6'8" 2'8" x 6'8" 3'0"x 6'8"



S1409

**\*** \* • • • • 2'6"x 6'8" 2'8" x 6'8" 3'0"x 6'8"

#### **Clear** Glass with Divided Lites



FCM8322

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM8323

2'8"x 8'0' 2'10"x 8'0" 3'0"x 8'0"



FCM8324

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM65 \* **>** † † † 6 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM6022 \* N +++6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM6042 **\* ≥** † † † **6** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Mahogany

FCM8321 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

#### Key

No Stile Lines



Simulated Divided Lites (SDL)



- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Bronze Grilles** Between Glass (GBGF / GBGC)
- **Flat or Contour Black Grilles** Between Glass (GBGF / GBGC)
- **WBDR Options**



Elevated 10" Bottom Rail Options

#### Clear Glass with Divided Lites continued



FCM8675SL \* • • • 12"x 8'0"

14"x 8'0"







FCM1408

\* • • • • 
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

2'10" x 8'0"
3'0" x 8'0"





FCM1406 \* • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM1405SL \* ♦ ♦ ♦ 1 12"x 6'8" 14"x 6'8" FCM8145SL \* ♦ ♦ ♦ 1 12"x 8'0" 14"x 8'0"



FC8322

\* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"





FC8324 \* • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







FC8318

\* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



FC8319
\* \* \* \* \* 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



FC8320

\* • • •
2'8"x 8'0"
2'10"x 8'0"
3'0"x 8'0"





FC8675SL **\* ♦ ♦ ♦** 12"x 8'0" 14"x 8'0"



FC63SL \* • • • • 6 9 12"x 6'8" 14"x 6'8" FC7125SL \* • • • 6 12"x 8'0" 14"x 8'0"





FC8145

**\*** • • •

2'8" x 8'0" 2'10" x 8'0"

3'0"x 8'0"

FC1408 **\* ♦ ♦ ● E**2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



FC8144 \* • • • • 1 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





\$8322 \* • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8326 \* \* \* \* \* \* E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







\$8324 \* • • • • • 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"



\$8328 \* • • • • • E 2'8"x8'0" 2'10"x 8'0" 3'0"x 8'0"





\$6022 \*\* \* \* \* \* \* \* \* 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")









\$8318 \* • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8319 \*\* \* \* \* \* \* 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$8320 \* • • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





S115

\*\* • E
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\$8675\$L **\*** ♦ ♦ ♦ ♦ 12"x 8'0" 14"x 8'0"





**Clear** Glass with Divided Lites Continues on next page.

### Key



- Low-E Glass (LE)Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- 6
- WBDR Options
  WBDR / HVHZ Options
  - E Elevated 10" Bottom Rail Options

#### Clear Glass with Divided Lites continued



S1408 \* \* \* \* \* E 2'6"x 6'8"

S8145 \* • • • • 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



S81405

\* \* \* \* \* E

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

S1405 \* ↑ ↑ ↑ **E** 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



\$1406 \* • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0"

3'0"x 8'0"

S1407 \* • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1405SL S8145SL **\*** ♦ ♦ ♦ ♦ 12"x 8'0" \* \* \* \* \* 12"x 6'8" 14"x 6'8" | 14"x 8'0"

# **EnLiten**<sub>™</sub> Flush-Glazed **Clear** Glass



2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S2100 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"

#### **Clear** Glass



FCM62 \* 6 2'8" x 6'8" FCM862 \* 6 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6021 \* 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6041 \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM670 ■ \* 9 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



FCM62SL | FCM862SL 12"x 6'8" | 12"x 8'0" 14"x 6'8" 14"x 8'0"



81929P FC62 \* 6 E 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")



FC670 ■ \* 6 E 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



81971P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC48SL 81929PSL 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0"



S81929P 2'6"x 6'8" 2'8" x 6'8" (7'0")



S6021 \* **6 E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0") \* **6 E**2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S86021



\$6041 \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S104 \* **9** E 2'6" x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S105 \* E 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



\$30 **\* 6** 

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0"x 8'0"

S210SL \* **6**12"x 6'8"
14"x 6'8"
14"x 8'0"

S85910SL




#### Key

No Stile Lines

- Flush-Glazed Glass with Detailed Sticking (FG)
- \* Low-E Glass (LE)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- **6** WBDR Options









Smooth S6013 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Crystalline<sub>™</sub> ♦ #



S930 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Sedona ♦ #



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Salinas<sub>®</sub> x



S6014 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Maple Park<sub>∞</sub> ♦ #



S6104 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Avonlea.



S985 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Saratoga<sub>™</sub> ♦ #



S291 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Wellesley<sub>™</sub> ◆ **::** ❖



S292 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = ReededXG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

#### Riserva<sub>®</sub> x



\$585 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Concorde<sub>™</sub> ◆ **::** ❖



\$430 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Kensington<sub>™</sub> ◆ ::



S162 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Pembridge<sub>™</sub> ♦ # ❖



\$6572 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### Axis.



\$1661 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Frosted Images.



S289E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Privacy & Textured

Glass with Divided Lites



\$807\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Privacy & Textured Glass



\$289\_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### **Clear** Glass with Divided Lites





#### **Clear** Glass



S289

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Key

- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



#### **Transoms**

For transoms, see page 221.



#### Blackstone. • ::



Mahogany FCM760 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6111 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Crystalline<sub>™</sub> ◆ ::



Mahogany FCM124 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Sedona ◆ #



FCM126 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S12 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

### Salinas<sub>®</sub> x



Mahogany FCM118 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6012 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Maple Park₃ ♦ ::



Mahogany FCM904 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# Avonlea<sub>®</sub> •



FCM800 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Smooth S6121 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### Saratoga<sub>™</sub> ♦ #



FCM909 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S20 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Wellesley<sub>™</sub> ♦ **::** ❖



FCM125 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6117 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

#### Riserva<sub>®</sub> x



FCM506 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S506 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Concorde<sub>™</sub> ◆ # ❖



Mahogany FCM914 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S17 2'8"x 6'8" 2'10" x 6'8"

3'0"x 6'8"

# Kensington<sub>™</sub> ♦ ::



FCM150 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6119 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

# Pembridge<sub>™</sub> ♦ :: ❖



FCM6532 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S6532 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Clear Glass



FCM132

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S10

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Blackstone. • ::



FC80943

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86243

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9343

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83143

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

#### Key

- **\*** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)

- X Wrought Iron (1W)
- WBDR / HVHZ Options

# Crystalline<sub>™</sub> ♦ ∷



FC80941 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86241 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9341 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83141 5 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

## Sedona ♦ ::



FC80952 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9352 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Smooth S83152 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

#### Salinas<sub>®</sub> x



FC80953 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86253 5 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9353 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83153 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

# Maple Park₃ ♦ ::



FC80955 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86255 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

# Avonlea.



\$9355 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83155 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80956 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86256 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



\$9356 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$83156 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## Saratoga<sub>™</sub> ♦ #



FC80954 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86254 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9354 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83154 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

# Wellesley<sub>™</sub> ♦ **::** ❖



FC80949 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC86249 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9349 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

# Riserva<sub>®</sub> x



S83149 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC507 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC549 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S507 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S549 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

# Concorde<sub>™</sub> ♦ # ❖



FC80947 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC86247 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

# Kensington<sub>™</sub> ◆ ::



S9347 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83147 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"



FC80942 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86242 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9342 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83142 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

#### Key



**Brushed Nickel Caming (1C)** 





### 



FC6534 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86533 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6534 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S86533 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

## Axis.



FC1655 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC81649 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S1655 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

# Frosted Images.



S81649 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC80945 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86245 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S9345 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83145 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

## **Privacy & Textured** Glass with Divided Lites



FC809203\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862203\_ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

# **Privacy & Textured Glass**



S93203\_

2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S831203\_ 2'8"x 8'0"

FC80920\_ 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



FC86220\_ 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S9320\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S83120\_ 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

#### **Internal Blinds**



FC925 \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC8972 \* 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$925 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$8972 \* 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### **Clear** Glass with Divided Lites



FC809203

\* N 1 1 5
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





3'0"x 8'0"



FC1404

\* • • •

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FC8141

\* • • •

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



\$1404 \* • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



# **Clear** Glass



FC80920 \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86220 \* 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\$9320 \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$83120 \* 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

# Key





Brushed Nickel Caming (1C)

- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)





#### **Transoms**

For transoms, see page 221.

#### Optional Dentil Shelves\*\*\*

#### 4-Block Dentil Shelf

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

#### 4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

#### Sedona ◆ ::



\$2650\* | \$82650\* | \$2'8" x 6'8" | \$2'8" x 8'0" | \$2'10" x 6'8" | \$2'10" x 8'0" | \$3'0" x 8'0" | \$3'0" x 8'0" | \$3'0" x 8'0" |



FCM604 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$604 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" \$3'0" x 6'8" \$3'0" x 6'8" \$3'0" x 8'0" \$3'0" x 8'0"

# Maple Park<sub>3</sub> ♦ ::



\$2630\*\*

1 9 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

3'0" x 6'8"

3'0" x 8'0"
3'0" x 8'0"



FCM609 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

# EnLiten Flush-Glazed Saratoga ◆ ■



\$609 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" \$3'0"x 6'8" \$3'0"x 6'8"



FCM6240 **E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6201SL 12"x 6'8" 14"x 6'8"



\$6240 ♠ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 8'0" NEW Smooth

S6201SL | S86201SL | 12" x 8'0" | 12" x 6'8" | 12" x 8'0" | 14" x 8'0" | 14" x 6'8" (7'0")

NEW NEW Smooth

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite

<sup>\*</sup>Available with flat lite frame or Advanta flat lite frame only.

<sup>\*\*</sup>Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

<sup>\*\*\*</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 299 for important product details that may help with your purchase decision.

#### Saratoga<sub>™</sub> ◆ ::



FCM602 16 2'8"x 6'8" 2'10"x 6'8"

3'0" x 6'8"



S82660\*\*

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

**-1**46

2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8"



S602 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Pembridge<sub>™</sub> ◆ **::** ❖



Riserva<sub>®</sub> x

FCM508 4 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S82670\*\* \$2670\*\* **⊿ 4 9 E** 2'8" x 8'0" 2'10" x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8" 3'0"x 8'0"

S508 S8508 16 **4**6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FCM6520 **1**9 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S8602

2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"

**4**6

2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S6520 S86520 16 16 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"

EnLiten

■ Flush-Glazed Privacy & Textured



Axis.

Mahogany FCM1650 **16** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2620\*\* \_146 E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S82620\*\* 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



S1650 **4**6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8'



S81650 **1**6 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FCM4812\_ A RUE 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4813 **♦ Ejj E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM4814 A RIE 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continues on next page.

#### Key





- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDLF1)
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame



6 **WBDR / HVHZ Options** 

### EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites Continued



Mahogany

FCM4816\_\* **♦ E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



#### Mahogany FCM2050\_SL

12"x 6'8" 14"x 6'8'



#### Smooth

S4812\_\* **♦ ©** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")





Smooth

S4813\_\* **♦ E** 



**Privacy & Textured** Glass with Divided Lites



Smooth

S4814\_\* **♦ Rij E** 

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 6'8" (7'0") 3'0" x 8'0"

S84814\_\* 2'8"x 8'0"

Smooth

S4816\_\* **å R**jj E 2'8" x 6'8" (7'0") 2'10"x 6'8" (7'0") | 2'10"x 8'0 3'0"x 6'8" (7'0") | 3'0"x 8'0"





S4812\_SL\*

12"x 6'8" 14"x 6'8"

S84812\_SL\* 12"x 8'0" 14"x 8'0"

Mahogany

FCM605\_\* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM606\_\* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM607\_ \*

2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM608\_ \*

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S605\_\* 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S8605\_\* 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"



Smooth

S606\_\* 2'8" x 6'8"

S8606\_\* 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'10"x 6'8" 3'0" x 6'8"



S607\_\* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



3'0" x 8'0"



Smooth

S608\_\* 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S8608\_\* 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

# EnLiten Flush-Glazed Privacy & Textured Glass



Mahogany

FCM4810\_\* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

14"x 6'8"

FCM2000\_SL 12"x 6'8"



Smooth

S84810\_\*

S4810\_\* 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



S4810\_SL\* S84810\_SL\* 12"x 8'0" 12"x 6'8" 14" x 6'8" 14"x 8'0"

# **Privacy & Textured Glass**



Mahogany

FCM601\_\* 16 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Smooth

S2610\_\* **⊿**46 **E** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'

S82610\_\* **⊿**46 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S601\_\* **4**6

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8600\_\* 2'8"x 8'0" 2'10"x 8'0'

3'0"x 8'0"

# EnLiten Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM4812 **♦ \* ■ E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM4813 **♦ \* N** E 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8'



Mahogany

FCM4814 **≜ \* N** E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



FCM4816 **♦ \* N** E

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM2050SL

\*\*\*\*\* 12"x 6'8" 14" x 6'8'



Smooth

S4812 **♦ \* N** E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'0" x 6'8" (7'0")

## S84812 **≜ \* □** 2'8"x 8'0" 2'10"x 8'0"



S4813

**♦ \* N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S84813 **\*** \*

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Smooth S4814

♦ **\* [ E**2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



S84814 **ا** # ا 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S4816

**♦ \* N** E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S84816

**\*** 👣 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0'

Smooth

S4812SL | S84812SL 12"x 6'8" 12"x 8'0" 14"x 8'0"

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame\*\*
- **NEW Scrolled & Flat** Advanta Lite Frame



NEW Flat Advanta Lite Frame\*

**Vented Sidelite Options** 



**WBDR Options** WBDR / HVHZ Options

Elevated 10" Bottom Rail Options



Mahogany

FCM605 **\* ■ Z** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM606 **\* ■ ½** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Mahogany

FCM607 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FCM608 **\* ■ Z** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S605

S8605 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

EnLiten Flush-Glazed Clear Glass



S606 \* N Z
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

S8606 3'0"x 8'0"



S607

S8607 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S608 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"

S8608 2'8"x 8'0" 2'10"x 8'0"



FCM4810

**♦ \* E** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany FCM2000SL 12"x 6'8"

14"x 6'8"





S4810





S4810SL 12"x 6'8"

14"x 8'0" 14" x 6'8"

12"x 8'0"

Clear Glass



FCM601 # **4 6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S2610\* \* ⊿ 🛭 6 E 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0'



\$601 **\* ∡ 6** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

S8601 \* **4 5** 2'8"x 8'0" 2'10"x 8'0"

**\* 1 6** 



#### **Transoms**

For transoms, see page 221.



## Maple Park<sub>8</sub> ♦ ::



FCM736 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8736 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC736 FC8736 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



S736 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S8736 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

# Saratoga<sub>™</sub> ◆ **::**



FCM707 FCM8707 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC707 2'8" x 6'8" (7'0") 2'8" x 8'0" 2'10" x 6'8" (7'0") 2'10" x 8'0 3'0" x 6'8" (7'0") 3'0" x 8'0"

FC8707 2'8"x 8'0" 2'10"x 8'0"

# Wellesley<sub>™</sub> ♦ **::** ❖



S707 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCM721

2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

FCM8721



FC721

FC8721 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 8'0"



#### Smooth

S721 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8721 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

#### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat Lite Frame
  - **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame
- NEW Flat Advanta Lite Frame

**6** WBDR Options

- **Vented Sidelite Options**
- WBDR / HVHZ Options Elevated 10" Bottom Rail Options

### Concorde<sub>™</sub> ♦ :: ❖



FCM8735

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

FCM735 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC735 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0"

3'0"x 6'8" (7'0") 3'0"x 8'0"



S735 2'8" x 6'8" (7'0")

S8735 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

# Pembridge<sub>™</sub> ◆ **::** ❖



FCM745 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

FCM8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC745 2'8"x 6'8" (7'0")

FC8745 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"

#### **Clear** Glass with Divided Lites



S745

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8745 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC8735

Mahogany

**\* • • • •** 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM752 FCM8752 **\*** • • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC752 \* • • • •

**\* • • • •** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

**Clear Glass** 

FC8752



S752

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

S8752 \* • • • 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

FC8708

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"



FCM704 \* • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM8704 # 🌢 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC704

2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'8"x 8'0"

#### S704 \* 🔷 E 2'10" x 8'0" 3'0"x 8'0" 3'0"x 6'8" (7'0")



S8704 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

Mahogany FCM708

FCM8708 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

FC708

2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S708

2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

S8708 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

#### Crystalline<sub>™</sub> ♦ #



FC21 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



S6123 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Concorde<sub>™</sub> ◆ :: ❖



FC917 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S454 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Clear** Glass with Divided Lites



FC23 **\* • • • •** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S255 \* • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Clear Glass**



FC803 2'8" x 6'8" 2'10" x 6'8"

3'0"x 6'8"



S256 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Clear** Glass with Divided Lites



S236 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"





S237 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

(Scalloped Lite Frame)

#### Pembridge<sub>™</sub> ◆ **::** ❖



FCM86570 FCM6570 2'8"x 6'8' 2'8" x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0" x 6'8" 3'0"x 8'0"

# -**\rightarrow** $\Diamond$

FC86570 FC6570 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 3'0"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Oak



S6570 2'6"x 6'8"

Smooth S86570 2'6" x 8'0" 2'8" x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0 2'10"x 6'8" (7'0") 3'0"x 8'0" 2'10"x 8'0" 3'0"x 6'8" (7'0")

#### Axis.



FCM1645 FCM81645 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



FC1645 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



FC81645 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

S1645 S81645 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")

#### Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options

#### **Privacy & Textured Glass**



FCM61 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

FCM861 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC61 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")

FC861 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S296\_ 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")

\$896 2'6"x 8'0" 2'8"x 8'0" 3'0"x 8'0"

#### Clear Glass



FCM61

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

FCM861



FC61 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")





S296 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0'



## Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



S140STC

2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S141STC

■ \* + E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



S6063STC 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XG = Geometric

S8140STC

2'6"x 8'0"

2'8"x 8'0"

3'0"x 8'0"

XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass



#### **Transoms**

For transoms, see page 221.





FCM31 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM220 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Mahogany



FCM205 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM755 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM600 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM134 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM60 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





FC31 **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC809 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC755 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC862 5 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak

FC60

E
2'6"×6'8" (7'0")
2'10"×6'8" (7'0")
2'10"×6'8" (7'0")
3'0"×6'8" (7'0")







Flat White Grilles Between Glass Only (GBGFW)



E Elevated 10" Bottom Rail Options



1000 **6 E** 2'0" x 6'8" 2'4"x 6'8" 🕸

81000 2'0"x 8'0" 2'4"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 2'6" x 6'8" \$\(\Delta\) (7'0")
2'8" x 6'8" \$\(\Delta\) (7'0")
2'10" x 6'8" \$\(\Delta\) (7'0") 3'0"x 6'8" \$ (7'0") 3'0"x 8'0"



6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$220 \$E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 8'0" \$8200 **6** E 2'8" x 8'0" 2'10" x 8'0"



\$81100 \$1100 **9 E** 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$8120 2'8"x 8'0" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0"

2'8"x 6'8"

3'0"x 6'8"



\$200 5 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S897 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S205 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$755 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$831 2'8" x 8'0" 2'10" x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



2'10"x 6'8"

3'0"x 6'8"

Smooth \$4800 **6 E** S84800 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S600 S8600 **5** 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$11 **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S210 S810 6 2'6"x 8'0" **9Ε** 2'6"x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



■ 9 E 2'0"x 6'8" \$\frac{1}{2}\$
2'0"x 6'8" \$\frac{1}{2}\$
2'4"x 6'8" \$\frac{1}{2}\$
2'6"x 6'8" \$\frac{1}{2}\$
2'8"x 6'8" \$\frac{1}{2}\$
(7'0")
2'10"x 6'8" \$\frac{1}{2}\$
(7'0")
3'0"x 6'8" \$\frac{1}{2}\$
(7'0")
3'6"x 6'8"

2'0"x 8'0" 2'4"x 8'0"

2'6"x 8'0"

2'8"x 8'0" 2'10"x 8'0' 3'0"x 8'0" 3'6"x 8'0"

#### Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

#### Blackstone. • ::



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

#### Crystalline<sub>™</sub> ◆ #



#### 19080T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



#### 19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems






19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

#### Sedona ::



#### 19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



#### 19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Salinas, x



#### SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

## Maple Park<sub>8</sub> ♦ #



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Avonlea.



#### AVRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Saratoga<sub>™</sub> ♦ #



#### 19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

#### Wellesley<sub>™</sub> ♦ **::** ❖



19730T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

#### Riserva. X



#### RSRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

#### Concorde<sub>™</sub> ◆ # ❖



#### CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Kensington<sub>™</sub> ◆ **::**



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Pembridge<sub>™</sub> ◆ **::** ❖



#### **PBRT**

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

#### Axis.



#### **AXRT**

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

#### **Clear Glass**



Grille Sticks Applied



#### 19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



#### 19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied





19200T

3'0" Door Only

12" & 14" Sidelite Only

#### Key





Black Nickel Caming (1D) **Brushed Nickel Caming (1C)** 



Wrought Iron (1W)


**WBDR Options** WBDR / HVHZ Options



E Elevated 10" Bottom Rail Options

# Hinged Patio Doors

Fiber-Classic, Smooth-Star, Profiles, & Traditions





Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600 Bottom: Smooth-Star, Clear Glass, Doors – S118

#### **Door Selections**



Fiber-Classic. Mahogany Collection<sub>™</sub>



Fiber-Classic. Oak Collection™



Smooth-Star.



Profiles<sub>™</sub> & Traditions

#### (Wood-grained images shown in Driftwood stain.)

#### Glass Selections



Low-E / Clear





**Divided Lites** 

see pages 140-141.

For details on divided lite options,





#### **Retractable Screen Doors**

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 42-43 for details.

#### Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

#### **EnLiten**<sub>™</sub> Flush-Glazed **Warranty Riders**

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star <sub>0</sub>	Profiles <sub>™</sub>	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ♦	•	-		
Low-E Glass with and without Divided Lites •	•	•		
Clear Glass with and without Divided Lites	•	•		
Privacy & Textured Glass with and without Divided Lites	•	•		
Lip-Lite Glass Selections				
Internal Blinds	•			
Low-E Glass with and without Divided Lites	•	•	•	•
Clear Glass with and without Divided Lites	•	•	•	•
Privacy & Textured Glass with and without Divided Lites	•	•	•	•
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"	2'0"-3'0"
Double Widths	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•		•	
Tru-Defense Eligible				

## EnLiten<sub>™</sub> Flush-Glazed Internal Blinds




#### **Available Collections**

• Smooth-Star.

#### **Available Door Styles**



#### **Available Configurations**



## **Internal Blinds**




#### **Available Collections**

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles<sub>™</sub>
- Traditions

#### **Available Door Styles**





## EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites

#### Colonial Style




#### **Available Collections**

- Fiber-Classic. Oak
- Smooth-Star.

#### **Available Door Styles**



#### **Available Configurations**



#### Prairie Style




#### **Available Collections**

- Fiber-Classic<sub>®</sub> Oak
- Smooth-Star.

#### **Available Door Styles**





## EnLiten™ Flush-Glazed Low-E / Clear Glass




#### **Available Collections**

- Fiber-Classic, Oak
- Smooth-Star.

#### **Available Door Styles**



#### **Available Configurations**



#### Low-E / Clear Glass with Divided Lites

#### Colonial Style




#### **Available Collections**

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles<sub>™</sub>
- Traditions

#### **Available Door Styles**





#### Prairie Style




#### **Available Collections**


- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles<sub>™</sub>
- Traditions

#### **Available Door Styles**




#### **Available Configurations**









#### Low-E / Clear Glass




#### **Available Collections**

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles<sub>™</sub>
- Traditions

#### **Available Door Styles**














# Profiles<sub>™</sub> Steel Doors



## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL Bottom: Profiles, Screen Vented Glass, Door – 1004HD

# Profiles™ & Traditions Steel

# **Traditions Steel Doors**



## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door – TS210 Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

## Profiles Mark & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 254-259.

ľ	



#### **Traditions** Profiles ■ = Available • = Not Applicable P = Paint **Door Widths** 2'0" П 2'4" 2'6" 2'8" 2'10" 3'0" П 3'6" 0 **Door Heights** 6'6" П 6'8" П 7'0" 8'0" П **Glass Options** 15 15 Decorative Privacy & Textured Internal Blinds П Screen Vented Lites П Simulated Divided Lites Grilles Between Glass **Fixed Grilles** П Low-E П П Clear **Additional Options** Р Р Finish

## Profiles<sub>™</sub> Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.





#### **Traditions Steel**

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.







## Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options on pages 222-227.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors


<sup>\*</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

<sup>\*\*</sup>Decorative glass designs are shown in Profiles only.

<sup>\*\*\*</sup>Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

## Decorative & Specialty Glass Designs\*\*



Blackstone.

Glass Privacy Rating: 7





**Crystalline** 

Glass Privacy Rating: 7



**Brushed Nickel** 



Sedona

Glass Privacy Rating: 7



Glass Privacy Rating: 10



Brushed Nickel

Brushed Nickel



Avonlea.



**Brushed Nicke** 



**Texas Star** 



Maple Park

Glass Privacy Rating: 6



Saratoga...

Glass Privacy Rating: 7



Wellesley...

Glass Privacy Rating: 6

Riserva.

Glass Privacy Rating: 10

**Concorde** 

Black Nickel

Glass Privacy Rating: 8

Kensington...

Glass Privacy Rating: 8



**Brushed Nickel** 



**Black Nickel** 



Frosted Images. Glass Privacy Rating: 8

Also Available:

**Internal Blinds Screen Vented** 



Glass Privacy Rating: 7

Axis.

Glass Privacy Rating: 7

**Glass Privacy Rating Scale** 

3 4 5 6 7 8 9 10

#### **Privacy & Textured Glass**



Reeded (XK)
Glass Privacy Rating: 7



**Geometric (XG)**Glass Privacy Rating: **7** 



Satin Etch (XE) Glass Privacy Rating: 10



Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ) Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



**Granite (XN)**Glass Privacy Rating: **10** 

**Glass Privacy Rating Scale** 

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

**Divided Lites Clear Glass** 



Note: See page 299 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

#### Blackstone.

**+** :::



310 2'6"x 6'8" \$\frac{1}{2}\$ (7'0") 2'8"x 6'8" \$\frac{1}{2}\$ (7'0") 2'10"x 6'8" \$\frac{1}{2}\$ (7'0") 3'0"x 6'8" \$\frac{1}{2}\$ (7'0") 3'6"x 6'8" (7'0")



310SL 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Crystalline**<sub>™</sub>

**+ ::** 



916 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\Delta\$ (7'0") 3'0" x 6'8" \$\Delta\$ (7'0") 3'6" x 6'8" (7'0")



916SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Sedona

**+ ::** 





139SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Salinas<sub>®</sub>

X





369SL 0 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Maple Park

**+ ::** 



1006 2'8"x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



1006SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Avonlea<sub>®</sub>

•



1027 2'8"x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0"x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6"x 6'8" (7'0")



1027SL 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Saratoga**<sub>™</sub>

**+ ::** 



610
2'6"x 6'8" \$\frac{1}{2}\$ (7'0")
2'8"x 6'8" \$\frac{1}{2}\$ (7'0")
2'10"x 6'8" \$\frac{1}{2}\$ (7'0")
3'0"x 6'8" \$\frac{1}{2}\$ (7'0")
3'6"x 6'8" (7'0")



610SL 2 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Texas Star**

**+ ::** 



1029 2'8" x 6'8" (7'0") 2'10" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'0" x 6'8" \$\(\frac{1}{2}\) (7'0") 3'6" x 6'8" (7'0")



1029SL 2 6 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Wellesley™

**♦ :: ♦** 



620
2'6"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'8"x 6'8" \$\(\frac{1}{2}\) (7'0")
2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6"x 6'8" (7'0")



620SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Key



Brushed Nickel Caming (1C)



NEW Scrolled & Flat Advanta Lite Frame

Auvanta Lite Flame

WBDR / HVHZ Options

#### Riserva. X





TS572SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Concorde<sub>™</sub> ♦ # ❖



1028 

416SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Kensington<sub>™</sub> ♦ #



2'8" x 6'8" (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6"x 6'8" (7'0")



626SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Pembridge<sub>™</sub> ◆ **!!** ❖



6500HD 2'8" x 6'8" \$\frac{1}{2}\$ (7'0")
2'10" x 6'8" \$\frac{1}{2}\$ (7'0")
3'0" x 6'8" \$\frac{1}{2}\$ (7'0")
3'6" x 6'8" (7'0")



6500SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Axis.



1651HD 2'4"x 6'8" Å 2'6" x 6'8" \$\frac{1}{2}\$ (7'0") 2'8" x 6'8" \$\frac{1}{2}\$ (7'0") 2'10"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'0"x 6'8" \$\(\frac{1}{2}\) (7'0")
3'6"x 6'8" (7'0")



1651SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Frosted Images.



138SL 10"x 6'8" 12"x 6'8" (7'0") 14" x 6'8" (7'0")

#### Privacy & Textured Glass with Divided Lites



128\_\_ 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



2'8"x 6'8" \$ (7'0") 2'10"x 6'8" \$ (7'0") 3'0"x 6'8" \$ (7'0") 3'6"x 6'8" (7'0")



10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6185\_SL\* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6186\_SL\* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Privacy & Textured Glass**



118\_\_ **16** 3'6" x 6'8" (7'0")



100\_\_SL **4**6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass

<sup>\*</sup>Not available with Reeded (XK) or Geometric (XG) glass.

#### **Internal Blinds**





130SL \* 6 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Clear Glass with Divided Lites











1200

\* ↑ ↑ ↑ ↑ ☐ 6
2'6"x 6'8" Å (7'0")
2'8"x 6'8" Å (7'0")
2'10"x 6'8" Å (7'0")
3'0"x 6'8" Å (7'0")
3'6"x 6'8" (7'0")





1201SL \* • • • • • 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



1202SL \* ♦ ♦ ♦ ♦ ☑ 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")





10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")





6185SL

| | | | | |
| 10"x 6'8"

12"x 6'8" (7'0")

14"x 6'8" (7'0")



6186SL

\* • 2

10" x 6'8"

12" x 6'8" (7'0")

14" x 6'8" (7'0")



198

\* • • • • 2 6
2'6"x 6'8" \$\( \) (7'0")
2'8"x 6'8" \$\( \) (7'0")
2'10"x 6'8" \$\( \) (7'0")
3'0"x 6'8" \$\( \) (7'0")

3'6"x 6'8" (7'0")



1985L \* • • • • • 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Clear Glass





#### Key





- Black Nickel Caming (1D)
  Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)





NEW Scrolled
Advanta Lite Frame



#### Blackstone.

**+ ::** 



1037HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1037SLHD 6 12"x 6'8" 14"x 6'8"

#### Crystalline<sub>™</sub>

**+** :::



1042HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



956SLHD 9 12"x 6'8" 14"x 6'8"

#### Sedona

**+ ::** 



965HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



965SLHD 12"x 6'8" 14"x 6'8"

#### Salinas.

X



968HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



971SLHD 9 12"x 6'8" 14"x 6'8"

#### Maple Park

**+ ::** 



1009HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1009SLHD 5 12"x 6'8" 14"x 6'8"

#### Avonlea<sub>®</sub>



1038HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1038SLHD 9 12"x 6'8" 14"x 6'8"

#### **Saratoga**<sub>™</sub>

**+** :::



1039HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





1039SLHD 5 12"x 6'8" 14"x 6'8"

#### **Texas Star**

**+ ::** 



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1040SLHD 5 12"x 6'8" 14"x 6'8"

#### Wellesley™

**♦ # ♦** 



1041HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1041SLHD 6 12"x 6'8" 14"x 6'8"

#### Riserva.

X



544HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



546SLHD 6 12"x 6'8" 14"x 6'8"

#### **Concorde**<sub>m</sub>

# \*\* \*\*



967HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



967SLHD 9 12"x 6'8" 14"x 6'8"

#### **Kensington**<sub>m</sub>

**+ :::** 



03142HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



966SLHD 5 12"x 6'8" 14"x 6'8"

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

#### **Pembridge**<sub>M</sub>





6582HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6580SLHD 12"x 6'8" 14"x 6'8"

#### Axis.





1644HD 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1644SLHD 12"x 6'8" 14" x 6'8"

#### **Privacy & Textured Glass**



961HD\_ 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



12"x 6'8" 14"x 6'8"



12"x 6'8" 14"x 6'8"

#### **Internal Blinds**



5425 **\*6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



5425SL 12"x 6'8" 14" x 6'8"

#### **Clear** Glass with Divided Lites



2109HD \* • • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2110HD 

**Clear Glass** 



2111HD \* • • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



961HD \* ■ \* \* \* \* \* 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1089SLHD 12"x 6'8" 14"x 6'8"



4572SLHD \* + + + + 6 12"x 6'8" 14"x 6'8"



6720SLHD \* N + + + 12"x 6'8"

14" x 6'8"



1403HD \* • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1400SLHD \* • • • • 12"x 6'8" 14"x 6'8"



959HD \* **6**2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



959SLHD \* **6** 12"x 6'8" 14"x 6'8"

#### Key

- **\*** Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- **Flat or Contour, Almond Grilles** Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- WBDR / HVHZ Options

#### Blackstone.

::



1025HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### **Avonlea**



1047HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

## Wellesley™

**\*** :: **\*** 



1022HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### Concorde<sub>™</sub>

\* \*\* \*\*



1024HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### **Kensington**<sub>™</sub>

**+ ::** 



630HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### $\textbf{Pembridge}_{^{\text{\tiny{M}}}}$





6578HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Frosted Images.



1021HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Clear Glass



1020HD \*\* 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## 1/2 Lites

#### Blackstone. • ::



309HD 5' 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1001HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1117HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



311SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Crystalline<sub>™</sub> ♦ ##



926HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



991HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1119HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



930SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Sedona ♦ #



211HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



996HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1114HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



294SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Salinas, X



374HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1002HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1115HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



371SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Maple Park₃ ♦ #



1007HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1011HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1116HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1007SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Avonlea.



1031HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1034HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1107HD **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1031SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Saratoga<sub>™</sub> ♦ #



613HD 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



988HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1112HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



615SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Texas Star ♦ #



1032HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1035HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1111HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Key





X Wrought Iron (1W)

#### Wellesley<sub>™</sub> ♦ **!!** ❖



623HD 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



989HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1120HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



625SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Riserva<sub>®</sub> X



582HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



576HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



578HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



584SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Concorde<sub>™</sub> ♦ ## ❖



426HD 5 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



999HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1118HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



430SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Kensington<sub>™</sub> ♦ ##



627HD 5 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1113HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



628SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Pembridge<sub>™</sub> ♦ **!!** ❖



6560HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



6565HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6568HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6565SLHD 6 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Axis.



1660HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



1657HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1659HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1657SLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

#### Frosted Images.



206EHD **6** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



985HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1110HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



289ESLHD 5 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Privacy & Textured Glass with Divided Lites



262HD\_\_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



982HD\_\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1123HD\_\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

263SLHD\_\_ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Privacy & Textured Glass**



206HD\_\_ 5'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101\_HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104\_\_ **5 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



210SLHD\_\_ **6** 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### **Internal Blinds**



132HD \* 5 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



984HD \* **5** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1121HD \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\* **6 E**2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



\* **6**12"x 6'8" (7'0")
14"x 6'8" (7'0")

#### Screen Vented Lites\*



243HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1004HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1102HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



137 **E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Key







Simulated Divided Lites (SDL)

WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options









115HD

★◆E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")





1408HD

\* • • • • •

2'6" x 6'8"

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")



1405HD \*\* • • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1406HD \* • • • • • 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

1405SLHD **\*\* ♦ ↑ ♦ ♦** 12" x 6'8" (7'0") 14" x 6'8" (7'0")





206HD \* **5** 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



980HD \* 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1101HD \* 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



104

\* 6 E
2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



105 **E**2'6"x 6'8" (7'0")
2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



210SLHD \* 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")



#### Blackstone.





311HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### **Crystalline**<sub>™</sub>





930HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Sedona





294HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Salinas<sub>®</sub>

X



371HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

Maple Park.

**+ ::** 



1008HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Avonlea<sub>®</sub>





1044HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Saratoga™

**+ :::** 



615HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Wellesley<sub>™</sub>





625HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Riserva.

X



588HD 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Concorde<sub>m</sub>





430HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Kensington**<sub>™</sub>





628HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Pembridge**<sub>™</sub>





6572HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Axis.





1662HD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

# Frosted Images.



289EHD 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Key





**Brushed Nickel Caming (1C)** 

Brass Caming (1A)

- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)



#### **Privacy & Textured Glass**



263HD\_\_ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0")

3'0"x 6'8" (7'0")



289HD\_ 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Clear Glass with Divided Lites



263HD

\* • • • • • •

2'6"x 6'8" (7'0")

2'8"x 6'8" (7'0")

2'10"x 6'8" (7'0")

3'0"x 6'8" (7'0")



1411HD \* ♦ ♦ ♦ ♦ 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Clear Glass



289HD

\*\*
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

## Craftsman Lites

#### Sedona





604HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Maple Park



609HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

#### Saratoga<sub>™</sub>





602HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Riserva.





508HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Pembridge**™





6520HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Axis.





1650HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Privacy & Textured Glass with Divided Lites



605HD\_\*
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

# Privacy & Textured Glass



601\_HD\* 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

#### **Clear** Glass with Divided Lites



605HD **\*** ■ <u>/</u> 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



606HD **\*** ■ <u>/</u> 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



607HD **\*** ■ <u>/</u> 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



608HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Clear Glass



601HD **\*** 🛮 6 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

## Minimal Lites \_

#### Maple Park.





736HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Saratoga<sub>™</sub>

**+ ::** 



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### Wellesley<sub>™</sub>





721HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Concorde<sub>M</sub>





735HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Pembridge**™





745HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Clear** Glass with Divided Lites



752HD \* • • • 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Clear Glass



2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### **Crystalline**<sub>™</sub>

**+ :::** 



1055HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

#### **Concorde**<sub>M</sub>






454HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")

#### Key







Brass Caming (1A)



Simulated Divided Lites (SDL)

- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- NEW Scrolled & Flat Advanta Lite Frame
- **NEW Scrolled** Advanta Lite Frame

## **Clear** Glass with Divided Lites



255HD

\* • • • •

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

#### **Clear** Glass



2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

## **Clear** Glass with Divided Lites



236HD

2'8"x 6'8" (7'0")
2'10"x 6'8" (7'0")
3'0"x 6'8" (7'0")



237HD

\* •

2'8" x 6'8" (7'0")

2'10" x 6'8" (7'0")

3'0" x 6'8" (7'0")

(Scalloped Lite Frame)

#### **Pembridge**<sub>M</sub>





6570HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



6570SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")

#### Axis.





1643HD 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



1643SLHD 12"x 6'8" (7'0") 14"x 6'8" (7'0")

# Privacy & Textured Glass



296HD\_\_\_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD\_\_ 12"x 6'8" (7'0") 14"x 6'8" (7'0")

#### Clear Glass



296HD \*\* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



296SLHD \*\* 12"x 6'8" (7'0") 14"x 6'8" (7'0")

## Solid Panels



969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



978HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1005HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



205HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



203HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



210HD 5 2'6"x 6'8" (7'0") 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



#### **Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass



## Full Lites

#### **Privacy & Textured**

Glass with Divided Lites



TS128\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



TS108\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



6184\_SL\*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



6185\_SL\* 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")



6186\_SL\*
10"x 6'8"
12"x 6'8" (7'0")
14"x 6'8" (7'0")



10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

Privacy & Textured Glass




TS118\_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Continue on next page.

#### Key

- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled
  Advanta Lite Frame
- ♦ WBDR / HVHZ Options♣ 6'6" Height Available
- E Elevated 10" Bottom Rail Options



#### **Privacy & Textured Glass Options**

12"x 8'0"

14"x 8'0"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

12"x 6'8" (7'0")

14"x 6'8" (7'0")

XK = Reeded XG = Geometric

14"x 8'0"

12"x 6'8" (7'0") 14"x 6'8" (7'0")

XE = Satin Etch
XC = Chord

12"x 6'8" (7'0") | 14"x 8'0"

14"x 6'8" (7'0")

XJ = Chinchilla XR = Rainglass XN = Granite

14"x 8'0"

10"x 6'8"

12"x 6'8" (7'0")

14"x 6'8" (7'0")

<sup>\*</sup>Features a gliding operation and sash locking system.

<sup>\*\*</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 299 for important product details that may help with your purchase decision.



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

198SL \* • • • • • 1 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

**Clear** Glass

TS118 \* **1 5 6 6 6 8 7 8 8 8 9** 2'4"x 6'8" 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

**\* k ≥** 6 2'0"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



\* **6 1** 10"x 6'8" 12"x 6'8" (7'0") | 14"x 8'0" 14"x 6'8" (7'0")

**\* 6 ⊿** 12"x 8'0"

818SL

## 1/2 Lites

#### **Privacy & Textured**

Glass with Divided Lites



TS262\_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



12"x 6'8" 14"x 6'8"

#### **Privacy & Textured Glass**



2'8"x 8'0" 2'10"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 3'0"x 8'0"



TS104\_ **6E**2'8"x 6'8"
2'10"x 6'8" 3'0"x 6'8"



TS210\_SL 6 12"x 6'8" 14"x 6'8"

#### **Internal Blinds**



TS132 \* 6 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



8132 \* 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



TS131 \* **6 E** 2'6" x 6'8" 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\* **6** 12"x 6'8" 14" x 6'8"

#### **Screen Vented Lites\***



TS243 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

TS137 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Key







- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- **NEW Scrolled & Flat Advanta Lite Frame NEW Scrolled**

Advanta Lite Frame



PVC Doorlite Frame\*\*



8322 \* • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





8324 \* • • • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







TS115

\* ◆ E
2'6"x 6'8"
2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"







TS1405SL \* • • • • • 12" x 6'8" 14" x 6'8"





TS206

\* 6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

8206 \* 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"





TS104 \* **6** E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



TS105

\* E

2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



TS210SL \* 6 12"x 6'8" 14"x 6'8"

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded XG = Geometric

XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass

#### **Privacy & Textured**

Glass with Divided Lites



TS263

TS263

\* 📦 🕈 🕈 🔷

2'6"x 6'8"

2'8"x 6'8"

2'10"x 6'8"

3'0"x 6'8"

2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Privacy & Textured Glass**



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Clear Glass**



**\*** • • • • 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

Clear Glass with Divided Lites



TS289 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



## Minimal Lites \_

#### Clear Glass with Divided Lites



TS752 **\*** ♦ ♦ ♦ ◆ 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\* • • • 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



**\***◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

#### **Clear Glass**



2'8"x 6'8" 2'10"x 6'8"

2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

#### **Clear Glass** with Divided Lites



TS255 **\*** ♦ ♦ ♦ ◆ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### **Clear Glass**



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

#### Key


- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options







## Solid Panels



# Transoms

Transoms can be painted to match a Profiles, or Traditions door system.

## Blackstone. • ::



#### **BSRT**

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

## Crystalline<sub>™</sub> ♦ #



#### 19080T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



#### 19820T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





19800T 3'0" Door Only

19810T 12" & 14" Sidelite Only

# Sedona 🔷 👯



#### 19055T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



#### 19520T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

#### Salinas. X



#### SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

# Maple Park₃ ♦ ##



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only


#### Avonlea.



#### **AVRT**

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

## Saratoga<sub>™</sub> ♦ #



#### 19750T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19740T 3'0" Door Only

# Wellesley<sub>™</sub> ◆ **!!** ❖



19730T 3'0" door + (2) 12" sidelites Continuous Sill Systems Only



19720T 3'0" Door Only

#### Riserva. X



3'0" door + (2) 12" sidelites Continuous Sill Systems Only

#### Concorde<sub>™</sub> ◆ **!!** ❖



#### CNRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

## Kensington<sub>™</sub> ◆ **!!**



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

# Pembridge<sub>™</sub> ◆ **::** ❖



#### **PBRT**

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

#### Axis.



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

#### **Clear Glass**





3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied



#### 19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



Grille Sticks Applied




19200T 19210T 3'0" Door Only

12" & 14" Sidelite Only

## Key









Fixed Grilles (FXG)





# Fire Doors


Fiber-Classic, Smooth-Star & Steel



# Therma-Tru<sub>®</sub> Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

■ Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.\*\*



# **20-Minute** Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

## **Additional Options**

Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 258.

## For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- √ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

## For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

<sup>\*</sup>To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

\*\*Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

Left: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

# Adjusta-Fit<sub>®</sub> 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factorycoated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

# Therma-Tru<sub>®</sub> Adjusta-Fit<sub>®</sub> 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-1/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from  $4"-9-\frac{1}{2}"$  deep.

# **Additional Options**

■ Therma-Tru<sub>®</sub> composite door frame also 20-minute Fire-rated, starting on page 280.

# **20-Minute** Fire-Rated Wood Edge - Fiberglass



Mahogany

FMF31 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF220 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF205 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF755 2'10"x 6'8" 3'0"x 6'8"



Mahogany

FMF600 2'8"x 6'8" 2'10" x 6'8"

3'0" x 6'8"



Mahogany

FMF134 2'10"x 6'8" 3'0"x 6'8"



FMF60	FN
6	6
2'8" x 6'8"	2'8
2'10"x 6'8"	3'0
3'0" x 6'8"	

8"x 8'0" 0"x 8'0"



FMF100 ■ 9 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" 3'0"x 6'8" (7'0") | 3'0"x 8'0"



2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0"

2'8"x 6'8" 3'0"x 6'8"



FCF809

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"







FCF755 2'10"x 6'8" 3'0"x 6'8"



FCF862 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FCF160 9 E 3'0"x 6'8" (7'0")



FCF8160 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 2'10" x 8'0"



3'0"x 6'8" (7'0") 3'0"x 8'0"



SSF93 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



SSF220 **9 E** 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 2'10" x 8'0" 3'0" x 8'0"



SSF1100 **9E**2'8"x 6'8"
2'10"x 6'8"
3'0"x 6'8"

SSF120 9E 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

SSF8200 SSF200 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0"x 6'8"



SSF205 SSF8205 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



Smooth SSF755 2'10"x 6'8" 3'0"x 6'8"



SSF31 SSF831 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"






SSF81100

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

E Elevated 10" Bottom Rail Options


SSF8120

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



# 20-Minute Fire-Rated Wood Edge - Steel

# Profiles<sub>™</sub>



# **Traditions**



9 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"









# Modern design. Upbeat living.










Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

# It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.















The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.








# 1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



# Choose a MATERIAL.

Each style is available in any of these material choices.



Mahogany or Oak (Shown in Driftwood stain.)

**Fiberglass** 

# 3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

#### **Privacy & Textured Glass**


Available for all Pulse door styles.




Low-E Also Available.

#### **Decorative Glass**

Available for Línea.



Available for Ari.



- Available for Echo.
- 8 1 9

- 1 Blackstone<sub>®</sub>
- 2 Crystalline™
- 3 Sedona
- 4 Salinas.
- 5 Avonlea<sub>®</sub>
- 6 Saratoga™
- 7 Riserva<sub>®</sub>
- 8 Pembridge™
- 9 Axis.

# 4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame





Scrolled Profile Lite Frame


Pulse <sub>®</sub> Size Options										
	Wood-Graine	ed Fiberglass	Smooth F	iberglass	Steel					
	6'8"	8'0"	6'8" 8'0"		6'8"	8'0"				
Doors	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8"	2'6" x 8'0" ° 2'8" x 8'0" 2'10" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8"	2'6" x 8'0" o 2'8" x 8'0" 2'10" x 8'0"	2'6" x 6'8" ° 2'8" x 6'8" 2'10" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"				
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" 3'6" x 6'8"	3'0" x 8'0" 3'6" x 8'0"	3'0" x 6'8" 3'6" x 6'8"	3'0" x 8'0"				
Sidelites	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"				

- Available in full-lite sidelites only. Available in Línea and Echo only.



















# Línea


Note: Product images show exterior side of door.











Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)

Smooth ) Fiberglass It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Steel

































Línea Continues on next page.

# Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262. XK =


XK = Reeded XG = Geometric


XE = Satin Etch XC = Chord XJ = Chinchilla XR = Rainglass XN = Granite


# Key

- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)























Echo.

Note: Product images show exterior side of door.










Wood-Grained Fiberglass: Smooth
Mahogany or Oak (Shown in Driftwood stain.) Fiberglass

Steel

# It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.




































Echo Continues on next page.

## **Privacy & Textured Glass Options**


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded XG = Geometric XE = Satin Etch XC = Chord

XJ = Chinchilla XR = Rainglass XN = Granite

## Key









Brass Caming (1A)







































It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.




Echo Continues on next page.

Privacy & Textured Glass Options  Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.	XK = Reeded XE = Satin Etch XJ = Chinchilla XN = Granite XG = Geometric XC = Chord XR = Rainglass
---	--


## Key

- \* Low-E Glass (LE)
- Black Nickel Caming (1D)
- **■** Elevated 10" Bottom Rail Options




Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Brass Caming (1A)



Sidelites Continue on next page.







Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.






# Finishing Options







# Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.



# Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard<sub>®</sub> premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru<sub>®</sub> fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft<sub>®</sub> doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.









Durable Topcoat

Professional Application



# Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.







# PrismaGuard<sub>®</sub> Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru<sub>0</sub> fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru<sub>0</sub> door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- **6** A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



# PrismaGuard<sub>®</sub> Premium Paint

Add a pop of color to Therma-Tru<sub>0</sub> doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru<sub>0</sub> door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





Order 4" x 4" samples of select PrismaGuard finish colors at **store.thermatru.com**.

# SAME-DAY. STAIN

## Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru<sub>®</sub> fiberglass doors and composite door frames.

Shown on Classic Craft<sub>®</sub> Fir Grain.

















#### **All-Inclusive Kit**

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*

Watch easy-to-follow instructions at thermatru.com/samedaystain.





For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

# Door System Components






# Engineered to work together.

A Therma-Tru<sub>®</sub> door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

# Composite Door Frame\*

# featuring Tru-Guard™ Composite Technology





#### COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard<sub>™</sub> composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



# Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a 3 composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

<sup>\*</sup>See your Therma-Tru seller for details on product availability.

<sup>\*\*</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>\*\*</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

# **Available Textures**





#### **Buff Grained**

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry
  - no sanding or priming required.





## **White Smooth**

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is no painting required. Or finish with stain or paint to complement the entry - no sanding or priming required.

# The advantage is clear.

Performance	
Resists Moisture & Humidity - Eliminates Risk of Swelling, Warping and Splitting	$\checkmark$
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	✓
Resists Insects – Help Protect from Wood-Ingesting Insects	✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	✓
Impact and 20-Minute Fire Code Compliant***	✓
Aesthetics	
Ready to Finish – No Sanding or Priming Required	✓
Ready-to-Install Option – No Finishing Required – White Smooth	✓
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓
Warranty	

Therma-Tru Products & Applications	<b>Warranty</b> For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft <sub>*</sub> Door + Components	LIFETIME LIMITED WARRANTY TRANSFERABLE	Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic, Smooth-Star, Pulse, Fiberglass Door + Components	LIFETIME WARRANTY	10-Year Transferable Full-System Rider
Composite Door Frame Only	LIFETIME LIMITED WARRANTY	

# Composite Door Frame Parts


See your Therma-Tru seller for a full list of available product sizes and options.

## **Jambs**



# Mullions






■ Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

#### **Trim**







## **Mull Casing**







# Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

# **Storm Door Adaptor**



4-9/16" Base Adaptor Face Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

## **Screen Track Cap**




## **Fasteners, Setting Tool & Screw Plug Covers**



Screw plugs are available on a collated strip for ease of installation and finishing.

## Storm Door-Ready Mullions



Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

# more reliable and up to 50% stronger on average than standard wood door frames\*


when withstanding a simulated forced entry attempt by kicking in the door.\*



7/16" x 5/16" Cove Mould

#### **Transom Sills**





# Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.\*\*



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.\*\*



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*\*

<sup>\*</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.
\*\*To confirm code requirements in your jurisdiction, always check with your local building code authority.

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

# **Inswing Options**

# Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.\*

#### **Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- · Adjustable flush screws.

# **Outswing Options**



## • Thick wood-grained composite cap and nosing.

- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



#### **Aluminum Sill with Thermal Break**

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



#### Coastal Sill (For Coastal Regions)

- · All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



# Basic Composite Adjustable Sill (Economy)

- · Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.




#### Basic Fixed Sill (Economy)

· Slanted cap and nosing mates with the single-bulb bottom sweep.

# Outswing Sill Extender



## Inswing Sill Extenders



## Public Access Sill

# (For ADA Applications)

# Public Access Sill with Thermal Break\*\*

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

#### Key



## Tru-Defense Eligible

- \*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.
- \*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.
- \*\*\*For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.
- Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

# Sill Finishes



Mill



**Bronze** 

# Cap Colors



**Lightwood** (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

	ns	Composite Adjustable	ustable	Basic Composite Adjustable		tions	tswing	Aluminum with Thermal Break	Aluminum without Thermal Break		Public Access (Inswing / Outswing)	(ADA)**
	y Optic	site Adj	od Adj	sodwo	xed	ng Opt	site Ou	ım with	m with		Acces	ccess
<ul><li>= Available</li><li>= Not Applicable</li></ul>	Inswing Options	Compos	Hardwood Adjustable	Basic C	Basic Fixed	Outswing Options	Composite Outswing	Aluminu	Aluminu	Coastal	Public	Public Access (ADA)**
Sill Finishes												
Mill												
Bronze										•		
Cap Colors												
Lightwood			•		•			•	•	•		•
Darkwood			•					•	•	•		•
Hardwood		•		•	•		•	•	•	•		•
Sill Configurations												
Single												
French				•								
Double Patio				•	•			•	•	•		•
Triple Patio				•	•			•	•	•		•
Lineal				•	•		•	•	•	•		•
Sidelite Configurations												
Boxed Sidelites			•	•	•		•	•	•	•		•
Single with Sidelites				•	•			•	•	•		•
French with Sidelites			•	•	•		•	•	•	•		•
Single Vented Sidelites			•	•	•		•	•	•	•		•
French Vented Sidelites			•	•	•		•	•	•	•		•
Depths												
4-9/16"			•									
5-3/4"									•	•		•
6-%16"		•	•	•	•		•	•	•	•		
7-3/4"							•		•	•		•
Substrates												
Composite Extruded			•	•	•			•	•	•		•
Composite Injection Molded			•		•		•	•	•	•		•
Treated Pine		•		•			•					•
Other Options												
Integrated Thermal Break									•	•		
Screen Rail Available				•	•			•	•	•		•
Sill Extenders Available					•			•	•	•		•
Sill Covers Available								•	•	•		•
Tru-Defense Eligible***			•	•	•			•	•	•		•
With Anchor Holes		•	•	•	•		•			•		
Without Anchor Holes									•			•

Note: See your Therma-Tru seller for details on available component and finish color combinations.

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

# **Inswing Options**



Composite Adjustable Hardwood Adjustable Basic Composite Adjustable

Colors: Bronze White



# **Outswing Options**









# ADA / Replacement



# Sill Protection



- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 285 for availability.



• Engineered with sloped channels to help collect and drain moisture away.

# Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)



# Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.





# Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.





# Hardware


# Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

## Grip-Style MPLS 💠

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)





Tongue Heights:

Heights: 6'8" 7'0" 8'0"

Configurations: Inswing Outswing

1 Self-lubricating locks.

2 1" premium stainless steel deadbolt.

3 Integrated mishandling device.

#### Key







#### Lever-Style MPLS 💠

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



### **Tongue**

Heights: 6'8" 7'0"

8'0"

Configurations: Inswing Outswing



#### **Shootbolt**

(For door systems with an astragal.) Heights:

6'6" 6'8" 7'0" 8'0" Configurations: Inswing Outswing



#### **Vented Sidelite MPLS**






# Tongue (Included in vented sidelite units.) Heights: 6'6" 6'8" 8'0"

Exterior view of door.

### Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru<sub>®</sub> door styles from traditional to contemporary.










Brushed Black Nickel Nickel

Oil-Rubbed Bronze



**Adjustable Security Strike Plate** 

Nickel



Nickel

# Latch & Deadbolt Strike Plate

# (Recommended for standard lock and deadbolt handlesets only.) Finish Options: A genuine Therma-Tru adjustable security s

Brushed Nickel Black Nickel Polished Chrome Oil Rubbed Bronze Stainless Steel Zinc Dichomate A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

Chrome

Bronze

- 1 Wraps around the door jamb for added support and an exact fit.
- 2 2-1/2" screws fully engage with the frame of the house for added strength.

Standard vs. Adjustable Security Strike Plate

### Hinges

#### Adjustable Hinge 💠

(Recommended for Classic-Craft premium entryways.)

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



#### Classic-Craft<sub>®</sub> Ball-Bearing •

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



# Classic-Craft₀ Ball-Bearing – Staggered Hole Pattern •

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



#### Self-Aligning Ball-Bearing •

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to assist in accurate alignment with specific door systems.



#### Self-Aligning •

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



#### Security Tab \*

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



#### Spring-Loaded 💠

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.\*



### Hinge Finsh Options



<ul><li>= Available</li><li>= Not Applicable</li><li>Hinge Finish Options</li></ul>	Adjustable	Classic Craft。 Ball-Bearing	Classic Craft. Ball-Bearing – Staggered Hole Pattern	Classic Craft. Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball- Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass			-			•	•	•	•
Brushed Nickel									
Black Nickel			-			•		•	
Polished Chrome	-		-			•	-	•	
Oil-Rubbed Bronze								•	
Stainless Steel	•					•			
Zinc Dichromate	•		-						

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

#### Astragal



Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

#### Stainable Astragal 💠 Heights: Configurations: 6'6" 6'8" Inswing Outswing 7'0" Multi-Point Lock 8'0" Double Bore Left-Handed Width: Right-Handed **Grain Options:** 0ak Weatherstrip: Bronze Shown in Oak grain with Redwood stain.



Configurations: Inswing Outswing Multi-Point Lock Double Bore Left-Handed Right-Handed

Finish Colors: Bronze

Weatherstrip: Bronze

#### **Textures Available**

Stainable (Shown in Rustic Clay stain.)




Fir Grain

**Aluminum** 





White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028

Right Page, Top: Classic Craft Walnut Grain Doors - CCW902R, CCW902L, Finish - Pinecone

Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley





# Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.







Special Quote GBG Color Options


#### **Divided Lites**

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



#### **Privacy & Textured Glass**

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





#### **Caming Colors**

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options


#### Classic Craft®




## Key

- Classic Craft<sub>®</sub> Artíssa Collection<sub>™</sub>
- ◆ Classic Craft。
   Founders Collection™
- ▲ Classic Craft。 Visionary Collection™
- \* Smooth-Star.
- ▶ Profiles™ & Traditions

#### 6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star<sub>®</sub>, Profiles<sub>™</sub>, Traditions & Pulse<sub>®</sub>



# 7'0" Height Door Style Options


0			'									
Door Styles Glass Designs												
Blackstone	<b>VA</b> * <b>D</b>	<b>A</b> *)	*		•							
Crystalline™	<b>VA</b> * <b>D</b>	<b>A</b> *)	*		•				•			
Sedona	<b>VA</b> *)	<b>A</b> *)	*		•							
Salinas <sub>®</sub>	<b>VA</b> *)	<b>A</b> *)	*		•							
Maple Park	<b>VA</b> *)	<b>*</b> *	*		•			<b>A</b> *)				
Avonlea	<b>VA</b> * <b>D</b>	<b>A</b> *)	*		•							
Saratoga™	<b>VA</b> *)	<b>*</b> *	*		•		*	<b>A</b> *)				
Texas Star	<b>VA</b> *)	<b>A</b> *)	*		•							
Wellesley™	<b>VA</b> *)	<b>*</b> *	*		•			<b>A</b> *)				
Riserva	<b>VA</b> * <b>D</b>	<b>A</b> *D	*		•							
Concorde™	<b>VA</b> *)	<b>*</b> *	*		•			<b>A</b> *)	•			
Kensington™	<b>VA</b> * <b>D</b>	<b>A</b> *)	*		•							
Pembridge™	<b>VA</b> *)	<b>*</b> *	*		•			•		<b>A D</b>		
Axis.	<b>VA</b> *)	<b>*</b> *	*		•					<b>A</b> *D		
Frosted Images.		<b>A</b> *)	*		•							
Privacy & Textured Glass	<b>VA</b> * <b>D</b>	<b>A</b> *)	*	<b>VA</b> * <b>D</b>	•		*			<b>A</b> *D		
Internal Blinds	<b>VA</b> * <b>D</b>	<b>A</b> *)	*	<b>VA</b> *)								
Screen Vented		*)	*	* )								
Divided Lites	<b>VA</b> * <b>D</b>	<b>A</b> *)	*		•	*)	*	<b>A</b> *D	•		•	
Clear	<b>VA</b> * <b>D</b>	<b>A</b> *D	*	<b>VA</b> * <b>D</b>	•	*)	*	<b>A</b> *D	•	<b>A</b> *D		
Solid Panel												

# 6'6" Height Door Style Options

Door Styles	5			İ	
Glass Designs	Ш				
Blackstone	<b>A</b> *)			<b>*</b>	
Crystalline <sub>™</sub>	<b>*</b> *			<b>*</b>	
Sedona	<b>*</b> *			<b>*</b>	
Salinas	<b>A</b> *D			<b>*</b>	
Maple Park	<b>A</b> *D			<b>*</b>	
Avonlea	<b>A</b> *D			<b>*</b>	
Saratoga™	<b>A</b> *D			<b>*</b>	
Texas Star	<b>A</b> *D			<b>*</b>	
Wellesley™	<b>A</b> *D			<b>*</b>	
Riserva	<b>A</b> *D			<b>*</b>	
Concorde™	<b>A</b> *D			<b>*</b>	
Kensington <sub>™</sub>	<b>A</b> *D			<b>*</b>	
Pembridge <sub>TM</sub>	<b>A</b> *)			<b>*</b>	
Axis <sub>®</sub>	<b>A</b> *D			<b>*</b>	
Frosted Images				<b>*</b>	
Privacy & Textured Glass	<b>A</b> *D	•		<b>*</b>	
Internal Blinds	<b>A</b> *D	•		<b>*</b>	
Screen Vented		•			
Divided Lites	<b>A*</b>		•	<b>*</b>	
Clear	<b>A</b> *D	•	•	<b>*</b>	
Solid Panel					* )

## Key

- ▲ Classic Craft<sub>®</sub> Visionary Collection<sub>™</sub>
- ▼ Fiber-Classic<sub>®</sub> Mahogany Collection<sub>™</sub>
- ▲ Fiber-Classic<sub>®</sub> Oak Collection<sub>™</sub>
- \* Smooth-Star.
- ▶ Profiles™ & Traditions







Top: Smooth-Star, Maple Park Glass, Door – S6107 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

# Entry & Patio Door Systems

Feature	Classic Craft₅	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles <sub>™</sub> & Pulse₅ Steel (6'8")	Traditions & Pulse: Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel - Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- <sup>15</sup> / <sub>16</sub> " Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3- <sup>15</sup> / <sub>16</sub> " Full-Length Engineered Lumber	1-¼" Wood	1-¼" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-½" Wood	12-½" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	Standard Frame, Advanta Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	-	-
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

### Therma-Tru<sub>®</sub> Door Systems

### Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

#### **Doors**

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

#### Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct suplicit

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

#### Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

#### **Impact-Rated Products**

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

#### **Fire-Rating Performance Standards**

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

#### **Limited Warranties**

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru<sub>\*</sub> Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft<sub>\*</sub>, Fiber-Classic<sub>\*</sub>, Smooth-Star<sub>\*</sub> and Pulse<sub>\*</sub> Door Systems; Steel – Pulse<sub>\*</sub>, Profiles<sub>\*\*</sub>, and Traditions Door Systems
- Therma-Tru<sub>a</sub> Tru-Defense<sub>a</sub> Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft<sub>a</sub>, Fiber-Classic<sub>a</sub>, Smooth-Star<sub>a</sub> and Pulse<sub>a</sub> Fiberglass Door Systems
- EnLiten... Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten... Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft., Fiber-Classic., Smooth-Star., and Pulse. Door Systems; Steel – Pulse., Profiles... and Traditions
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon-Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard... Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru<sub>\*</sub> Composite Door Frame featuring Tru-Guard<sub>\*\*</sub> Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic<sub>\*</sub>, Smooth-Star<sub>\*</sub> and Pulse<sub>\*</sub> Fiberglass Door Systems

#### Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

# Classic Craft.

19020T	123	CC922	87	CCA2310XNSL	80	CCA240	111	CCA4910RXE	73	CCA8231	108
19200T		CC96		CCA2310XR		CCA2400		CCA4910RXJ		CCA82310	
19210T		CC97		CCA2310XRSL		CCA2400SL		CCA4910RXN		CCA82310SL	
19220T		CC99		CCA2320		CCA2400SL		CCA4910RXR		CCA82310XC	
AB30T		CC9922		CCA2320SL		CCA2400XC		CCA4915L		CCA82310XCSL	
ABRT		CC9925		CCA2320XC		CCA2400XCSL		CCA4915R		CCA82310XE	
CC040T		CC9925SL		CCA2320XCSL		CCA2400XCSL		CCA4920L		CCA82310XESL	
		CC9925SL									
CC060T				CCA2320XE		CCA2400XE		CCA4920LXC		CCA82310XG	
CC090T		CC9926		CCA2320XESL		CCA2400XESL		CCA4920LXE		CCA82310XGSL	
CC100		CCA1100		CCA2320XG		CCA2400XESL		CCA4920LXJ		CCA82310XJ	
CC10022		CCA1125		CCA2320XGSL		CCA2400XG		CCA4920LXN		CCA82310XJSL	
CC106	77	CCA1127	114	CCA2320XJ	79	CCA2400XGSL	73	CCA4920LXR	73	CCA82310XK	79
CC107	77	CCA1133	115	CCA2320XJSL	80	CCA2400XGSL	79	CCA4920R	74	CCA82310XKSL	80
CC109	76	CCA1145	115	CCA2320XK	79	CCA2400XJ	79	CCA4920RXC	73	CCA82310XN	79
CC1418	82	CCA1147	115	CCA2320XKSL	80	CCA2400XJSL	73	CCA4920RXE	73	CCA82310XNSL	80
CC1423	72	CCA1149	114	CCA2320XN	79	CCA2400XJSL	79	CCA4920RXJ	73	CCA82310XR	
CC1423SL		CCA1150		CCA2320XNSL		CCA2400XK		CCA4920RXN		CCA82310XRSL	
CC1423SL		CCA1158		CCA2320XR		CCA2400XKSL		CCA4920RXR		CCA82320	
CC1424		CCA1166		CCA2320XRSL		CCA2400XKSL		CCA4925L		CCA82320SL	
CC2020SL		CCA1423SL		CCA2330		CCA2400XN		CCA4925R		CCA82320XC	
CC2020SL		CCA210		CCA2330SL		CCA2400XNSL		CCA4930		CCA82320XCSL	
CC2020XCSL		CCA210SL		CCA2330XC		CCA2400XNSL		CCA4930XC		CCA82320XE	
CC2020XESL		CCA210XC		CCA2330XCSL		CCA2400XR		CCA4930XE		CCA82320XESL	
CC2020XGSL		CCA210XCSL		CCA2330XE		CCA2400XRSL		CCA4930XJ		CCA82320XG	
CC2020XJSL		CCA210XJ		CCA2330XESL		CCA2400XRSL		CCA4930XN		CCA82320XGSL	
CC2020XNSL	83	CCA210XJSL	110	CCA2330XG	79	CCA240XC		CCA4930XR	73	CCA82320XJ	
CC2020XRSL	83	CCA210XN	109	CCA2330XGSL	80	CCA240XJ	109	CCA4935	115	CCA82320XJSL	80
CC2040SL	77	CCA210XNSL	110	CCA2330XJ	79	CCA240XN	109	CCA4940	75	CCA82320XK	
CC2040SL	87	CCA210XR	109	CCA2330XJSL	80	CCA240XR	109	CCA4940XC	73	CCA82320XKSL	80
CC2044SL		CCA210XRSL		CCA2330XK		CCA2410SL		CCA4940XE		CCA82320XN	
CC2044SL		CCA211		CCA2330XKSL		CCA2420SL		CCA4940XJ		CCA82320XNSL	
CC2060SL		CCA211SL		CCA2330XN		CCA260		CCA4940XN		CCA82320XR	
CC2060SL		CCA220		CCA2330XNSL		CCA260XC		CCA4940XR		CCA82320XRSL	
		CCA220SL									
CC2120SL				CCA2330XR		CCA260XJ		CCA4945		CCA82330	
CC2122SL		CCA220XC		CCA2330XRSL		CCA260XN		CCA81100		CCA82330SL	
CC2140SL		CCA220XCSL		CCA2340		CCA260XR		CCA81125		CCA82330XC	
CC2144SL		CCA220XJ		CCA2340SL		CCA3400SL		CCA81127		CCA82330XCSL	
CC2160SL	105	CCA220XJSL	110	CCA2340XC	79	CCA3400XCSL	110	CCA81133	115	CCA82330XE	79
CC3412SL	78	CCA220XN	109	CCA2340XCSL	80	CCA3400XGSL	110	CCA81145	115	CCA82330XESL	80
CC3412SL	87	CCA220XNSL	110	CCA2340XE	79	CCA3400XJSL	110	CCA81147	115	CCA82330XG	79
CC40	119	CCA220XR	109	CCA2340XESL	80	CCA3400XNSL	110	CCA81149	114	CCA82330XGSL	80
CC400T	122	CCA220XRSL	110	CCA2340XG	79	CCA3400XRSL	110	CCA81150	115	CCA82330XJ	79
CC420T	122	CCA230	111	CCA2340XGSL	80	CCA3401SL	108	CCA81158	115	CCA82330XJSL	80
CC44	105	CCA2300		CCA2340XJ	79	CCA3450SL		CCA81166		CCA82330XK	
CC45		CCA2300SL		CCA2340XJSL		CCA3450XCSL		CCA81423SL		CCA82330XKSL	
CC47		CCA2300XC		CCA2340XK		CCA3450XGSL		CCA8210		CCA82330XN	
CC48		CCA2300XCSL		CCA2340XKSL				CCA8210XC		CCA82330XNSL	
						CCA3450XJSL					
CC48XE		CCA2300XE		CCA2340XN		CCA3450XNSL		CCA8210XJ		CCA82330XR	
CC60		CCA2300XESL		CCA2340XNSL		CCA3450XRSL		CCA8210XN		CCA82330XRSL	
CC600T		CCA2300XG		CCA2340XR		CCA3500SL		CCA8210XR		CCA82340	
CC612	106	CCA2300XGSL	79	CCA2340XRSL	80	CCA3500XCSL		CCA8211	108	CCA82340SL	81
CC620T	122	CCA2300XJ	79	CCA2350	74	CCA3500XGSL	110	CCA8220	111	CCA82340XC	79
CC8000SL	84	CCA2300XJSL	79	CCA2350XC	73	CCA3500XJSL	110	CCA8220XC	109	CCA82340XCSL	80
CC8000XCSL	83	CCA2300XK	79	CCA2350XE	73	CCA3500XNSL	110	CCA8220XJ	109	CCA82340XE	79
CC8000XGSL		CCA2300XKSL		CCA2350XJ		CCA3500XRSL	110	CCA8220XN		CCA82340XESL	
CC8000XJSL		CCA2300XN		CCA2350XN		CCA3501SL		CCA8220XR		CCA82340XG	
CC8000XNSL		CCA2300XNSL		CCA2350XR		CCA3560SL		CCA8230		CCA82340XGSL	
CC8000XNSL		CCA2300XR		CCA2360		CCA3560XCSL		CCA82300		CCA82340XJ	
CC8006SL		CCA2300XRSL		CCA2360XC		CCA3560XGSL		CCA82300SL		CCA82340XJSL	
CC8007SL		CCA230XC		CCA2360XE		CCA3560XJSL		CCA82300XC		CCA82340XK	
CC8009SL		CCA230XJ		CCA2360XJ		CCA3560XNSL		CCA82300XCSL		CCA82340XKSL	
CC8102SL		CCA230XN		CCA2360XN		CCA3560XRSL		CCA82300XE		CCA82340XN	
CC81418		CCA230XR		CCA2360XR		CCA4900		CCA82300XESL		CCA82340XNSL	
CC81423SL		CCA231		CCA2370		CCA4900XC		CCA82300XG		CCA82340XR	
CC831	119	CCA2310	80	CCA2370XC	73	CCA4900XE	73	CCA82300XGSL	79	CCA82340XRSL	80
CC860	119	CCA2310SL	81	CCA2370XE	73	CCA4900XJ	73	CCA82300XJ	79	CCA82350	74
CC890	84	CCA2310XC		CCA2370XJ		CCA4900XN		CCA82300XJSL		CCA82350XC	
CC896		CCA2310XCSL		CCA2370XN		CCA4900XR		CCA82300XK		CCA82350XE	
CC897		CCA2310XE		CCA2370XR		CCA4905		CCA82300XKSL		CCA82350XJ	
		CCA2310XESL		CCA2380		CCA4910L		CCA82300XN		CCA82350XV	
	01	CCA2310XESL									
CC898	0.0	UUAZ31UAU	79	CCA2380XC		CCA4910LXC		CCA82300XNSL		CCA82350XR	
CC898			00	CCMMMNVF			73				/4
CC898 CC899 CC89922	82	CCA2310XGSL		CCA2380XE		CCA4910LXE		CCA82300XR		CCA82360	
CC898 CC899 CC89922 CC89925SL	82 82	CCA2310XGSL CCA2310XJ	79	CCA2380XG	79	CCA4910LXJ	73	CCA82300XRSL	79	CCA82360XC	73
CC898	82 82 84	CCA2310XGSL CCA2310XJCCA2310XJSL	79 80	CCA2380XG CCA2380XJ	79 79	CCA4910LXJ CCA4910LXN	73 73	CCA82300XRSL CCA8230XC	79 109	CCA82360XC CCA82360XE	73 73
CC898	82 82 84 122	CCA2310XGSL CCA2310XJ CCA2310XJSL CCA2310XK	79 80 79	CCA2380XG CCA2380XJ CCA2380XK	79 79 79	CCA4910LXJ CCA4910LXNCCA4910LXR	73 73 73	CCA82300XRSL CCA8230XC CCA8230XJ	79 109 109	CCA82360XC CCA82360XE CCA82360XJ	73 73 73
CC898	82 82 84 122	CCA2310XGSL CCA2310XJCCA2310XJSL	79 80 79	CCA2380XG CCA2380XJ	79 79 79 79	CCA4910LXJ CCA4910LXN	73 73 73	CCA82300XRSL CCA8230XC	79 109 109 109	CCA82360XC CCA82360XE	73 73 73 73

CCA02270 74	CCA04000D	7E CCMOOCKN	00	CCM2200CI	0.5	CCM0202LVD	00	CCDOOOOVN	07
CCA82370	CCA84920R			CCM3309SL CCM3500SL		CCM8303LXR		CCR20020XN CCR20022	
CCA82370XC73	CCA84920RXC					CCM8303R			
CCA82370XE 73		73 CCM2812		CCM3502SL		CCM8303RXC		CCR20023	
CCA82370XJ73	CCA84920RXJ			CCM3503SL		CCM8303RXE		CCR20027	
CCA82370XN73	CCA84920RXN			CCM3509SL		CCM8303RXN		CCR20037	
CCA82370XR73	CCA84920RXR			CCM60		CCM8303RXR		CCR20037A	
CCA82380 81	CCA84925L 1			CCM600		CCM8304L		CCR200A	
CCA82380XC79	CCA84925R1	15 CCM2812XR	83	CCM600XE	106	CCM8304LXC	98	CCR2025SL	78
CCA82380XE 79	CCA84930	75 CCM300	88	CCM603	105	CCM8304LXE	98	CCR2025SL	84
CCA82380XG79	CCA84930XC	73 CCM300XC	88	CCM609	105	CCM8304LXN	98	CCR2025XCSL	83
CCA82380XJ79	CCA84930XE	73 CCM300XN	88	CCM612	106	CCM8304LXR	98	CCR2025XESL	83
CCA82380XK79	CCA84930XJ	73 CCM301CAL	101	CCM700	107	CCM8304R	101	CCR2025XGSL	83
CCA82380XN79	CCA84930XN			CCM701		CCM8304RXC		CCR2025XHSL	
CCA82380XR79	CCA84930XR			CCM702		CCM8304RXE		CCR2025XJSL	
CCA8240 111	CCA84935 1			CCM703		CCM8304RXN		CCR2025XKSL	
CCA82400 80	CCA84940			CCM709		CCM8304RXR		CCR2025XNSL	
CCA82400SL 75	CCA84940XC			CCM800		CCM8305CAL		CCR2025XRSL	
CCA82400SL 81	CCA84940XE			CCM801		CCM8305CALXC		CCR205	
CCA82400XC79	CCA84940XJ			CCM803		CCM8305CALXE		CCR20520	
CCA82400XCSL73	CCA84940XN	73 CCM301CARXN	99	CCM805027		CCM8305CALXN	99	CCR20520XC	91
CCA82400XCSL79	CCA84940XR	73 CCM301CARXR	99	CCM809	113	CCM8305CALXR	99	CCR20520XN	91
CCA82400XE79	CCA84945 1	15 CCM302	87	CCM81418	82	CCM8305CAR	101	CCR20522	96
CCA82400XESL 73	CCA87100 1	12 CCM302L	100	CCM81519	86	CCM8305CARXC	99	CCR20523	95
CCA82400XESL 79	CCA87100XR1	09 CCM302LXC	98	CCM822	113	CCM8305CARXE	99	CCR20527	92
CCA82400XG79	CCA87111 1	08 CCM302LXE	98	CCM82800	83	CCM8305CARXN	99	CCR20537	93
CCA82400XGSL73	CCA871121			CCM82800XC		CCM8305CARXR		CCR20537A	
CCA82400XGSL79	CCA871311			CCM82800XE		CCM8306CAL		CCR205A	
CCA82400XJ79	CCA871321			CCM82800XG		CCM8306CALXC		CCR30020	
				CCM82800XJ		CCM8306CALXC		CCR30023	
CCA82400XJSL 73	CCA87200 1								
CCA82400XJSL79	CCA87200XR1			CCM82800XK		CCM8306CALXN		CCR30026	
CCA82400XK79	CCA87300 1			CCM82800XN		CCM8306CALXR		CCR30027	
CCA82400XKSL73	CCA87300XR1			CCM82800XR		CCM8306CAR		CCR30028	
CCA82400XKSL79	CCA87400 1	11 CCM303	86	CCM82801	82	CCM8306CARXC	99	CCR30029	76
CCA82400XN79	CCA87400XR1	10 CCM303L	101	CCM82802	87	CCM8306CARXE	99	CCR3400SL	78
CCA82400XNSL73	CCA87600 1	11 CCM303LXC	98	CCM82803	89	CCM8306CARXN	99	CCR3400SL	84
CCA82400XNSL79	CCA87600XR1	10 CCM303LXE	98	CCM82804	84	CCM8306CARXR	99	CCR3400XCSL	83
CCA82400XR79	CCA89100 1			CCM82804XC		CCM890		CCR3400XESL	
CCA82400XRSL73	CCA893001			CCM82804XE		CCM892		CCR2400XGSL	
CCA82400XRSL79	CCA9100 1			CCM82804XK		CCM894		CCR3400XHSL	
CCA8240XC109	CCA9100SL 1			CCM82804XN		CCM9923		CCR3400XHSL	
CCA8240XJ 109	CCA9300 1			CCM82804XR		CCM9926		CCR3400XJSL	
CCA8240XN109	CCM1419			CCM82806		CCR040		CCR3400XKSL	
CCA8240XR109	CCM1424 1	04 CCM303RXR	98	CCM82806XC		CCR04020		CCR3400XNSL	
CCA82410SL 115	CCM1465	86 CCM304L	100	CCM82806XE	83	CCR04020XC	97	CCR3400XNSL	83
CCA82420SL 115	CCM1475	86 CCM304LXC	98	CCM82806XK	83	CCR04020XN	97	CCR3400XNSL	85
CCA8260 111	CCM1485	85 CCM304LXE	98	CCM82806XN	83	CCR04022	96	CCR3400XRSL	83
CCA8260XC110	CCM1495	85 CCM304LXN	98	CCM82806XR	83	CCR04023	95	CCR3406SL	77
CCA8260XJ 110	CCM1842			CCM82815		CCR04027		CCR3406SL	
CCA8260XN110	CCM1843SL			CCM82815XC		CCR04037		CCR3407SL	
CCA8260XR110	CCM1844			CCM82815XE		CCR040R		CCR3407SL	
CCA84900 74		88 CCM304RXE		CCM82815XK		CCR100		CCR3408SL	
CCA84900XC73		88 CCM304RXN		CCM82815XN		CCR10022		CCR3408SL	
CCA84900XE 73		88 CCM304RXR		CCM82815XR		CCR100R		CCR3409SL	
CCA84900XJ 73	CCM203	86 CCM305CAL		CCM8301CAL		CCR1414	90	CCR3409SL	
CCA84900XN73		B7 CCM305CALXC		CCM8301CALXC		CCR1415		CCR3412SL	
CCA84900XR73	CCM209	85 CCM305CALXE	99	CCM8301CALXE	99	CCR1417	90	CCR3412SL	
CCA84905 114	CCM2800	B3 CCM305CALXN	99	CCM8301CALXN	99	CCR1423	72	CCR8000SL	84
CCA84910L74	CCM2800XC	B3 CCM305CALXR	99	CCM8301CALXR	99	CCR1423SL	72	CCR8000XCSL	83
CCA84910LXC73		83 CCM305CAR		CCM8301CAR		CCR1423SL		CCR8000XESL	
CCA84910LXE 73	CCM2800XG			CCM8301CARXC		CCR1511		CCR8000XGSL	
CCA84910LXJ73		B3 CCM305CARXE		CCM8301CARXE		CCR1511A		CCR8000XHSL	
CCA84910LXN73		B3 CCM305CARXN		CCM8301CARXN		CCR1512		CCR8000XJSL	
CCA84910LXR 73		83 CCM305CARXR		CCM8301CARXR		CCR1512A		CCR8000XKSL	
CCA84910R74	CCM2800XR			CCM8302L		CCR1514		CCR8000XNSL	
CCA84910RXC73		82 CCM306CALXC		CCM8302LXC		CCR1515		CCR8000XNSL	
CCA84910RXE73	CCM2802			CCM8302LXE		CCR1516		CCR8000XRSL	
CCA84910RXJ73	CCM2803	89 CCM306CALXN	99	CCM8302LXN	98	CCR1518		CCR8005	119
CCA84910RXN73	CCM2804	84 CCM306CALXR	99	CCM8302LXR	98	CCR1528	76	CCR8005A	118
CCA84910RXR73	CCM2804XC	83 CCM306CAR	101	CCM8302R	100	CCR1838	102	CCR8006SL	88
CCA84915L 114		B3 CCM306CARXC		CCM8302RXC		CCR1839		CCR8007SL	
CCA84915R114		B3 CCM306CARXE		CCM8302RXE		CCR1841		CCR8008SL	
CCA84920L75		B3 CCM306CARXN		CCM8302RXN		CCR1851		CCR8009SL	
CCA84920LXC73		83 CCM306CARXR		CCM8302RXR		CCR1851SL		CCR8040	
CCA84920LXE 73		84 CCM309		CCM8303L		CCR1851SL		CCR804020	
CCA84920LXJ73		83 CCM3300SL		CCM8303LXC		CCR200		CCR804020XC	
CCA84920LXN73	CCM2806XE			CCM8303LXE		CCR20020		CCR804020XN	
CCA84920LXR 73	CCM2806XK	83 CCM3303SL	86	CCM8303LXN	98	CCR20020XC	97	CCR804022	96

CCR804023		CCR820530XN		CCV106SL		CCV81515		CCV930XN	
CCR804026		CCR820532		CCV106SL		CCV81516	94	CCV930XR	
CCR804027	92	CCR820532A	97	CCV108SL	77	CCV81519	86	CCV931	108
CCR804028	94	CCR820537	93	CCV108SL	87	CCV81838	103	CCV940	112
CCR804029	92	CCR820537A	93	CCV109SL	76	CCV81839	103	CCV940XC	110
CCR804030	99	CCR8205A	118	CCV109SL	85	CCV81843	89	CCV940XJ	
CCR804030XC		CCR8222		CCV1414		CCV81846		CCV940XN	
CCR804030XN		CCR822214		CCV1415		CCV81851SL		CCV940XR	
CCR804032		CCR822215		CCV1418		CCV8205		CCV950SL	
CCR804037	93	CCR822218	90	CCV1423	72	CCV820520	91	CCV950SL	84
CCR8040R	118	CCR822220	99	CCV1423SL	72	CCV820520XC	91	CCV950SL	113
CCR8100	118	CCR822220XC	91	CCV1423SL	83	CCV820520XN	91	CCV950XCSL	83
CCR8100R	118	CCR822220XN	91	CCV1423SL	109	CCV820522	97	CCV950XCSL	111
CCR8102SL		CCR822222		CCV1424		CCV820523		CCV950XESL	
CCR81414		CCR822223		CCV1512		CCV820526		CCV950XESL	
CCR81415		CCR822226		CCV1515		CCV820527	93	CCV950XGSL	
CCR81417	90	CCR822227	92	CCV1516	94	CCV820528	95	CCV950XGSL	111
CCR81423SL	82	CCR822228	95	CCV1519	86	CCV820529	92	CCV950XHSL	120
CCR81511	94	CCR822229	92	CCV1528	77	CCV820530	100	CCV950XJSL	83
CCR81511A		CCR822238		CCV1838		CCV820530XC		CCV950XJSL	
CCR81512		CCR8225		CCV1839		CCV820530XV		CCV950XNSL	
CCR81512A		CCR8225R		CCV1843		CCV820532		CCV950XNSL	
CCR81514		CCR89918		CCV1851		CCV820537	93	CCV950XRSL	
CCR81515	93	CCR89919	90	CCV1851SL	79	CCV8220	120	CCV950XRSL	111
CCR81516	93	CCR89921	90	CCV1851SL	89	CCV822020	100	CCV960	112
CCR81518	93	CCR89925SL	82	CCV200	120	CCV822020XC	97	CCV960XC	111
CCR81838		CCR9918		CCV205		CCV822020XN		CCV960XJ	
CCR81839		CCR9919		CCV20520				CCV960XN	
						CCV822022			
CCR81841		CCR9921		CCV20520XC		CCV822023		CCV960XR	
CCR81845		CCR9925	72	CCV20520XN		CCV822026	96	CCV9918	90
CCR81845A	102	CCR9925SL	72	CCV20522	97	CCV822027	93	CCV9919	90
CCR81846	102	CCR9925SL	82	CCV20523	95	CCV822028	95	CCV9922	82
CCR81846A		CCV050		CCV20527		CCV822029		CCV9925	
CCR81847		CCV05020		CCV20537		CCV831		CCV9926	
CCR81851SL		CCV05020XC		CCV220		CCV8950SL		CCW1000	
CCR8200		CCV05020XN	83	CCV22020	100	CCV8950SL	113	CCW81000	116
CCR820020	99	CCV05022	87	CCV22020XC	97	CCV8950XCSL	83	CCW8900L	116
CCR820020XC	97	CCV05023	86	CCV22020XN	97	CCV8950XCSL	111	CCW8900R	116
CCR820020XN		CCV05026		CCV22022		CCV8950XGSL		CCW8901L	
CCR820022		CCV05027		CCV22023		CCV8950XGSL		CCW8901R	
CCR820023		CCV05028		CCV22027		CCV8950XHSL		CCW8902L	
CCR820026		CCV05029	85	CCV3412SL	78	CCV8950XJSL	83	CCW8902R	
CCR820027	92	CCV060	120	CCV3412SL	87	CCV8950XJSL	111	CCW8903	117
CCR820028	95	CCV06020	106	CCV4100	109	CCV8950XNSL	83	CCW8904L	117
CCR820029		CCV06020XE	106	CCV4100SL	109	CCV8950XNSL	111	CCW8904R	117
CCR820030		CCV06022		CCV4300		CCV8950XRSL		CCW8905	
				CCV805020					
CCR820030A		CCV06023				CCV8950XRSL		CCW8906L	
CCR820030XC		CCV06026		CCV805022		CCV89918		CCW8906R	
CCR820030XN	97	CCV06028	105	CCV805023	86	CCV89919	90	CCW8907L	117
CCR820032	96	CCV06029	105	CCV805026	88	CCV89922	82	CCW8907R	117
CCR820032A	97	CCV10020	78	CCV805027	85	CCV9010SL		CCW900L	116
CCR820037		CCV10022		CCV805028		CCV9011SL		CCW900R	
CCR820037A		CCV10023		CCV805029		CCV9020SL		CCW901L	
CCR8200A		CCV10026		CCV8100SL		CCV910		CCW901R	
CCR82035SL		CCV10027		CCV8100SL		CCV910XC		CCW902L	
CCR82035XCSL		CCV10028		CCV8100XCSL		CCV910XCSL		CCW902R	
CCR82035XESL	83	CCV10029	76	CCV8100XCSL	111	CCV910XJ	110	CCW903	117
CCR82035XGSL		CCV100SL	78	CCV8100XGSL	83	CCV910XJSL		CCW904L	117
CCR82035XHSL		CCV100SL		CCV8100XGSL		CCV910XN		CCW904R	
CCR82035XJSL		CCV100SL		CCV8100XHSL		CCV910XNSL		CCW905	
CCR82035XKSL		CCV100XCSL		CCV8100XJSL		CCV910XR		CCW906L	
CCR82035XNSL	83	CCV100XCSL	111	CCV8100XJSL	111	CCV910XRSL	111	CCW906R	117
CCR82035XRSL	83	CCV100XESL	83	CCV8100XNSL	83	CCV911	108	CCW907L	117
CCR8205	119	CCV100XESL	111	CCV8100XNSL	85	CCV911SL	72	CCW907R	117
CCR820520		CCV100XGSL		CCV8100XNSL		CCV911SL		DRS2131SL	
CCR820520XC		CCV100XGSL		CCV8100XRSL		CCV911SL		DRS82131SL	
CCR820520XN		CCV100XHSL		CCV8100XRSL		CCV920		HW30T	
CCR820522		CCV100XHSL		CCV8102SL		CCV920XC		HWRT	
CCR820523	95	CCV100XJSL	83	CCV8103SL	87	CCV920XCSL	111	LC30T	122
CCR820526	95	CCV100XJSL	111	CCV8106SL	88	CCV920XJ	110	LCET	122
CCR820527		CCV100XNSL		CCV8108SL		CCV920XJSL		LCRT	
CCR820528		CCV100XNSL		CCV8109SL		CCV920XN		LF30T	
CCR820529		CCV100XNSL		CCV8111SL				LFET	
						CCV920XNSL			
CCR820530		CCV100XNSL		CCV81414		CCV920XR		LFRT	
CCR820530A		CCV100XRSL		CCV81415		CCV920XRSL		ZHRT	122
CCR820530AXC	97	CCV100XRSL	111	CCV81418	83	CCV930	112		
CCR820530AXN	97	CCV103SL	77	CCV81423SL	83	CCV930XC	110		
CCD830E30AC	07	CC/10361	Ω7	CCV91512	04	CC/USUA I	110		

# Fiber-Classic<sub>®</sub> & Smooth-Star<sub>®</sub>

1225.   165   200000	1000		2000XESL		81208PSL		81945PXE		CNRT		FC1212	162
1956												
1986   1987												
1989												
2000. 165 2000XSL 105 8190PSL 144 8194PS 778 F010SL 145 F013SX 104 2010L 159 2000XSL 159 8190PSL 144 8194PS 779 F010TSL 159 F013SX 104 PS 700XSL 159 8190PSL 145 8194PSL 179 F010TSL 159 F010SX 104 PS 70XSL 159 8190PSL 145 8194PSL 159 F010TSL 159 F010SX 104 PS 70XSL 159 F												
2008												
2010.   158												
2000												
2100.   200   2000/SSL   156   61916PSL   143   81946PSL   174   F01020   147   F01320   154												
8000. 165   20100C   152   51010PS   146   81946PRS   174   FC100KL   146   FC130RJ   154   15010SL   146   173   18100D   173   18100D   173   18100D   173   18100D   173   18100D   174												
81000. 200 2010US 152 81919FSL 146 81946FMSL 174 FCHOXC 195 FCHAVSL 178 81200. 166 2010US 152 818219F 148 81946FMSL 174 FCHOXCE 195 FCHAVSL 178 81228. 173 81228. 174 FCHOXCE 195 FCHAVSL 178 FCHAVSL 179 FCHA	2150	197	2009SL	158	81918SL	143	81946PXESL	174	FC104	148	FC138XN	154
87208. 1-66 201006. 152 81919SL 1-46 81949FWL 174 FC10406. 195 FC14012. 178 81208. 1-67 201006. 1-52 81821P. 1-48 81949FWL 174 FC10404. 195 FC1404. 209 81203. 1-67 201006. 1-52 81821P. 1-48 81949FWL 174 FC10404. 195 FC1404. 209 81203. 1-67 2010069. 1-52 81821P. 1-48 81949FWL 174 FC10404. 195 FC1404. 209 81203. 1-67 2010069. 1-52 81821P. 1-49 81949FWL 174 FC10404. 195 FC1404. 198 FC1404.	8000	165	2010XC	152	81919P	145	81946PXG	174	FC104SL	148	FC138XR	154
87208. 153 2010U. 152 8192PP. 148 81946PV.S. 174 FCHOMG. 195 FCHAPL. 209 8182B. 162 2010UM 152 8182PS. 148 81946PV.S. 174 FCHAPL. 195 FCHAPL. 209 8182B. 162 2010UM 152 8182PS. 148 81946PV.S. 174 FCHAPL. 195 FCHAPL. 209 8182B. 162 2010UM. 152 8182PS. 150 81946PV.S. 174 FCHAPL. 209 81946PV.S. 175 FCHAPL. 209 81946PV.S.	81000	220	2010XE	152	81919PSL	145	81946PXGSL	174	FC104XC	195	FC1400	178
81228. 157 20100K. 152 81821PSI. 448 81946PMK. 174 FC1040K. 155 FC1404. 209 98 81828. 162 20100KSI. 152 81821SI. 449 81946PMK. 174 FC1040K 155 FC1408. 198 12101KSI. 166 20100KSI. 152 81928PK. 140 81946PMK. 174 FC1040K 155 FC1408. 199 12101KSI. 156 2020KSI. 153 81928PKSI. 150 81946PMK. 174 FC1040K 155 FC1408. 199 12101KSI. 156 2020KSI. 152 81928PKSI. 150 81946PMK. 174 FC105CSI. 160 FC141SI. 157 FC141SI. 15												
12191S.   166												
1210   1210												
12101XESL   156   2550XC   152   81929PS   200   81949PR/R   174   FC105   189   FC141   157   12101XESL   156   2550XC   152   81929PS   200   81949PR   174   FC105   189   FC141   157   12101XESL   156   2550XC   152   81929PXCS   195   81929												
12101XSS.   156   2550XCS.   152   81928P.   200   81948PKSS.   174   FC10SS.   190   FC14S.   147   12101XKS.   156   2550XCS.   152   81928PKC.   155   81948PS.   175   FC108.   147   FC14S.   147   12101XKS.   156   2550XCS.   152   81928PKC.   155   81948PS.   176   FC108S.   177   FC14S.   147   12101XKS.   156   2550XCS.   152   81928PKC.   155   81928PKC.   157   FC108S.   178   FC14S.   170   12101XKS.   156   2550XCS.   152   81928PKC.   156   81928PKC.   157   FC108S.   143   FC14S.   170   12101XKS.   156   2550XCS.   152   81928PKC.   158   81928PKS.   157   FC108S.   143   FC14S.   170   12102XS.   154   2550XUS.   152   81928PKS.   156   81928PKS.   157   FC108S.   154   FC14KS.   172   TC10XXS.   154   2550XUS.   152   81928PKS.   158   81928PKS.   159   81928PKS.   159   8192												
1201MUSIS   156   2550CUS   152   81928PIC   200   81948PIS   178   FC1089   174   FC142   147     1201MUSIS   156   2550CUS   152   81928PICS   195   81958PIS   176   FC1089S   178   FC143   170     1201MUSIS   156   2550CUS   152   81928PIS   195   81958PIS   167   FC1089S   178   FC143   170     1210MUSIS   156   2550CUS   152   81928PIS   195   81958PIS   167   FC1089S   178   FC144   189     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   167   FC1089   144   FC144S   179     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   154   FC144S   172     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC147   171     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC147   171     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC147   171     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC147   171     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC147   171     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC148   150     1210MUSIS   154   2550CUS   152   81928PIS   195   81958PIS   168   FC1080   156   FC148   191     1210MUSIS   155   2550CUS   152   81928PIS   196   81958PIS   170   FC1080   156   FC148   191     1283WU   156   8000   15   81928PIS   196   81928PIS   197   FC1080   156   FC148   191     1283WU   156   8000   15   81928PIS   196   81928PIS   197   FC1080   156   FC148   191     1228WU   156   8000   157   81928PIS   196   81928PIS   197   FC118   196     1228WU   156   8000   157   81928PIS   196   81928PIS   197   FC118   196     1228WU   156   80000   157   81928PIS   196   81928PIS   196   FC1080   156     1228WU   156   81928PIS   156   81928PIS   196   81928PIS   177   FC118   196     1228WU   156   81928PIS   156   81928PIS   196   81928PIS   177   FC118   196     1228WU   156   81928PIS   156   81928PIS   197   FC1080   157   FC10												
12101MSK  156   20500K												
121111/185												
12101XRS												
12102XIS												
12102XXS									FC109	184		
1710   1710					81929PXG	195			FC109SL	184	FC1442SL	172
12102CVS  154   2050VKS  152   81926PKS  195   81955PK 168   FC10K  156   FC148   150     12102CVS  154   2050VKS  152   81926PKS  195   81955PK 168   FC10K  156   FC148   191     12102CVS  154   2050VKS  152   81926PKS  195   81956PK 170   FC10KK 156   FC149   191     12102CVS  156   2050VKS  152   81926PKS  195   81956PK 170   FC10KK 156   FC149   191     12102CVS  156   2050VKS  152   81926PKS  195   81956PK 170   FC10KK 156   FC149   191     1228XK 156   8000-12   158   81926PKS  195   81957FK 169   FC113   145   FC156   172     1228XK 156   8000-13   158   81926PKS  195   81957FK 169   FC113   145   FC16   144     1228XK 156   8000-1	12102XESL	154	2050XJSL	152			81954P	168	FC10XC	156	FC147	171
12102XVISL   154   2050XVISL   152   81928PXX   195   81955PSL   168   FC10XL   156   FC148SL   151   12102XVISL   154   2050XVISL   155   81928PXX   195   81926PX   170   FC10XX   156   FC149SL   192   12102XVISL   156   2050XVISL   152   81928PXX   195   81926PX   170   FC10XX   156   FC149SL   192   1228XXC   156   8000-12   158   81928PXX   195   81926PXX   195   81926PXX   156   FC143L   145   FC156   172   1228XXC   156   8000-12   158   81928PXX   195   81928PX   170   FC113L   145   FC156   172   1228XXC   156   8000-18   158   81928PXX   195   81928PX   170   FC113L   145   FC156   144   1228XXL   156   8000XC   155   81928PX   187   81928PX   170   FC114L   186   FC160   183   1228XXX   156   8000XC   155   81928PX   187   81928PX   171   FC114L   186   FC161   181   1228XXX   156   8000XC   155   81928PX   187   81928PX   171   FC115L   168   FC164   181   1228XXX   156   8000XC   155   81928PX   185   81926PX   171   FC115L   168   FC164   181   1228XXX   156   8000XX   155   81928PX   185   81926PX   172   FC115L   193   FC164S   173   1224XXC   154   8000XX   155   81928PX   185   81926PX   172   FC115L   193   FC164S   173   1224XX   154   8000XX   155   81928PX   185   81926PX   172   FC115L   193   FC164S   173   1224XX   154   8100XX   155   81928PX   185   81926PX   174   FC1200L   162   FC165IS   151   1224XX   154   8100XX   155   81928PX   185   81926PX   174   FC1200L   162   FC165IS   151   1224XX   154   8100XX   155   81928PX   186   81928PX   174   FC1200L   162   FC165IS   151   1224XX   154   8100XX   155   81928PX   186   81928PX   186   81928PX   176   FC121S   163   FC165IS   151   1224XX   154   8100XX   156   81928PX   186   81928PX   187   FC120S   162   FC165IS   151   1224XX   154   8100XX   156   81928PX   186   81928PX   187   FC120S   152   FC165IS   151   1224XX   154   8100XX   156   81928PX   187   81928PX   144   FC120S   152   FC165IS   151   1224XX   154   8100XX   156   81928PX   187   81928PX   147   FC120S   152   FC165IS   152   FC165IS   152   FC165IS   152	12102XGSL	154	2050XK	152	81929PXJ	195	81954PSL	168	FC10XE	156	FC147SL	171
12102/XIS												
12102XSS												
1283KC												
1283KE   156   8000-12   158   81926PKR   195   81958PK   170   FC113S   145   FC166   172												
1283K    156												
1283K												
1283W												
1283W  156   8000XE												
1284KR												
1284KC												
1284KE												
1284XI												
1284XI					81936P	185			FC1200	162	FC1647	173
154   154   154   155   156   156   157   156   157   156   157   156   157   158   158   156   157   158   158   156   157   158	1284XJ	154	8000XR	155	81936PSL	186	81963PSL	174	FC1200SL	163	FC1651	151
154	1284XK	154			81937P	186	81964P	176	FC1201	162	FC1651SL	152
1285XC												
1285KE												
1285XG			81200PXCSL	156			81967PSL	169				
1285XU												
1285XK												
1285XN												
1285XR												
1286SL												
13101SL												
1810   1810												
19020T.   221   81200PXNSL   156   81943PSL   180   81971PXN   195   FC1205XK   152   FC18XGSL   154   19055T.   221   81200PXR   156   81943PXC   175   81971PXR   195   FC1205XN   152   FC18XJSL   154   19080T   221   81200PXRSL   156   81943PXCSL   175   81974P   187   FC1205XR   152   FC18XJSL   154   19200T   221   81200SL   166   81943PXE   175   81975P   184   FC1206K   158   FC18XK   154   19210T   221   81200XC   156   81943PXESL   175   81977P   185   FC1206SL   158   FC18XKSL   154   19220T   221   81200XCSL   156   81943PXESL   175   81977P   185   FC1206SL   158   FC18XKSL   154   19220T   221   81200XCSL   156   81943PXGSL   175   81978P   185   FC1207X   158   FC18XNSL   154   19520T   221   81200XE   156   81943PXGSL   175   81980P   186   FC1207XC   152   FC18XNSL   154   19720T   221   81200XG   156   81943PXJ   175   81981P   188   FC1207XE   152   FC18XRSL   154   19720T   221   81200XGSL   156   81943PXJSL   175   81981P   188   FC1207XE   152   FC18XRSL   154   19730T   221   81200XGSL   156   81943PXKSL   175   81982P   187   FC1207XG   152   FC18XRSL   154   19740T   221   81200XJSL   156   81943PXKSL   175   81983P   189   FC1207XJ   152   FC198SL   163   19750T   221   81200XJSL   156   81943PXNSL   175   81985P   191   FC1207XN   152   FC198SL   163   19750T   221   81200XJSL   156   81943PXNSL   175   81986PSL   147   FC1207XR   152   FC198SL   163   19750T   221   81200XJSL   156   81943PXNSL   175   81986PSL   147   FC1207XR   152   FC20042   172   19800T   221   81200XNSL   156   81943PXNSL   175   81986PSL   147   FC1207XR   152   FC2101   177   19800T   221   81200XNSL   156   81943PXRSL   175   81986PSL   147   FC1208SL   163   FC2101L   177   19800T   221   81200XNSL   156   81943PXNSL   175   81986PSL   147   FC1208SL   162   FC2101   177   19800T   221   81200XNSL   156   81943PXNSL   175   85919SL   149   FC1207XR   152   FC2102   178												
19055T.   221   81200PXR   156   81943PXC   175   81971PXR   195   FC1205XN   152   FC18XJ   154     19080T.   221   81200PXRSL   156   81943PXCSL   175   81974P   187   FC1205XR   152   FC18XJSL   154     19200T.   221   81200SL   166   81943PXE   175   81975P   184   FC1206   158   FC18XK   154     19210T.   221   81200XC   156   81943PXESL   175   81977P   185   FC1206SL   158   FC18XKSL   154     19220T.   221   81200XCSL   156   81943PXGSL   175   81978P   185   FC1207C   158   FC18XKSL   154     19520T.   221   81200XE   156   81943PXGSL   175   81980P   186   FC1207XC   152   FC18XNSL   154     1964P   176   81200XESL   156   81943PXJSL   175   81980P   186   FC1207XE   152   FC18XRSL   154     19720T.   221   81200XG   156   81943PXJSL   175   81982P   187   FC1207XG   152   FC18XRSL   154     19730T.   221   81200XGSL   156   81943PXJSL   175   81982P   187   FC1207XG   152   FC18XRSL   154     19740T.   221   81200XGSL   156   81943PXKSL   175   81984P   189   FC1207XJ   152   FC198SL   163     19740T.   221   81200XJSL   156   81943PXM   175   81984P   189   FC1207XJ   152   FC198SL   163     19750T.   221   81200XJSL   156   81943PXM   175   81985P   191   FC1207XN   152   FC198SL   163     19750T.   221   81200XKSL   156   81943PXM   175   81985P   191   FC1207XN   152   FC20042   172     19800T.   221   81200XKSL   156   81943PXMSL   175   81986PSL   147   FC1207XN   152   FC21   217     19810T.   221   81200XKSL   156   81943PXRSL   175   81986PSL   147   FC1207XN   152   FC21   217     19820T.   221   81200XKSL   156   81943PXRSL   175   85901SL   147   FC1208SL   163   FC2101SL   178     2000SL   165   81200XRSL   156   81944PSL   178   8491SL   189   FC1209SL   163   FC2101SL   177     2000CCSL   155   81200XRSL   156   81944PSL   178   AVRT.   221   FC120SSL   163   FC2107   177     2000CCSL   155   81200XRSL   156   81944PSL   178   AVRT.   221   FC1211L   162   FC2107   177     2000CCSL   155   81200XRSL   156   81944PSL   178   AVRT.   221   FC1211L   162   FC2107   177     2000CCSL   15												
19200T.   221   81200SL   166   81943PXE   175   81975P   184   FC1206   158   FC18XK   154     19210T   221   81200XC   156   81943PXESL   175   81977P   185   FC1206SL   158   FC18XKSL   154     19220T   221   81200XCSL   156   81943PXG   175   81978P   185   FC1207   158   FC18XN   154     19520T   221   81200XE   156   81943PXGSL   175   81980P   186   FC1207XC   152   FC18XNSL   154     1964P   176   81200XESL   156   81943PXJ   175   81981P   188   FC1207XE   152   FC18XNSL   154     19720T   221   81200XG   156   81943PXJSL   175   81982P   187   FC1207XG   152   FC18XRSL   154     19730T   221   81200XGSL   156   81943PXKSL   175   81983P   189   FC1207XJ   152   FC18XRSL   154     19740T   221   81200XJ   156   81943PXKSL   175   81984P   189   FC1207XJ   152   FC198   163     19750T   221   81200XJSL   156   81943PXNSL   175   81984P   189   FC1207XK   152   FC198SL   163     19750T   221   81200XJSL   156   81943PXNSL   175   81986PSL   147   FC1207XN   152   FC20042   172     19800T   221   81200XKSL   156   81943PXNSL   175   81986PSL   147   FC1207XR   152   FC2011   177     19820T   221   81200XNSL   156   81943PXRSL   175   81986PSL   147   FC1207XR   152   FC2101   177     19820T   221   81200XNSL   156   81943PXRSL   175   81986PSL   147   FC1208SL   163   FC2101SL   178     2000SL   165   81200XNSL   156   81944PSL   178   8591SL   170   FC1208SL   163   FC2101SL   178     2000XCSL   155   81200XRSL   156   81944PSL   178   AVRT   221   FC120SL   163   FC2106   177     2000XCSL   155   81200XRSL   156   81945PSL   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945PSL   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945PSL   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945PSL   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945PSL   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945PSL	19055T	221										
19210T         221         81200XC         156         81943PXESL         175         81977P         185         FC1206SL         158         FC18XKSL         154           19220T         221         81200XCSL         156         81943PXG         175         81978P         185         FC1207         158         FC18XN         154           19520T         221         81200XE         156         81943PXGSL         175         81980P         186         FC1207XC         152         FC18XNSL         154           1964P         176         81200XESL         156         81943PXJSL         175         81981P         188         FC1207XE         152         FC18XRSL         154           19720T         221         81200XG         156         81943PXJSL         175         81982P         187         FC1207XG         152         FC18XRSL         154           19720T         221         81200XGSL         156         81943PXK         175         81982P         187         FC1207XG         152         FC18XRSL         154           19740T         221         81200XJSL         156         81943PXKSL         175         81984P         189         FC1207XK         152         FC19	19080T	221	81200PXRSL	156	81943PXCSL	175	81974P	187	FC1205XR	152	FC18XJSL	154
19220T.   221   81200XCSL   156   81943PXG   175   81978P   185   FC120T   158   FC18XN   154     19520T   221   81200XE   156   81943PXGSL   175   81980P   186   FC120TXC   152   FC18XNSL   154     1964P   176   81200XESL   156   81943PXJ   175   81981P   188   FC120TXE   152   FC18XR   154     19720T   221   81200XG   156   81943PXJ   175   81982P   187   FC120TXG   152   FC18XRSL   154     19730T   221   81200XGSL   156   81943PXK   175   81982P   187   FC120TXG   152   FC18XRSL   154     19740T   221   81200XJ   156   81943PXK   175   81983P   189   FC120TXJ   152   FC198   163     19740T   221   81200XJ   156   81943PXKSL   175   81984P   189   FC120TXK   152   FC198SL   163     19750T   221   81200XJ   156   81943PXN   175   81984P   189   FC120TXK   152   FC20042   172     19800T   221   81200XK   156   81943PXNSL   175   81986PSL   147   FC120TXR   152   FC21   217     19810T   221   81200XKSL   156   81943PXR   175   81986PSL   147   FC120TXR   152   FC21   217     19820T   221   81200XNSL   156   81943PXR   175   81986SL   147   FC1208SL   163   FC2101   177     19820T   221   81200XNSL   156   81943PXR   175   85901SL   170   FC1208SL   163   FC2101   178     2000SL   165   81200XNSL   156   81944PSL   178   8591SL   189   FC1209   162   FC2102   178     2000XCSL   155   81200XRSL   156   81944PSL   178   AVRT   221   FC120SL   163   FC2106   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177     2000XCSL   155   81200XRSL   156   81945P   178   AVRT   221   FC1211   162   FC2107   177	19200T	221	81200SL	166	81943PXE	175	81975P	184	FC1206	158	FC18XK	154
19520T.         221         81200XE.         156         81943PXGSL.         175         81980P.         186         FC1207XC.         152         FC18XNSL.         154           1964P.         176         81200XESL.         156         81943PXJ.         175         81981P.         188         FC1207XE.         152         FC18XRS.         154           19720T.         221         81200XG.         156         81943PXJSL.         175         81982P.         187         FC1207XG.         152         FC18XRSL.         154           19730T.         221         81200XGSL.         156         81943PXK.         175         81983P.         189         FC1207XJ.         152         FC18XRSL.         154           19730T.         221         81200XJ.         156         81943PXKSL.         175         81983P.         189         FC1207XJ.         152         FC198.         163           19750T.         221         81200XJSL.         156         81943PXNSL.         175         81985P.         191         FC1207XK.         152         FC198SL.         163           19800T.         221         81200XKSL.         156         81943PXNSL.         175         81986PSL.         147         FC1207XM.<	19210T	221			81943PXESL	175	81977P	185	FC1206SL	158		
1964P         176         81200XESL         156         81943PXJ         175         81981P         188         FC1207XE         152         FC18XR         154           19720T         221         81200XG         156         81943PXJSL         175         81982P         187         FC1207XG         152         FC18XRSL         154           19730T         221         81200XGSL         156         81943PXK         175         81983P         189         FC1207XJ         152         FC198         163           19740T         221         81200XJ         156         81943PXKSL         175         81984P         189         FC1207XK         152         FC198         163           19750T         221         81200XJSL         156         81943PXN         175         81985P         191         FC1207XK         152         FC198SL         163           19800T         221         81200XK         156         81943PXN         175         81986PSL         147         FC1207XN         152         FC20042         172           19800T         221         81200XKSL         156         81943PXNSL         175         81986PSL         147         FC1207XM         152         FC210												
19720T.         221         81200XG         156         81943PXJSL         175         81982P.         187         FC1207XG         152         FC18XRSL         154           19730T.         221         81200XGSL         156         81943PXK         175         81983P.         189         FC1207XJ.         152         FC198         163           19740T.         221         81200XJ.         156         81943PXKSL         175         81984P.         189         FC1207XK         152         FC198SL         163           19750T.         221         81200XJSL         156         81943PXN         175         81985P.         191         FC1207XK         152         FC20042.         172           19800T.         221         81200XKSL         156         81943PXNSL         175         81986PSL         147         FC1207XR         152         FC21042.         172           19810T.         221         81200XKSL         156         81943PXRSL         175         81986SPL         147         FC1207XR         152         FC210         177           19820T.         221         81200XKSL         156         81943PXRSL         175         85901SL         170         FC1208SL         163<												
19730T.         221         81200XGSL         156         81943PXK         175         81983P.         189         FC1207XJ.         152         FC198         163           19740T.         221         81200XJ.         156         81943PXKSL.         175         81984P.         189         FC1207XK.         152         FC198SL.         163           19750T.         221         81200XJSL.         156         81943PXN         175         81985P.         191         FC1207XN.         152         FC20042.         172           19800T.         221         81200XKS.         156         81943PXNSL.         175         81986PSL.         147         FC1207XR.         152         FC210         217           19810T.         221         81200XKSL.         156         81943PXRSL.         175         81986SPL.         147         FC1208         162         FC210         217           19820T.         221         81200XKSL.         156         81943PXRSL.         175         85901SL.         170         FC1208SL.         163         FC2101SL.         178           2000SL         165         81200XNSL.         156         81944PSL.         178         85919SL.         189         FC1209SL												
19740T       221       81200XJ       156       81943PXKSL       175       81984P       189       FC1207XK       152       FC198SL       163         19750T       221       81200XJSL       156       81943PXN       175       81985P       191       FC1207XN       152       FC20042       172         19800T       221       81200XK       156       81943PXNSL       175       81986PSL       147       FC1207XR       152       FC21       217         19810T       221       81200XKSL       156       81943PXR       175       81986SL       147       FC1208       162       FC2101       177         19820T       221       81200XN       156       81943PXRSL       175       85901SL       170       FC1208SL       163       FC2101SL       178         2000SL       165       81200XNSL       156       81944P       178       85919SL       189       FC1209       162       FC2102       178         2000XC       155       81200XRSL       156       81944PSL       178       AVRT       221       FC1209SL       163       FC2106       177         2000XCSL       155       81200XRSL       156       81945P       178												
19750T.     221     81200XJSL     156     81943PXN     175     81985P.     191     FC1207XN     152     FC20042.     172       19800T.     221     81200XK     156     81943PXNSL     175     81986PSL     147     FC1207XR     152     FC21     217       19810T.     221     81200XKSL     156     81943PXR     175     81986SL     147     FC1208.     162     FC2101     177       19820T.     221     81200XN     156     81943PXRSL     175     85901SL     170     FC1208SL     163     FC2101SL     178       2000SL     165     81200XNSL     156     81944P.     178     85919SL     189     FC1209.     162     FC2102.     178       2000XC     155     81200XR     156     81944PSL     178     AVRT.     221     FC1209SL     163     FC2106.     177       2000XCSL     155     81200XRSL     156     81945P.     178     AXRT     221     FC1211.     162     FC2107.     177												
19800T.     221     81200XK     156     81943PXNSL     175     81986PSL     147     FC1207XR     152     FC21     217       19810T.     221     81200XKSL     156     81943PXRS     175     81986SL     147     FC1208     162     FC2101     177       19820T.     221     81200XN     156     81943PXRSL     175     85901SL     170     FC1208SL     163     FC2101SL     178       2000SL     165     81200XNSL     156     81944P     178     85919SL     189     FC1209     162     FC2102     178       2000XC     155     81200XR     156     81944PSL     178     AVRT     221     FC1209SL     163     FC2106     177       2000XCSL     155     81200XRSL     156     81945P     178     AXRT     221     FC1211     162     FC2107     177												
19810T.     221     81200XKSL     156     81943PXR     175     81986SL     147     FC1208.     162     FC2101.     177       19820T.     221     81200XN     156     81943PXRSL     175     85901SL     170     FC1208SL     163     FC2101SL     178       2000SL     165     81200XNSL     156     81944P.     178     85919SL     189     FC1209.     162     FC2102.     178       2000XC     155     81200XR     156     81944PSL     178     AVRT.     221     FC1209SL     163     FC2106.     177       2000XCSL     155     81200XRSL     156     81945P.     178     AXRT     221     FC1211.     162     FC2107.     177												
19820T.     221     81200XN     156     81943PXRSL     175     85901SL     170     FC1208SL     163     FC2101SL     178       2000SL     165     81200XNSL     156     81944P.     178     85919SL     189     FC1209.     162     FC2102.     178       2000XC     155     81200XR     156     81944PSL     178     AVRT.     221     FC1209SL     163     FC2106.     177       2000XCSL     155     81200XRSL     156     81945P.     178     AXRT     221     FC1211.     162     FC2107.     177												
2000SL     165     81200XNSL     156     81944P     178     85919SL     189     FC1209     162     FC2102     178       2000XC     155     81200XR     156     81944PSL     178     AVRT     221     FC1209SL     163     FC2106     177       2000XCSL     155     81200XRSL     156     81945P     178     AXRT     221     FC1211     162     FC2107     177												
2000XC     155     81200XR     156     81944PSL     178     AVRT     221     FC1209SL     163     FC2106     177       2000XCSL     155     81200XRSL     156     81945P     178     AXRT     221     FC1211     162     FC2107     177												
2000XCSL												
	2000XE	155	81208P	162	81945PXC	174	BSRT	221	FC1211SL	163	FC2108	177

FC23	217	FC5710XCSL	153	FC65XE	194	FC788	181	FC8310	178	FC862203XK	208
FC241		FC5710XE		FC65XG		FC789		FC8310SL		FC862203XN	
FC31		FC5710XESL		FC65XJ		FC791		FC8311		FC862203XR	
FC310		FC5710XG		FC65XK		FC792		FC8311SL		FC86220XC	
FC32		FC5710XGSL		FC65XN		FC794		FC8313		FC86220XE	
FC32SL		FC5710XJ		FC65XR		FC796		FC8313SL		FC86220XG	
FC32XC	175	FC5710XJSL	153	FC66	193	FC797	182	FC8316	178	FC86220XJ	208
FC32XCSL	175	FC5710XK	152	FC668	144	FC798	182	FC8318	198	FC86220XK	208
FC32XE	175	FC5710XKSL	153	FC670	200	FC803	217	FC8319	198	FC86220XN	208
FC32XESL		FC5710XN		FC678		FC807SL		FC832		FC86220XR	
FC32XG		FC5710XNSL		FC678SL		FC808SL		FC8320		FC86241	
FC32XGSL		FC5710XR		FC685L		FC809		FC8321		FC86242	
FC32XJ	175	FC5710XRSL	153	FC685LXC	152	FC80920	209	FC8321XC	194	FC86243	205
FC32XJSL	175	FC5720	158	FC685LXE	152	FC809203	209	FC8321XE	194	FC86245	208
FC32XK	175	FC5720SL	159	FC685LXG	152	FC809203XC	208	FC8321XG	194	FC86247	207
FC32XKSL	175	FC5720XC	152	FC685LXJ	152	FC809203XE	208	FC8321XJ	194	FC86249	207
FC32XN		FC5720XCSL		FC685LXK		FC809203XG		FC8321XK		FC86252	
FC32XNSL		FC5720XE		FC685LXN		FC809203XJ		FC8321XN		FC86253	
FC32XR		FC5720XESL		FC685LXR		FC809203XK		FC8321XR		FC86254	
FC32XRSL	175	FC5720XG	152	FC685R	158	FC809203XN	208	FC8322	198	FC86255	206
FC3487SL	198	FC5720XGSL	153	FC685RXC	152	FC809203XR	208	FC8323	198	FC86256	206
FC3487XCSL	194	FC5720XJ		FC685RXE		FC80920XC		FC8324		FC86500	151
FC3487XESL		FC5720XJSL		FC685RXG		FC80920XE		FC832XC		FC86500SL	
FC3487XGSL		FC5720XK		FC685RXJ		FC80920XG		FC832XE		FC86533	
FC3487XJSL		FC5720XKSL		FC685RXK		FC80920XJ		FC832XG		FC86536	
FC3487XKSL	194	FC5720XN	152	FC685RXN	152	FC80920XK	208	FC832XJ	194	FC86550	151
FC3487XNSL	194	FC5720XNSL	153	FC685RXR	152	FC80920XN	208	FC832XK	194	FC86550SL	151
FC3487XRSL		FC5720XR		FC691		FC80920XR		FC832XN		FC86560	
FC369		FC5720XRSL		FC691XC		FC80941		FC832XR		FC86560SL	
FC38		FC572SL		FC691XE		FC80942		FC8529		FC86570	
FC38SL		FC573SL		FC691XG		FC80943		FC8545SL		FC86580	
FC43SL	185	FC574	149	FC691XJ	152	FC80945	208	FC85700	158	FC86580SL	172
FC44SL	193	FC581	190	FC691XK	152	FC80947	207	FC85700XC	152	FC8675SL	198
FC45		FC583SL		FC691XN	152	FC80949		FC85700XE	152	FC8678	196
FC46SL		FC60		FC691XR		FC80952		FC85700XG		FC8678SL	
FC47SL		FC6093		FC704		FC80953		FC85700XJ		FC8685L	
FC47XCSL	156	FC6094	148	FC707	215	FC80954	207	FC85700XK	152	FC8685LXC	152
FC47XESL	156	FC6095	149	FC708	216	FC80955	206	FC85700XN	152	FC8685LXE	152
FC47XGSL	156	FC61	218	FC709	182	FC80956	206	FC85700XR	152	FC8685LXG	152
FC47XJSL	156	FC61XC	218	FC710	183	FC809SL		FC8571	149	FC8685LXJ	152
FC47XKSL		FC61XE		FC7125SL		FC812SL		FC85710		FC8685LXK	
FC47XNSL		FC61XG		FC713		FC813SL		FC85710XC		FC8685LXN	
FC47XRSL		FC61XJ		FC714	181	FC814	144	FC85710XE		FC8685LXR	152
FC48SL	200	FC61XK	218	FC721	215	FC8141	209	FC85710XG	152	FC8685R	158
FC48XCSL	195	FC61XN	218	FC735	216	FC8144	198	FC85710XJ	152	FC8685RXC	152
FC48XESL		FC61XR		FC736		FC8145	400				
FC48XGSL					/15		198	FC85/10XK	152	FC8685BXF	152
	105	ECGO						FC85710XK			152
		FC62	200	FC745	216	FC8145SL	199	FC85710XN	152	FC8685RXG	152
FC48XJSL	195	FC626	200 150	FC745	216 216	FC8145SLFC8149	199 191	FC85710XNFC85710XR	152 152	FC8685RXGFC8685RXJ	152 152
FC48XJSLFC48XKSL	195		200 150	FC745	216 216	FC8145SL	199 191	FC85710XN	152 152	FC8685RXG	152 152
	195 195	FC626	200 150 195	FC745	216 216 219	FC8145SLFC8149	199 191 145	FC85710XNFC85710XR	152 152 158	FC8685RXGFC8685RXJ	152 152 152
FC48XKSL	195 195 195	FC626 FC62XC	200 150 195 195	FC745 FC752 FC755	216 216 219 146	FC8145SL FC8149 FC814SL	199 191 145 147	FC85710XN FC85710XR FC85720	152 152 158 152	FC8685RXG FC8685RXJ FC8685RXK	152 152 152 152
FC48XKSLFC48XNSLFC48XRSL	195 195 195 195	FC626 FC62XC FC62XE FC62XG	200 150 195 195	FC745 FC752 FC755 FC758 FC758SL	216 216 219 146	FC8145SL FC8149 FC814SL FC815SL FC816	199 191 145 147	FC85710XN FC85710XR FC85720 FC85720XC FC85720XE	152 152 158 152	FC8685RXG FC8685RXJ FC8685RXK FC8685RXN FC8685RXR	152 152 152 152
FC48XKSLFC48XRSLFC507	195 195 195 195 207	FC628CFC62XEFC62XEFC62XGFC62XJ	200 150 195 195 195	FC745 FC752 FC755 FC758 FC758SL FC761	216 216 219 146 146	FC8145SLFC8149FC814SLFC815SLFC816FC81645	199 191 145 147 143	FC85710XN FC85710XR FC85720 FC85720XC FC85720XE FC85720XG	152 152 158 152 152	FC8685RXG FC8685RXJFC8685RXK FC8685RXNFC8685RXRFC8691	152 152 152 152 158
FC48XKSLFC48XNSLFC48XRSLFC507FC529	195 195 195 195 207 171	FC62XC	200 150 195 195 195 195	FC745 FC752 FC755 FC758 FC758SL FC761 FC761SL	216 216 146 146 187	FC8145SLFC8149FC814SLFC815SLFC816FC81645FC81646FC81646	199 191 145 147 143 217	FC85710XN FC85710XR FC85720 FC85720XC FC85720XE FC85720XJ	152 152 158 152 152 152	FC8685RXG FC8685RXJ FC8685RXK FC8685RXN FC8685RXR FC8691 FC8691XC	152 152 152 152 158 158
FC48XKSL	195 195 195 207 171 176	FC628FC62XEFC62XGFC62XJFC62XX FC62XX F	200 150 195 195 195 195 195	FC745 FC752 FC755 FC758 FC758SL FC761 FC761SL		FC8145SLFC8149FC814SLFC815SLFC816FC81645FC81646FC81646SL	199 191 145 147 143 217 173	FC85710XN FC85710XR FC85720 FC85720XC FC85720XG FC85720XJ FC85720XK		FC8685RXGFC8685RXJFC8685RXFC8685RXNFC8685RXRFC8691FC8691XCFC8691XE	152 152 152 152 158 158 152
FC48XKSLFC48XNSLFC48XRSLFC507FC529FC5425FC5425SL	195 195 195 207 171 176	FC626	200 150 195 195 195 195 195 195	FC745 FC752 FC755 FC758 FC758SL FC761 FC761SL FC764SL		FC8145SL		FC85710XN FC85710XR FC85720 FC85720XC FC85720XE FC85720XG FC85720XJ FC85720XX		FC8685RXG	152 152 152 152 158 152 152 152
FC48XKSL	195 195 195 207 171 176 176	FC626		FC745 FC752 FC755 FC758 FC7681 FC761SL FC7644 FC764SL FC7665		FC8145SL		FC85710XN FC85710XR FC85720 FC85720XC FC85720XG FC85720XJ FC85720XX FC85720XN FC85720XR		FC8685RXG	152 152 152 158 152 152 152
FC48XKSLFC48XNSLFC48XRSLFC507FC529FC5425FC5425SL	195 195 195 207 171 176 176	FC626		FC745 FC752 FC755 FC758 FC758SL FC761 FC761SL FC764SL		FC8145SL		FC85710XN FC85710XR FC85720 FC85720XC FC85720XE FC85720XG FC85720XJ FC85720XX		FC8685RXG	152 152 152 158 152 152 152
FC48XKSL		FC626		FC745 FC752 FC755 FC758 FC768SL FC761SL FC764 FC764SL FC765SL		FC8145SL		FC85710XN		FC8685RXG	
FC48XKSL		FC626		FC745 FC752 FC755 FC758 FC768SL FC761 FC764 FC764SL FC765SL FC765SL FC765SL		FC8145SL		FC85710XN		FC8685RXG	
FC48XKSL		FC626	200150195195195195195195195195194194	FC745 FC752		FC8145SL		FC85710XN		FC8685RXG	
FC48XKSL		FC626	200150195195195195195195195195195194194	FC745		FC8145SL		FC85710XN	1521521581521521521521521521521521549149149	FC8685RXG	
FC48XKSL		FC626	200150195195195195195195195195195194194194	FC745		FC8145SL		FC85710XN	152152158152152152152152152152152149149149190190	FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626	200150195195195195195195195195195194194194	FC745		FC8145SL		FC85710XN	152152158152152152152152152152152149149149190190	FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626	200150195195195195195195195195195194194194194	FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626	200150195195195195195195195195194194194194194	FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626	200150195195195195195195195195194194194194194194194194194	FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 153 154 155 155 155 155 155 155 155 156 156 157 157 157 157 157 157 157 157 157 157
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL FC48XNSL FC48XNSL FC48XRSL FC507 FC529 FC529 FC5425 FC5425SL FC543 FC545SL FC5700 FC5700SL FC5700XC FC5700XCSL FC5700XE FC5700XG FC5700XGSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL FC48XNSL FC48XNSL FC48XRSL FC507 FC529 FC5425 FC5425SL FC543 FC549 FC5700 FC5700XC FC5700XC FC5700XCSL FC5700XE FC5700XG FC5700XGSL FC5700XSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 153 154 155 155 155 155 155 155 156 156 157 157 158 159 159 159 159 159 159 159 159 159 159
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152
FC48XKSL		FC626		FC745		FC8145SL		FC85710XN		FC8685RXG	152 152 152 152 152 152 152 152 152 152

FORMS.   188   FAMINZE.   181   FAMINZE.	C905SL	147	FCM1206SL	157	FCM147SL	170	FCM369	145	FCM6030	189	FCM6126XCSL	154
FROMERS   180												
FOATS					FCM149	191			FCM6032	184		
FORTIST   170												
Fig.												
FORDIST   90												
FORT   1919												
FORT												
FORTISTE   171												
FIGURES												
FROM 182 FORM 2025SL 154 FORM 542 277 FORM 572 213 FORM 1932 213 FORM 19												
FORT												
FEBRUAY												
F692. 178 FCM12102XSSL 154 FCM1650. 211 FCM612XSL 211 FCM0642XC 194 FCM062XG. F692SL 178 FCM12102XSL 154 FCM1651 5151 FCM6143X2 211 FCM0642XC 194 FCM062XS. F692SC 178 FCM12102XSL 154 FCM1651 5151 FCM6143X2 211 FCM0642XC 194 FCM062XS. F692XSL 174 FCM1210XSL 154 FCM1652. 1517 FCM6143X3. 213 FCM0642XC 194 FCM062XS. F692XSL 174 FCM1210XSL 154 FCM1653. 1518 FCM6143X3. 213 FCM0642XC 194 FCM062XSL	C916	182			FCM1646SL	173	FCM4812XC	211	FCM6041XN	195		
FROZES. 299 FORM/2002/US. 154 FORM/601 151 FORM/602/W 211 FORM/602/W 194 FORM/602			FCM12102XESL	154	FCM1647	173	FCM4812XE	211	FCM6041XR	195		
FROZES. 178 FEMIZZONSEL 154 FOMESIS. 151 FOMESIS. 213 FOMESIS. 213 FOMESIS. 194 FOMESIS. 152 FONESIS. 174 FEMIZZONSEL 154 FOMESIS. 151 FOMESIS. 213 FOMESIS. 211 FOMESIS. 194 FOMESIS. 152 FOMESIS. 211 FOMESIS. 194 FOMESIS. 195 FOMESIS. 211 FOMESIS. 194 FOMESIS. 194 FOMESIS. 195 FOMESIS. 211 FOMESIS. 194 FOMESIS. 195 FOMESIS. 211 FOMESIS. 194 FOMESIS. 195 FOMESIS. 211 FOMESIS. 195 FOMESIS. 211 FOMESIS. 195 FOMESIS. 211 FOMESIS. 211 FOMESIS. 195 FOMESIS. 211	092	178	FCM12102XGSL	154	FCM1650	211	FCM4812XJ	211	FCM6042	197	FCM6240	210
FROMORY FROM 194 FORM PROPERTY FROM 194 FORM PROPERTY FROM 195 FORM 195 FOR	0925	209	FCM12102XJSL	154	FCM1651	151	FCM4812XN	211	FCM6042XC	194	FCM626	150
FREMZES. 174 FORMIZONIS. 154 FORMISCA. 1938 FORMISCA. 211 FORMIGOZK. 1949 FORMIZONIS. 1940	C92SL	178	FCM12102XKSL	154	FCM1651SL	151	FCM4812XR	211	FCM6042XE	194	FCM62SL	200
FERZINES. 174 FORMIZIOZINSE. 154 FORMISON. 193 FORMISTOX. 211 FORMISCIS. 194 FORMIZINE. 195 FORMISCIS. 195 FORMISCIS. 194 FORMIZINE. 195 FORMISCIS. 195 FORM	C92XC	174	FCM12102XNSL	154	FCM1652	151	FCM4813	213	FCM6042XG	194	FCM62XC	195
FEDZIES 174 FOMIZ21 1619 FOMISSES 193 FOMISSES 211 FOMISSES 194 FOMIZES 1 FOR FORESTS 195 FOMISSES 211 FOMISSES 195 FOMISSES 211 FOMISSES 195 FOMISSES 211 FOMISS	C92XCSL	174	FCM12102XRSL	154	FCM1654	193	FCM4813XC	211	FCM6042XJ	194	FCM62XCSL	195
FERZESS. 174 FOMIZES. 161 FOMISES. 193 FOMISES. 214 FOMIZES. 194 FOMIZES. 162 FORMS 194 FOMIZES. 194 FOMIZES. 205 FOMISE. 161 FOMISES. 215 FOMIZES. 205 FOMISE. 161 FOMISES. 217 FOMIZES. 2174 FOMIZES. 205 FOMISE. 161 FOMISES. 211 FOMIZES. 213 FOMIZES. 214 FOMIZES. 215 FOMIZES. 2												
FREZENG. 174 FOMIZE. 204 FOMISS. 193 FOMHSTOR. 211 FOMHSTOR. 194 FOMESCS. FREZENJ. 174 FOMIZE. 205 FOMIS. 161 FOMISS. 161 FOMISS. 211 FOMISS. 185 FOMESCS. FREZENJ. 174 FOMIZES. 204 FOMISS. 164 FOMISS. 164 FOMISS. 165 FOMISS. 166 FOMIS												
FEXEXUS. 174 FEMIZES. 205 FEMIS. 161 FEMISSIS. 214 FEMISSIS. 138 FEMIOSIS. 175 FEMIORIS. 205 FEMISSIS. 174 FEMISSIS. 206 FEMISSIS. 154 FEMISSIS. 156 FEMISSIS. 154 FEMISSIS. 156 FEMISSIS. 155 FEMISSIS. 156 FEMISSIS. 155 FEMISSIS. 156 FEMISSIS. 157 FEMISSIS. 156 FEMISSIS. 156 FEMISSIS. 156 FEMISSIS. 156 FEMISSIS. 157 FEMISSIS. 158 FEMISSIS. 157 FEMISSIS. 158 FEMISSIS. 157 FEMISSIS. 158 FEMISSIS. 154 FEMISSIS. 158 FEMISSIS. 158 FEMISSIS. 158 FEMISSI												
FERZIZIS. 174 FOMIZES. 204 FOMISIOS. 144 FOMISIOS. 145 FOMISIOS. 155 FOMISIOS. 156 FOMISIOS. 156 FOMISIOS. 154 FOMISIOS. 157 FOMISIOS. 157 FOMISIOS. 157 FOMISIOS. 157 FOMISIOS. 158 FOMISIOS. 158 FOMISIOS. 158 FOMISIOS. 159 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 154 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 154 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 154 FOMISIOS. 155 FOMISIOS. 156 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 155 FOMISIOS. 156 FOMISIOS. 157 FOM												
FORDINGS   FOM 1930												
FG22XX. 174 FCM1283XC 156 FCM18XC 154 FCM4814XL 211 FCM6069 214 FCM62XX FC62XXI 174 FCM1283XG 156 FCM18XJ 154 FCM4814XN 211 FCM6069 214 FCM62XXI FC62XXI 174 FCM1283XJ 156 FCM18XJ 154 FCM4814XN 211 FCM6069 214 FCM62XXI FCM2XXI 174 FCM1283XJ 156 FCM18XJ 154 FCM4814XR 211 FCM6069 214 FCM62XXI FCM2XXI 174 FCM1283XJ 156 FCM18XN 154 FCM4814XR 211 FCM6069 118 FCM62XXI FCM2XXI 174 FCM1283XN 156 FCM18XN 154 FCM4814XR 212 FCM6069 118 FCM62XXI FCM2XXI 174 FCM1283XN 156 FCM18XN 154 FCM4816XC 212 FCM6069 118 FCM62XXI FCM16XI 174 FCM1283XN 156 FCM18XN 154 FCM4816XC 212 FCM6069 118 FCM62XXI FCM100 166 FCM1283XI 156 FCM18XI 154 FCM200XXI 214 FCM4618XC 212 FCM6069 116 FCM6XXI FCM100 129 FCM128XI 154 FCM200XXI 214 FCM4816XX 212 FCM6069 116 FCM6069 FCM16XXI 174 FCM124XI 154 FCM200XXI 213 FCM4816XXI 212 FCM6069X 212 FCM6069X 154 FCM200XXI 213 FCM4616XX 212 FCM6069X 212 FCM60												
FROZENSI. 174 FOMESSIGS 156 FOMESSIG 154 FOMESSIG 154 FOMESSIG 156 FOMESSIG 154 FOMESSIG 156 FOM												
FORZINS												
FG22NSIL 174 FCM1283XX 156 FCM130X 154 FCM4814R 211 FCM6850. 189 FCM62NR FG22RS 174 FCM283XX 156 FCM130X 154 FCM4818 213 FCM6855 186 FCM62NR FG22RS 174 FCM283XX 156 FCM130X 154 FCM4818 C 212 FCM6855 186 FCM62NR FCM100 144 FCM128XX 151 FCM600XSL 214 FCM4818 C 212 FCM6855 196 FCM68 FCM100 144 FCM128XX 151 FCM600XSL 213 FCM4818 C 212 FCM6855 196 FCM68 FCM100 144 FCM128XX 151 FCM200XSL 213 FCM4818 C 212 FCM685 C 212 FCM6805 C 212 FCM6800 C 212 FCM600X 146 FCM128XX 154 FCM200XSL 213 FCM4818 C 212 FCM685 C 212 FCM6800 C												
FG22RR 174 FCM1283W3 156 FCM18W 154 FCM4816W 213 FCM4805 186 FCM62RRS FCM10W 156 FCM182W3 154 FCM4816W 212 FCM4805 196 FCM62RS FCM10W 156 FCM1828W 156 FCM18W 154 FCM4816W 212 FCM4805 196 FCM68 FCM10W 156 FCM10												
FORMION 166 FORMISSIN 156 FORMISSIN 156 FORMISSIN 154 FORMISSINC 212 FORMISSIN 156 FORMISSIN 157 FOR	C92XNSL	174					FCM4814XR	211	FCM6050	189		
FOMIOL 166 FCM1283MR 156 FCM1284 167 FCM198 162 FCM4818C 212 FCM6056 191 FCM660 FCM1000 219 FCM1284C 154 FCM2000CSL 214 FCM4818CN 212 FCM6050C 212 FCM6050C 219 FCM5000C 219 FCM1000 219 FCM1284C 154 FCM2000CSL 213 FCM4818CN 212 FCM605XC 212	C92XR	174	FCM1283XK	156	FCM18XN	154			FCM6051	186	FCM62XR	195
FOMTOION	C92XRSL	174	FCM1283XN	156	FCM18XR	154	FCM4816XC	212	FCM6052	184	FCM62XRSL	195
FOM1000	CM10	166	FCM1283XR	156	FCM198	162	FCM4816XE	212	FCM6055	196	FCM65	197
FOM1000	CM100	144	FCM1284	161	FCM2000SL	214	FCM4816XJ	212	FCM6056	191	FCM6500	150
FOM1006. 146 FCM1284KE. 154 FCM2000XESI. 213 FCM506. 215 FCM60SXE. 212 FCM6532. FCM101SI. 185 FCM1284KJ. 154 FCM2000XISI. 213 FCM506. 215 FCM60SXI. 212 FCM5532. FCM101SI. 185 FCM1284KJ. 154 FCM2000XISI. 213 FCM508. 211 FCM60SXI. 212 FCM5550. FCM1027. 146 FCM1284KK. 154 FCM2000XISI. 213 FCM508. 211 FCM60SXI. 212 FCM5560. FCM1028. 147 FCM1284KX. 154 FCM2000XISI. 213 FCM542SI. 175 FCM60SXI. 212 FCM6565. FCM104. 148 FCM1284KI. 154 FCM200SXI. 157 FCM542SI. 175 FCM60SXI. 212 FCM6565. FCM104. 148 FCM1284KI. 154 FCM200SXI. 213 FCM542SI. 171 FCM606XI. 212 FCM6565. FCM104. 149 FCM1285K. 154 FCM200SXI. 213 FCM545SI. 171 FCM606XI. 212 FCM6568. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 213 FCM54SSI. 171 FCM606XI. 212 FCM6568. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM571. 148 FCM606XI. 212 FCM6570. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM571. 148 FCM606XI. 212 FCM6575. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM606XI. 212 FCM6575. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM606XI. 212 FCM6575. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM606XI. 212 FCM6577. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM607. 149 FCM606XI. 212 FCM6575. FCM104KI. 195 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM607. 149 FCM605XI. 149 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM607. 149 FCM605XI. 149 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM6077. 189 FCM6078. 189 FCM1285K. 154 FCM2050XISI. 212 FCM577. 190 FCM607X. 212 FCM65XI. FCM104KI. 140 FCM1285K. 154 FCM2050XISI. 212 FCM575. 149 FCM607X. 212 FCM65XI. FCM105SI. 189 FCM1285K. 154 FCM2107. 177 FCM681. 190 FCM607X. 212 FCM65XI. FCM105SI. 189 FCM1285K. 154 FCM2107. 177 FCM681. 190 FCM607X. 212 FCM65XI. FCM105SI. 189 FCM1285K. 157 FCM2107. 177 FCM681. 219 FCM607X. 212 FCM65XI. FCM105SI. 189 FCM1285K. 157 FCM2107. 177 FCM681. 219 FCM607X. 212 FCM65XI. FCM105SI. 189 FCM1285K. 156 FCM1285K. 156 FCM1285K. 157 FCM202XI. 199 FCM607X. 212 FCM65XI. FCM105SI. 156 FCM1285K. 156 FCM1285K. 157 FCM202XI. 199 FCM607X. 212 FCM65X												
FGM1011												
FOMIOISL 185 FOMI284XL 154 FOM2000XNSL 213 FOM508 211 FOM605XN 212 FOM6560 FOMIO29 146 FOM1284XX 154 FOM2008SL 213 FOM5452SL 175 FOM605XR 212 FOM6565 FOMIO4 148 FOM2284XN 154 FOM2008SL 157 FOM542SSL 175 FOM606 214 FOM6665 FOMIO4 148 FOM2284XN 154 FOM2008SL 213 FOM545SL 171 FOM6060KC 212 FOM6665 FOM104 148 FOM2285X 156 FOM2008SL 213 FOM545SL 171 FOM6060KC 212 FOM6668 FOM104XK 195 FOM1285X 154 FOM2005USL 212 FOM575 L 148 FOM606XL 212 FOM6565 FOM104XK 195 FOM1285XC 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XK 195 FOM1285XC 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XX 195 FOM1285XC 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XX 195 FOM1285XL 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XX 195 FOM1285XL 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XX 195 FOM1285XL 154 FOM2005USL 212 FOM575 L 149 FOM606XL 212 FOM6575 FOM104XX 195 FOM1285XL 154 FOM2005USL 212 FOM575 L 199 FOM607 L 214 FOM6580 L FOM104XX 195 FOM1285XL 154 FOM2005USL 212 FOM575 L 199 FOM607 L 189 FOM6582 FOM104XX 195 FOM1285XX 154 FOM2005USL 212 FOM575 L 199 FOM607 L 189 FOM6582 FOM104XX 195 FOM1285XX 154 FOM2005USL 212 FOM575 L 199 FOM607 L 189 FOM6582 FOM105X 199 FOM607 L 129 FOM65XX 199 FOM												
FCM1027												
FOMIO29.												
FCM104XC												
FCM104XC 195 FCM1285X. 1-61 FCM269SSL. 213 FCM54SSL. 171 FCM666XE. 212 FCM6570. FCM104XE 195 FCM1285XC 1-54 FCM269CXCSL 212 FCM571 148 FCM666XN. 212 FCM6570. FCM104XG 195 FCM1285XE 1-54 FCM269CXSLSL 212 FCM5751. 148 FCM666XN. 212 FCM6575. FCM104XX 195 FCM1285XG 1-54 FCM269CXSLSL 212 FCM575. 149 FCM666XN. 212 FCM6575. FCM104XX 195 FCM1285XL 1-54 FCM269CXSLSL 212 FCM575. 190 FCM660X. 212 FCM6575. FCM104XX 195 FCM1285XL 1-54 FCM269CXSLSL 212 FCM575. 190 FCM6074. 189 FCM665X. FCM104XR 195 FCM1285XN 1-54 FCM2050XRSL 212 FCM575. 190 FCM6074. 189 FCM6582. FCM104XR 195 FCM1285XN 1-54 FCM2050XRSL 212 FCM577. 190 FCM6074. 189 FCM65SL. FCM104XR 195 FCM1285XN 1-54 FCM2050XRSL 212 FCM577. 190 FCM6074. 189 FCM65SL. FCM105SL 189 FCM1285X 1-54 FCM2105. 177 FCM583S. 190 FCM6075. 212 FCM65XC. FCM105SL 189 FCM1285X 1-54 FCM2105. 177 FCM600. 219 FCM607XC. 212 FCM65XC. FCM105SL 189 FCM1285L 157 FCM2107. 177 FCM600. 219 FCM607XL 212 FCM65XCSL. FCM108. 143 FCM1289. 162 FCM20. 219 FCM600. 219 FCM607XN. 212 FCM65XCSL. FCM108SSL 177 FCM1289SL 162 FCM20. 219 FCM601X. 213 FCM607XN. 212 FCM65XCSL. FCM108SSL 177 FCM1289SL 162 FCM241. 144 FCM601XC 213 FCM607XN. 212 FCM65XCSL. FCM109SL 184 FCM131. 186 FCM31. 143 FCM601XL 213 FCM60XB. 214 FCM65XCSL. FCM109SL 184 FCM131. 186 FCM31. 143 FCM601XL 213 FCM60XB. 214 FCM65XCSL. FCM100X 156 FCM131SL 189 FCM32L 180 FCM601XL 213 FCM608XL 212 FCM65XLSL. FCM10XC 156 FCM138L 181 FCM32XCSL 175 FCM601XR 213 FCM608XL 212 FCM65XXSL. FCM10XC 156 FCM138L 154 FCM32XCSL 175 FCM6021XL 015 FCM609X. 212 FCM65XXSL. FCM10XR 156 FCM138X 154 FCM32XCSL 175 FCM6021XL 015 FCM609X. 212 FCM65XXSL. FCM10XR 156 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM609X. 212 FCM65XXSL. FCM10XR 156 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM609X. 212 FCM65XXSL. FCM10XR 156 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM609X. 149 FCM605XSL. FCM10XR 156 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM609X. 149 FCM605XSL. 154 FCM65XSL. FCM10XR 156 FCM138XR 154 FCM32XSL 175 FCM6022XL 194 FCM609XSL 154 FCM678SL. FCM1118. 204 FCM140SL 198 FCM32XSL 175 FCM												
FCM104KE												
FCM104XG												
FCM104XL 195 FCM128SXG 154 FCM2050XJSL 212 FCM574. 148 FCM605RR 212 FCM6577. FCM104XK 195 FCM128SXJ 154 FCM2050XNSL 212 FCM575. 190 FCM607. 214 FCM6580SL FCM104XN 195 FCM128SXK 154 FCM2050XNSL 212 FCM577. 190 FCM6074. 189 FCM6582. FCM104XN 195 FCM128SXN 154 FCM210TSL 177 FCM581 190 FCM6074. 189 FCM6582. FCM104XN 195 FCM128SXN 154 FCM210TSL 177 FCM581 190 FCM6075. 189 FCM65XC FCM105SL 189 FCM128SXR 154 FCM210TSL 177 FCM581 190 FCM6075. 189 FCM65XC FCM105SL 189 FCM128SXR 154 FCM210T 177 FCM600. 219 FCM607XC 212 FCM65XC FCM105SL 189 FCM128SSL 157 FCM210R 177 FCM600. 219 FCM607XL 212 FCM65XC FCM106 182 FCM128SSL 157 FCM210R 177 FCM600. 219 FCM607XL 212 FCM65XC FCM106 182 FCM128SSL 157 FCM210R 177 FCM600. 219 FCM607XL 212 FCM65XC FCM108 143 FCM128SSL 162 FCM220. 219 FCM601XC 213 FCM607XN 212 FCM65XSSL FCM108SSL 177 FCM128SSL 162 FCM220. 219 FCM601XC 213 FCM607XR 212 FCM65XG FCM108 184 FCM131 I68 FCM31 219 FCM601XC 213 FCM608XC 214 FCM65XG FCM109SL 184 FCM13101SL 193 FCM32 180 FCM601XL 213 FCM608XC 212 FCM65XG FCM109SL 184 FCM13101SL 188 FCM32 180 FCM601XL 213 FCM608XC 212 FCM65XJ FCM10XC 156 FCM131SL 188 FCM32 180 FCM601XN 213 FCM608XC 212 FCM65XJ FCM10XC 156 FCM131SL 188 FCM32 180 FCM601XN 213 FCM608XL 212 FCM65XJ FCM10XG 156 FCM138X 219 FCM32XC 175 FCM602 211 FCM608XL 212 FCM65XXSL FCM10XG 156 FCM138X 161 FCM32XCSL 175 FCM602 211 FCM608XN 212 FCM65XXSL FCM10XG 156 FCM138X 154 FCM32XE 175 FCM602 211 FCM608XN 212 FCM65XXSL FCM10XN 156 FCM138X 154 FCM32XSL 175 FCM602 211 FCM608XN 212 FCM65XNSL FCM10XN 156 FCM138XK 154 FCM32XSL 175 FCM6021XK 195 FCM609 210 FCM65XNSL FCM113X 154 FCM32XSL 175 FCM6021XK 195 FCM609 210 FCM65XNSL FCM113X 154 FCM32XSL 175 FCM6021XK 195 FCM609 210 FCM65XNSL FCM113X 154 FCM32XSL 175 FCM6021XK 195 FCM609 210 FCM65XNSL 154 FCM670 156 FCM138X 154 FCM32XSL 175 FCM6021XK 195 FCM609 110 FCM608XNSL 154 FCM670 156 FCM138X 154 FCM32XSL 175 FCM6021XK 195 FCM609 110 FCM608XNSL 154 FCM670 156 FCM138X 154 FCM32XSL 175 FCM6021XK 195 FCM609 110 FCM608X 154 FCM670 156 FCM138X 154 FCM32XSL 175 FCM6021XK 195 F												
FCM104XX	CM104XG	195	FCM1285XE	154	FCM2050XESL	212	FCM572SL	149	FCM606XN	212		
FCM104XN 195 FCM1285XK 154 FCM2050RSL 212 FCM57T. 190 FCM607A. 189 FCM6582 FCM104XR 195 FCM1285XN 154 FCM210SL 177 FCM581 190 FCM6075 189 FCM5SSL FCM10S 189 FCM1285XR 154 FCM210S 177 FCM581 190 FCM607C 212 FCM65XC FCM10SSL 189 FCM1286X 154 FCM210G 177 FCM560 219 FCM607XL 212 FCM65XC FCM10S 189 FCM1286X 157 FCM210R 177 FCM60 219 FCM607XL 212 FCM65XC FCM10S 148 FCM1289 162 FCM20D 219 FCM601X 219 FCM607XJ 212 FCM65XE FCM10S 148 FCM1289 162 FCM20D 219 FCM601 214 FCM607XN 212 FCM65XE FCM108SSL 177 FCM1289SL 162 FCM20D 219 FCM601X 213 FCM607XN 212 FCM65XE FCM108SSL 177 FCM1289SL 162 FCM20D 144 FCM601XC 213 FCM607XN 212 FCM65XG FCM10SSSL 177 FCM1289SL 162 FCM20D 144 FCM601XC 213 FCM607XN 212 FCM65XG FCM10SSSL 177 FCM128SSL 168 FCM31 219 FCM601XL 213 FCM608X 214 FCM65XG FCM10SSL 184 FCM1310TSL 193 FCM31D 143 FCM601XJ 213 FCM608X 214 FCM65XG FCM10SSL 184 FCM1310TSL 193 FCM31D 143 FCM601XJ 213 FCM608XC 212 FCM65XJ FCM10XC 156 FCM131SL 168 FCM32 180 FCM601XN 213 FCM608XC 212 FCM65XJ FCM10XC 156 FCM131SL 168 FCM32 180 FCM601XN 213 FCM608XL 212 FCM65XJ FCM10XG 156 FCM134 219 FCM32XC 175 FCM602 211 FCM608XJ 212 FCM65XKSL FCM10XJ 156 FCM138X 151 FCM32XCSL 175 FCM602 211 FCM608XJ 212 FCM65XKSL FCM10XJ 156 FCM138X 154 FCM32XESL 175 FCM6021 200 FCM608XN 212 FCM65XKSL FCM10XN 156 FCM138X 154 FCM32XGSL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM110XN 156 FCM138XG 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XNSL FCM110XN 154 FCM138XJ 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL FCM110X 181 FCM138XX 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL FCM110X 181 FCM138XX 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL FCM110X 181 FCM138XX 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL FCM110X 181 FCM138XX 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL FCM110X 181 FCM138XX 154 FCM32XGSL 175 FCM6021XC 195 FCM609 148 FCM65XSL 154 FCM678 LFCM110X 186 FCM140SL 198 FCM32XSL 175 FCM6022XC 194 FCM6124XSL 154 FCM678 LFCM110X 186 FCM140SL 198 FCM32XSL 175 FCM6022XC 194 FCM6124XSL 154 FCM678 LFCM110X 181 FCM140SL 198 FC	CM104XJ	195	FCM1285XG	154	FCM2050XJSL	212	FCM574	148	FCM606XR	212	FCM6577	182
FCM104XR 195 FCM128SXN 154 FCM2101SL 177 FCM581 190 FCM6075. 189 FCM65SL FCM1055 189 FCM128SXR 154 FCM2106. 177 FCM583SL 190 FCM607XC 212 FCM65XC FCM106SL 189 FCM1286. 157 FCM2107. 177 FCM60. 219 FCM607XC 212 FCM65XC FCM106. 182 FCM128SL 157 FCM2107. 177 FCM60. 219 FCM607XL 212 FCM65XC FCM106. 182 FCM128SL 157 FCM2107. 177 FCM60. 219 FCM607XL 212 FCM65XE FCM108. 143 FCM1289. 162 FCM220. 219 FCM601XC 213 FCM607XN 212 FCM65XE FCM1089SL 177 FCM128SSL 162 FCM241 144 FCM601XC 213 FCM607XN 212 FCM65XSL FCM109. 184 FCM131 168 FCM31 219 FCM601XE 213 FCM608. 214 FCM65XG FCM109. 184 FCM131 168 FCM31 219 FCM601XE 213 FCM608. 214 FCM65XG FCM109SL 184 FCM131SL 168 FCM32. 180 FCM601XL 213 FCM608. 214 FCM65XG FCM109SL 184 FCM131SL 168 FCM32. 180 FCM601XL 213 FCM608XC 212 FCM65XJ FCM100XE 156 FCM131SL 168 FCM32 180 FCM601XL 213 FCM608XC 212 FCM65XJ FCM10XE 156 FCM134L 219 FCM32XC 175 FCM601XR 213 FCM608XL 212 FCM65XK FCM10XG 156 FCM138L 161 FCM32XCSL 175 FCM601XR 213 FCM608XL 212 FCM65XK FCM10XG 156 FCM138XC 154 FCM32XE 175 FCM6021 200 FCM608XR 212 FCM65XNSL FCM10XX 156 FCM138XC 154 FCM32XE 175 FCM6021XC 195 FCM609X 212 FCM65XNSL FCM10XX 156 FCM138XC 154 FCM32XE 175 FCM6021XC 195 FCM609X 212 FCM65XNSL FCM10XX 156 FCM138XL 154 FCM32XE 175 FCM6021XC 195 FCM609X 147 FCM65XNSL FCM10XX 156 FCM138XL 154 FCM32XESL 175 FCM6021XC 195 FCM609X 147 FCM65XNSL FCM10XX 156 FCM138XL 154 FCM32XESL 175 FCM6021XL 195 FCM609X 147 FCM65XNSL FCM110X 156 FCM138XL 154 FCM32XESL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM138XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM138XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM138XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM138XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM140XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609X 148 FCM66SK FCM110X 156 FCM140XL 154 FCM32XLSL 175 FCM6021XL 195 FCM609XL 154 FCM66SK FCM110XL 156 FCM140XL 154 FCM32XLSL 175 FCM6021XL 195 FCM610XL 154 FCM66SK FCM110XL 154 FCM66SK FCM110XL 1	CM104XK	195	FCM1285XJ	154	FCM2050XNSL	212	FCM575	190	FCM607	214	FCM6580SL	172
FCM104XR 195 FCM1285XN 154 FCM2101SL 177 FCM581 190 FCM6075. 189 FCM65SL FCM105 189 FCM1286 157 FCM2106 177 FCM583SL 190 FCM607XC 212 FCM65XC FCM106SL 189 FCM1286 157 FCM2107 177 FCM60 219 FCM607XC 212 FCM65XC FCM106 182 FCM128SL 157 FCM2107 177 FCM60 219 FCM607XL 212 FCM65XC FCM106 182 FCM128SL 157 FCM2107 177 FCM60 219 FCM607XL 212 FCM65XE FCM108 143 FCM1289 162 FCM220 219 FCM601XC 213 FCM607XN 212 FCM65XE FCM1089SL 177 FCM1289SL 162 FCM241 144 FCM601XC 213 FCM607XN 212 FCM65XSL FCM109 184 FCM131 168 FCM31 219 FCM601XE 213 FCM608 214 FCM65XG FCM109 184 FCM131 168 FCM31 219 FCM601XE 213 FCM608 214 FCM65XG FCM109SL 184 FCM131 157 FCM31 143 FCM310 143 FCM601X 213 FCM608 214 FCM65XG FCM109SL 184 FCM131SL 168 FCM32 180 FCM601XL 213 FCM608 214 FCM65XG FCM108SL 166 FCM132 205 FCM32SL 180 FCM601XR 213 FCM608X 212 FCM65XJ FCM10XG 156 FCM134 205 FCM32SL 180 FCM601XR 213 FCM608X 212 FCM65XK FCM10XG 156 FCM138 161 FCM32XC 175 FCM6021 200 FCM608XR 212 FCM65XSL FCM10XG 156 FCM138 161 FCM32XC 175 FCM602 200 FCM608XR 212 FCM65XK FCM10XK 156 FCM138XC 154 FCM32XE 175 FCM6021 200 FCM608XR 212 FCM65XNSL FCM10XK 156 FCM138XC 154 FCM32XE 175 FCM6021 200 FCM608XR 212 FCM65XNSL FCM10XK 156 FCM138XG 154 FCM32XE 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XN 156 FCM138XL 154 FCM32XE 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XN 156 FCM138XL 154 FCM32XE 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM10XN 156 FCM138XL 154 FCM32XE 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM110X 186 FCM138XL 154 FCM32XL 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM110X 186 FCM138XL 154 FCM32XL 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM110X 186 FCM138XL 154 FCM32XL 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM110X 186 FCM138XL 154 FCM32XL 175 FCM6021XL 195 FCM609 210 FCM65XNSL FCM110X 186 FCM140SL 197 FCM32XNSL 175 FCM6021XL 195 FCM609 210 FCM65XNSL 154 FCM32XNSL 175 FCM6021XL 195 FCM609 210 FCM65XNSL 154 FCM32XNSL 175 FCM6021XL 195 FCM609 210 FCM66SL 154 FCM32XNSL 154 FCM32XNSL 175 FCM6022XC 194 FCM6124XNSL 154 FCM66SL 154 FCM32XNSL 154 FCM32XNSL 155 FCM6022XL 194 F	CM104XN	195	FCM1285XK	154	FCM2050XRSL	212	FCM577	190	FCM6074	189	FCM6582	172
FCM105	CM104XR	195	FCM1285XN	154			FCM581	190	FCM6075	189	FCM65SL	198
FCM10SSL 189 FCM1286. 157 FCM2107. 177 FCM60. 219 FCM607XE. 212 FCM65XCSL FCM106. 182 FCM1286SL 157 FCM2108. 177 FCM600. 219 FCM607XI. 212 FCM65XCSL FCM108. 143 FCM1289. 162 FCM220. 219 FCM6001. 214 FCM607XI. 212 FCM65XESL FCM1089SL 177 FCM1289SL 162 FCM220. 219 FCM601 214 FCM607XI. 212 FCM65XESL FCM109. 184 FCM131. 168 FCM31. 219 FCM601XC. 213 FCM608. 214 FCM65XGSL FCM109. 184 FCM1310SL 193 FCM310. 143 FCM61XJ. 213 FCM608XC. 212 FCM65XGSL FCM109SL 184 FCM1310SL 193 FCM310. 143 FCM61XJ. 213 FCM608XC. 212 FCM65XJ. FCM10XC 156 FCM131SL 168 FCM32. 180 FCM601XI. 213 FCM608XE. 212 FCM65XJ. FCM10XC 156 FCM1312. 205 FCM32SL 180 FCM601XI. 213 FCM608XE. 212 FCM65XJ. FCM10XC 156 FCM132. 205 FCM32SL 180 FCM601XI. 213 FCM608XI. 212 FCM65XSJ. FCM10XG 156 FCM138. 161 FCM32XCSL 175 FCM602. 211 FCM6608XI. 212 FCM65XXSL FCM10XJ 156 FCM138. 161 FCM32XCSL 175 FCM602. 211 FCM660XI. 212 FCM65XXSL FCM10XK 156 FCM138XC 154 FCM32XE. 175 FCM6021. 200 FCM608XR. 212 FCM65XXSL FCM10XK 156 FCM138XG 154 FCM32XESL 175 FCM6021XC 195 FCM609. 210 FCM66XXR FCM10XR 156 FCM138XG 154 FCM32XESL 175 FCM6021XE 195 FCM609. 210 FCM66XXR FCM10XR 156 FCM138XG 154 FCM32XESL 175 FCM6021XE 195 FCM609. 210 FCM66XXR FCM10XR 156 FCM138XG 154 FCM32XESL 175 FCM6021XE 195 FCM609. 210 FCM66XXR FCM10XR 156 FCM138XG 154 FCM32XSL 175 FCM6021XE 195 FCM609. 149 FCM66XR FCM110. 181 FCM138XJ 154 FCM32XSL 175 FCM6021XL 195 FCM609. 149 FCM66XR FCM114 186 FCM138XN 154 FCM32XSL 175 FCM6021XL 195 FCM609. 149 FCM66XR FCM114SL 186 FCM138XN 154 FCM32XSL 175 FCM6021XL 195 FCM6010 187 FCM668. FCM114SL 186 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM6010 187 FCM66SL FCM116SL 186 FCM138XR 154 FCM32XSL 175 FCM6021XL 195 FCM601XL 195 FCM608. 187 FCM66SL FCM116SL 186 FCM140SL 198 FCM32XSL 175 FCM6022XL 194 FCM6124XSL 154 FCM66XL FCM116SL 186 FCM140SL 198 FCM32XSL 175 FCM6022XL 194 FCM6124XSL 154 FCM670. 187 FCM66SL FCM116SL 186 FCM140SL 198 FCM32XSL 175 FCM6022XL 194 FCM6124XSL 154 FCM673. 186 FCM707. 187 FCM672L 186 FCM707. 187 FCM6707. 187 FCM672L 186 FCM707. 187 FCM66SL 185 FCM6124XSL					FCM2106	177	FCM583SL	190			FCM65XC	194
FCM106. 182 FCM1286SL .157 FCM2108. 177 FCM600. 219 FCM607XJ. 212 FCM65XE. FCM108. 143 FCM1289. 162 FCM220. 219 FCM601. 214 FCM607XN. 212 FCM65XESL. FCM109SL. 177 FCM1289SL 162 FCM241. 144 FCM601XC. 213 FCM607XR. 212 FCM65XGSL. FCM109. 184 FCM1310. 168 FCM31. 219 FCM601XE. 213 FCM608X. 214 FCM65XGSL. FCM109SL. 184 FCM13101SL. 193 FCM310. 143 FCM601XJ. 213 FCM608XC. 212 FCM65XGSL. FCM109SL. 156 FCM131SL. 168 FCM32. 180 FCM601XN. 213 FCM608XC. 212 FCM65XJ. FCM10XE. 156 FCM1382. 205 FCM32SL. 180 FCM601XN. 213 FCM608XL. 212 FCM65XSL. FCM10XE. 156 FCM1382. 205 FCM32SL. 180 FCM601XN. 213 FCM608XL. 212 FCM65XSL. FCM10XE. 156 FCM1382. 219 FCM32XC. 175 FCM602. 211 FCM608XJ. 212 FCM65XSL. FCM10XG. 156 FCM138. 161 FCM32XCSL. 175 FCM602. 211 FCM608XN. 212 FCM65XKSL. FCM10XJ. 156 FCM138XC. 154 FCM32XE. 175 FCM602. 200 FCM608XR. 212 FCM65XNSL. FCM10XN. 156 FCM138XC. 154 FCM32XE. 175 FCM6021XC. 195 FCM609. 210 FCM65XNSL. FCM10XN. 156 FCM138XE. 154 FCM32XE. 175 FCM6021XC. 195 FCM609. 210 FCM65XNSL. FCM10XN. 156 FCM138XG. 154 FCM32XG. 175 FCM6021XC. 195 FCM609. 148 FCM65XRSL. FCM10XN. 156 FCM138XG. 154 FCM32XG. 175 FCM6021XC. 195 FCM609. 147 FCM65XR. FCM10XN. 156 FCM138XG. 154 FCM32XG. 175 FCM6021XL. 195 FCM609. 148 FCM65XRSL. FCM110X. 181 FCM138XJ. 154 FCM32XG. 175 FCM6021XL. 195 FCM609. 149 FCM66. FCM113. 145 FCM138XK. 154 FCM32XG. 175 FCM6021XL. 195 FCM6094. 148 FCM65XRSL. FCM1104. 186 FCM138XN. 154 FCM32XG. 175 FCM6021XN. 195 FCM6094. 148 FCM668. FCM114. 186 FCM138XN. 154 FCM32XSL. 175 FCM6021XN. 195 FCM6107. 187 FCM668. FCM114. 186 FCM140SL. 177 FCM32XKSL. 175 FCM6021XL. 195 FCM6124XSL. 154 FCM668. FCM115SL. 168 FCM140SL. 177 FCM32XKSL. 175 FCM6022XL. 194 FCM6124XSL. 154 FCM670. FCM116SL. 168 FCM140SL. 198 FCM32XSL. 175 FCM6022XL. 194 FCM6124XSL. 154 FCM704. FCM116SL. 168 FCM140SL. 198 FCM32XSL. 175 FCM6022XL. 194 FCM6124XSL. 154 FCM704. FCM120SL. 161 FCM1408. 198 FCM32XSL. 175 FCM6022XL. 194 FCM6124XSL. 154 FCM707. FCM120SL. 161 FCM1408. 198 FCM32XSL. 175 FCM6022XL. 194 FCM6124XSL. 154 FCM707. FCM120SL. 161 FCM1408. 198 F												
FCM108												
FCM1089SL 177 FCM1289SL 162 FCM241 144 FCM601XC 213 FCM607XR 212 FCM65XG FCM109 184 FCM131 168 FCM31 219 FCM601XE 213 FCM608. 214 FCM65XGSL FCM109SL 184 FCM131SL 193 FCM310. 143 FCM601XJ 213 FCM608XC 212 FCM65XJSL FCM10XC 156 FCM131SL 168 FCM32 180 FCM601XJ 213 FCM608XE 212 FCM65XJSL FCM10XE 156 FCM132 205 FCM32SL 180 FCM601XR 213 FCM608XL 212 FCM65XJSL FCM10XG 156 FCM132 205 FCM32SL 180 FCM601XR 213 FCM608XJ 212 FCM65XJSL FCM10XG 156 FCM138 161 FCM32XSC 175 FCM602 211 FCM608XJ 212 FCM65XJSL FCM10XG 156 FCM138 161 FCM32XSC 175 FCM602 211 FCM608XN 212 FCM65XKSL FCM10XK 156 FCM138XC 154 FCM32XSL 175 FCM6021 200 FCM608XR 212 FCM65XNSL FCM10XK 156 FCM138XG 154 FCM32XSEL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XN 156 FCM138XG 154 FCM32XSC 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XN 156 FCM138XG 154 FCM32XG 175 FCM6021XC 195 FCM609 147 FCM65XR FCM10XN 156 FCM138XG 154 FCM32XG 175 FCM6021XG 195 FCM609 147 FCM65XR FCM10XN 156 FCM138XG 154 FCM32XG 175 FCM6021XG 195 FCM609 147 FCM65XR FCM10XN 156 FCM138XG 154 FCM32XG 175 FCM6021XG 195 FCM609 148 FCM65XR FCM110 181 FCM138XJ 154 FCM32XG 175 FCM6021XJ 195 FCM609 149 FCM66 160 160 FCM114 186 FCM138XN 154 FCM32XJL 175 FCM6021XJ 195 FCM609 149 FCM66 160 FCM114 186 FCM138XN 154 FCM32XJL 175 FCM6021XN 195 FCM610 187 FCM66SL 187 FCM6115 168 FCM140SL 177 FCM32XKSL 175 FCM6021XN 195 FCM610 187 FCM66SL 187 FCM6115 168 FCM140SL 177 FCM32XKSL 175 FCM6021XN 195 FCM610 187 FCM66SL 187 FCM6115 188 FCM138XN 154 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM704 FCM115 188 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM707 FCM116 196 FCM1406 198 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM707 FCM1100 161 FCM1406 198 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM708 FCM1200 161 FCM1405 198 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM708 FCM1200 161 FCM1406 198 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM708 FCM1200 161 FCM140 198 FCM32XNSL 175 FCM6022X 194 FCM6124XSL 154 FCM708 FCM1200 161 FCM140 198 FCM32XNSL 194 FCM6025 198 FCM6122XSL 154 FCM703 FCM1200 161 FCM140 198 FCM32XNSL 194 F												
FCM109												
FCM109SL 184 FCM13101SL 193 FCM310 143 FCM601XJ 213 FCM608XC 212 FCM65XJSL FCM10XC 156 FCM131SL 168 FCM32 180 FCM601XN 213 FCM608XE 212 FCM65XJSL FCM10XE 156 FCM132 205 FCM32SL 180 FCM601XR 213 FCM608XD 212 FCM65XJSL FCM10XG 156 FCM132 205 FCM32SL 175 FCM602 211 FCM608XN 212 FCM65XKSL FCM10XG 156 FCM138 161 FCM32XCSL 175 FCM602 211 FCM608XN 212 FCM65XKSL FCM10XJ 156 FCM138 161 FCM32XCSL 175 FCM602 211 FCM608XR 212 FCM65XNSL FCM10XK 156 FCM138XC 154 FCM32XE 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XK 156 FCM138XC 154 FCM32XSL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XR 156 FCM138XG 154 FCM32XSG 175 FCM6021XG 195 FCM609 210 FCM65XNSL FCM10XR 156 FCM138XG 154 FCM32XSG 175 FCM6021XG 195 FCM609 148 FCM65XR FCM10XR 156 FCM138XG 154 FCM32XSG 175 FCM6021XG 195 FCM6094 148 FCM65XR FCM110 181 FCM138XJ 154 FCM32XSG 175 FCM6021XG 195 FCM6095 149 FCM66 FCM113 145 FCM138XI 154 FCM32XJ 175 FCM6021XI 195 FCM6095 149 FCM66 FCM114 186 FCM138XX 154 FCM32XJ 175 FCM6021XX 195 FCM6095 149 FCM66 FCM114 186 FCM138XR 154 FCM32XJ 175 FCM6021XX 195 FCM61 218 FCM66 FCM114 186 FCM138XR 154 FCM32XJ 175 FCM6021XR 195 FCM6107 187 FCM66SL FCM114SL 186 FCM138XR 154 FCM32XSL 175 FCM6021XR 195 FCM6107 187 FCM66SL FCM114SL 186 FCM138XR 154 FCM32XXL 175 FCM6021XR 195 FCM6108 187 FCM670 FCM115 188 FCM1400SL 177 FCM32XXL 175 FCM6021XR 195 FCM6108 187 FCM670 FCM115SL 168 FCM140SL 177 FCM32XXL 175 FCM6022XC 194 FCM6124XSL 154 FCM678 FCM115SL 168 FCM140SL 198 FCM32XNSL 175 FCM6022XC 194 FCM6124XSL 154 FCM678 FCM116 196 FCM140SL 198 FCM32XNSL 175 FCM6022XC 194 FCM6124XSL 154 FCM704 FCM1200 161 FCM1408 198 FCM32XRSL 175 FCM6022XX 194 FCM6124XSL 154 FCM704 FCM1200 161 FCM1408 198 FCM32XRSL 175 FCM6022XX 194 FCM6124XSL 154 FCM705 FCM120SL 161 FCM1408 198 FCM32XRSL 175 FCM6022XX 194 FCM6125XSL 154 FCM712SL FCM120SL 161 FCM143 170 FCM3487XSL 194 FCM6023X 194 FCM6125XSL 154 FCM712SL FCM120SL 161 FCM144 189 FCM3487XSL 194 FCM6023 193 FCM6125XSL 154 FCM712SL 154 FCM7												
FCM10XC												
FCM10XE 156 FCM132 205 FCM32SL 180 FCM601XR 213 FCM608XJ 212 FCM65XK FCM10XG 156 FCM134 219 FCM32XC 175 FCM602 211 FCM608XN 212 FCM65XKSL FCM10XJ 156 FCM138 161 FCM32XCSL 175 FCM6021 200 FCM608XR 212 FCM65XNSL FCM10XK 156 FCM138XC 154 FCM32XESL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XK 156 FCM138XC 154 FCM32XESL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XR 156 FCM138XG 154 FCM32XESL 175 FCM6021XC 195 FCM609 210 FCM65XNSL FCM10XR 156 FCM138XG 154 FCM32XGSL 175 FCM6021XG 195 FCM609 148 FCM65XRSL FCM10XR 156 FCM138XG 154 FCM32XGSL 175 FCM6021XG 195 FCM6094 148 FCM65XRSL FCM110 181 FCM138XJ 154 FCM32XGSL 175 FCM6021XJ 195 FCM6094 148 FCM66 FCM113 145 FCM138XJ 154 FCM32XGSL 175 FCM6021XJ 195 FCM6095 149 FCM66 FCM113 145 FCM138XJ 154 FCM32XJSL 175 FCM6021XJ 195 FCM6095 149 FCM66 FCM114 186 FCM138XN 154 FCM32XJSL 175 FCM6021XN 195 FCM610 218 FCM668 FCM114SL 186 FCM138XR 154 FCM32XJSL 175 FCM6021XN 195 FCM6107 187 FCM666SL FCM114SL 186 FCM140SL 177 FCM32XKSL 175 FCM6021XR 195 FCM610 187 FCM607 FCM115 168 FCM140SL 177 FCM32XKSL 175 FCM6022XC 197 FCM6124SL 162 FCM678 FCM115SL 168 FCM140SL 177 FCM32XNSL 175 FCM6022XC 194 FCM6124XCSL 154 FCM678SL FCM116 196 FCM1405 198 FCM32XNSL 175 FCM602XG 194 FCM6124XSSL 154 FCM678 FCM118 204 FCM140SL 198 FCM32XNSL 175 FCM602XG 194 FCM6124XSSL 154 FCM704 FCM118 204 FCM140SL 198 FCM32XNSL 175 FCM602XG 194 FCM6124XSSL 154 FCM704 FCM1120SL 161 FCM1408 198 FCM32XNSL 175 FCM602XX 194 FCM6124XSSL 154 FCM708 FCM1120SL 161 FCM1408 198 FCM32XNSL 175 FCM602XX 194 FCM6124XSSL 154 FCM708 FCM120SL 161 FCM1408 198 FCM32XRSL 175 FCM602XX 194 FCM6124XSSL 154 FCM705 FCM120SL 161 FCM142 147 FCM3487XSSL 194 FCM602XX 194 FCM6124XSSL 154 FCM735 FCM120SL 161 FCM143 170 FCM3487XSSL 194 FCM602X 194 FCM6125XSL 154 FCM735 FCM120SL 161 FCM143 170 FCM3487XSSL 194 FCM602X 194 FCM6125XSL 154 FCM735 FCM120SL 161 FCM143 170 FCM3487XSSL 194 FCM602X 194 FCM6125XSL 154 FCM735 FCM120SL 161 FCM143 170 FCM3487XSSL 194 FCM6025 185 FCM6125XSL 154 FCM735 FCM120SL 161 FCM144 189 FCM3487XSSL 194 FCM6026 185 FCM6125XSL 154												
FCM10XG												
FCM10XJ         156         FCM138         161         FCM32XCSL         175         FCM6021         200         FCM608XR         212         FCM65XN           FCM10XK         156         FCM138XC         154         FCM32XE         175         FCM6021XC         195         FCM609         210         FCM65XNSL           FCM10XR         156         FCM138XE         154         FCM32XE         175         FCM6021XE         195         FCM6093         147         FCM65XR           FCM10XR         156         FCM138XG         154         FCM32XG         175         FCM6021XG         195         FCM6093         147         FCM65XR           FCM110         181         FCM138XK         154         FCM32XGSL         175         FCM6021XJ         195         FCM6095         149         FCM66.           FCM113         145         FCM138XK         154         FCM32XXJ         175         FCM6021XK         195         FCM61         218         FCM668.           FCM114         186         FCM138XR         154         FCM32XXJSL         175         FCM6021XR         195         FCM6107         187         FCM66SL           FCM114SL         186         FCM138XR         154												
FCM10XK         156         FCM138XC         154         FCM32XE         175         FCM6021XC         195         FCM609         210         FCM65XNSL           FCM10XN         156         FCM138XE         154         FCM32XESL         175         FCM6021XE         195         FCM6093         147         FCM65XR           FCM10XR         156         FCM138XG         154         FCM32XGSL         175         FCM6021XG         195         FCM6094         148         FCM65XRSL           FCM110         181         FCM138XJ         154         FCM32XGSL         175         FCM6021XX         195         FCM6095         149         FCM66.           FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XX         195         FCM6095         149         FCM66.           FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XX         195         FCM610         149         FCM66.           FCM114         186         FCM138XX         154         FCM32XX         175         FCM6021XX         195         FCM6108         187         FCM66SL           FCM114SL         186         FCM1400SL         177												
FCM10XN         156         FCM138XE         154         FCM32XESL         175         FCM6021XE         195         FCM6093         147         FCM65XR           FCM10XR         156         FCM138XG         154         FCM32XG         175         FCM6021XG         195         FCM6094         148         FCM65XRSL           FCM110         181         FCM138XJ         154         FCM32XGSL         175         FCM6021XJ         195         FCM6095         149         FCM66           FCM113         145         FCM138XK         154         FCM32XJSL         175         FCM6021XK         195         FCM61         218         FCM668           FCM114         186         FCM138XN         154         FCM32XK         175         FCM6021XK         195         FCM6107         187         FCM668L           FCM114SL         186         FCM138XR         154         FCM32XKSL         175         FCM6021XR         195         FCM6107         187         FCM66SL           FCM114SL         186         FCM140SL         177         FCM32XKSL         175         FCM6021XR         195         FCM6124SL         162         FCM678           FCM115SL         168         FCM1402         177 </td <td></td>												
FCM10XR         156         FCM13XG         154         FCM32XG         175         FCM6021XG         195         FCM6094         148         FCM65XRSL           FCM110         181         FCM138XJ         154         FCM32XGSL         175         FCM6021XJ         195         FCM6095         149         FCM66           FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XK         195         FCM61         218         FCM668           FCM114         186         FCM138XR         154         FCM32XJ         175         FCM6021XN         195         FCM6107         187         FCM668L           FCM114SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6107         187         FCM66SL           FCM115SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM670           FCM115SL         186         FCM140SL         177         FCM32XKSL         175         FCM6022XC         197         FCM6124XSL         154         FCM678           FCM116         196         FCM1405         198	CM10XK	156	FCM138XC	154			FCM6021XC	195	FCM609	210		
FCM110         181         FCM138XJ         154         FCM32XGSL         175         FCM6021XJ         195         FCM6095         149         FCM66           FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XK         195         FCM61         218         FCM668           FCM114         186         FCM138XN         154         FCM32XJSL         175         FCM6021XN         195         FCM6107         187         FCM668L           FCM114SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM66SL           FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124SL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XNSL         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XC         194         FCM6124XSL         154         FCM704           FCM118         204         FCM1405SL         198 </td <td>CM10XN</td> <td> 156</td> <td>FCM138XE</td> <td> 154</td> <td>FCM32XESL</td> <td> 175</td> <td>FCM6021XE</td> <td>195</td> <td>FCM6093</td> <td> 147</td> <td>FCM65XR</td> <td> 194</td>	CM10XN	156	FCM138XE	154	FCM32XESL	175	FCM6021XE	195	FCM6093	147	FCM65XR	194
FCM110         181         FCM138XJ         154         FCM32XGSL         175         FCM6021XJ         195         FCM6095         149         FCM66           FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XK         195         FCM61         218         FCM668           FCM114         186         FCM138XN         154         FCM32XJSL         175         FCM6021XN         195         FCM6107         187         FCM668L           FCM114SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM66SL           FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124SL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XNSL         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XC         194         FCM6124XSL         154         FCM704           FCM118         204         FCM1405SL         198 </td <td>CM10XR</td> <td> 156</td> <td>FCM138XG</td> <td> 154</td> <td>FCM32XG</td> <td> 175</td> <td>FCM6021XG</td> <td>195</td> <td>FCM6094</td> <td> 148</td> <td>FCM65XRSL</td> <td> 194</td>	CM10XR	156	FCM138XG	154	FCM32XG	175	FCM6021XG	195	FCM6094	148	FCM65XRSL	194
FCM113         145         FCM138XK         154         FCM32XJ         175         FCM6021XK         195         FCM61         218         FCM668           FCM114         186         FCM138XN         154         FCM32XJSL         175         FCM6021XN         195         FCM6107         187         FCM66SL           FCM114SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM670           FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124XL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XN         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM118         204         FCM1405SL         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XISL         154         FCM707           FCM1200         161         FCM1406	CM110	181										
FCM114         186         FCM138XN         154         FCM32XJSL         175         FCM6021XN         195         FCM6107         187         FCM66SL           FCM114SL         186         FCM138XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM670           FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124XCSL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XN         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XESL         154         FCM704           FCM118         204         FCM1405SL         198         FCM32XRSL         175         FCM6022XE         194         FCM6124XISL         154         FCM704           FCM1200         161         FCM1406         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XISL         154         FCM707           FCM1200SL         161         FCM1408	CM113	145										
FCM114SL         186         FCM13XR         154         FCM32XK         175         FCM6021XR         195         FCM6108         187         FCM670           FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124SL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XN         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XESL         154         FCM704           FCM118         204         FCM1405SL         198         FCM32XR         175         FCM6022XG         194         FCM6124XESL         154         FCM704           FCM1200         161         FCM1406         198         FCM32XRSL         175         FCM6022XG         194         FCM6124XISL         154         FCM707           FCM1200         161         FCM1408         198         FCM32XRSL         175         FCM6022XG         194         FCM6124XISL         154         FCM708           FCM1200SL         161         FCM1408												
FCM115         168         FCM1400SL         177         FCM32XKSL         175         FCM6022         197         FCM6124SL         162         FCM678           FCM115SL         168         FCM1402         177         FCM32XN         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XESL         154         FCM704           FCM118         204         FCM1405SL         198         FCM32XR         175         FCM6022XG         194         FCM6124XJSL         154         FCM704           FCM1200         161         FCM1406         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XJSL         154         FCM707           FCM1200SL         161         FCM1408         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XJSL         154         FCM708           FCM120SL         161         FCM1408         198         FCM32XRSL         179         FCM6022XJ         194         FCM6124XRSL         154         FCM7125SL           FCM1201         161         FCM141 </td <td></td>												
FCM115SL         168         FCM1402         177         FCM32XN         175         FCM6022XC         194         FCM6124XCSL         154         FCM678SL           FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XESL         154         FCM704           FCM118         204         FCM1405SL         198         FCM32XR         175         FCM6022XG         194         FCM6124XJSL         154         FCM707           FCM1200         161         FCM1406         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XNSL         154         FCM708           FCM1200SL         161         FCM1408         198         FCM32XRSL         198         FCM6022XJ         194         FCM6124XNSL         154         FCM708           FCM1201         161         FCM141         157         FCM3487XCSL         194         FCM6022XN         194         FCM6125XCSL         154         FCM7125SL           FCM1201SL         161         FCM141         157         FCM3487XSSL         194         FCM6022XN         194         FCM6125XCSL         154         FCM721           FCM1202         161         FC												
FCM116         196         FCM1405         198         FCM32XNSL         175         FCM6022XE         194         FCM6124XESL         154         FCM704           FCM118         204         FCM1405SL         198         FCM32XR         175         FCM6022XG         194         FCM6124XJSL         154         FCM707           FCM1200         161         FCM1406.         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XNSL         154         FCM708           FCM1200SL         161         FCM1408         198         FCM3487SSL         198         FCM6022XK         194         FCM6124XRSL         154         FCM7125SL           FCM1201         161         FCM141         157         FCM3487XCSL         194         FCM6022XN         194         FCM6125SL         162         FCM721           FCM1201SL         161         FCM142         147         FCM3487XSSL         194         FCM6022XR         194         FCM6125XCSL         154         FCM735           FCM1202         161         FCM143         170         FCM3487XGSL         194         FCM6023         193         FCM6125XSL         154         FCM736           FCM1203 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
FCM118												
FCM1200         161         FCM1406         198         FCM32XRSL         175         FCM6022XJ         194         FCM6124XNSL         154         FCM708           FCM1200SL         161         FCM1408         198         FCM3487SL         198         FCM6022XK         194         FCM6124XRSL         154         FCM7125SL           FCM1201         161         FCM141         157         FCM3487XCSL         194         FCM6022XN         194         FCM6125SL         162         FCM721           FCM1201SL         161         FCM142         147         FCM3487XESL         194         FCM6022XR         194         FCM6125XCSL         154         FCM735           FCM1202         161         FCM143         170         FCM3487XGSL         194         FCM6023         193         FCM6125XESL         154         FCM736           FCM1202SL         161         FCM143SL         170         FCM3487XJSL         194         FCM6025         185         FCM6125XJSL         154         FCM745           FCM1203         161         FCM144         189         FCM3487XKSL         194         FCM6026         191         FCM6125XNSL         154         FCM752												
FCM1200SL       161       FCM1408       198       FCM3487SL       198       FCM6022XK       194       FCM6124XRSL       154       FCM7125SL         FCM1201       161       FCM141       157       FCM3487XCSL       194       FCM6022XN       194       FCM6125SL       162       FCM721         FCM1201SL       161       FCM142       147       FCM3487XESL       194       FCM6022XR       194       FCM6125XCSL       154       FCM735         FCM1202       161       FCM143       170       FCM3487XGSL       194       FCM6023       193       FCM6125XESL       154       FCM736         FCM1202SL       161       FCM143SL       170       FCM3487XJSL       194       FCM6025       185       FCM6125XJSL       154       FCM745         FCM1203       161       FCM144       189       FCM3487XKSL       194       FCM6026       191       FCM6125XNSL       154       FCM752												
FCM1201       161       FCM141       157       FCM3487XCSL       194       FCM6022XN       194       FCM6125SL       162       FCM721         FCM1201SL       161       FCM142       147       FCM3487XESL       194       FCM6022XR       194       FCM6125XCSL       154       FCM735         FCM1202       161       FCM143       170       FCM3487XGSL       194       FCM6023       193       FCM6125XESL       154       FCM736         FCM1202SL       161       FCM143SL       170       FCM3487XJSL       194       FCM6025       185       FCM6125XJSL       154       FCM745         FCM1203       161       FCM144       189       FCM3487XKSL       194       FCM6026       191       FCM6125XNSL       154       FCM752												
FCM1201SL       161       FCM142       147       FCM3487XESL       194       FCM6022XR       194       FCM6125XCSL       154       FCM735         FCM1202       161       FCM143       170       FCM3487XGSL       194       FCM6023       193       FCM6125XESL       154       FCM736         FCM1202SL       161       FCM143SL       170       FCM3487XJSL       194       FCM6025       185       FCM6125XJSL       154       FCM745         FCM1203       161       FCM144       189       FCM3487XKSL       194       FCM6026       191       FCM6125XNSL       154       FCM752												
FCM1202     161     FCM143     170     FCM3487XGSL     194     FCM6023     193     FCM6125XESL     154     FCM736       FCM1202SL     161     FCM143SL     170     FCM3487XJSL     194     FCM6025     185     FCM6125XJSL     154     FCM745       FCM1203     161     FCM144     189     FCM3487XKSL     194     FCM6026     191     FCM6125XNSL     154     FCM752												
FCM1202SL	CM1201SL	161	FCM142	147	FCM3487XESL	194	FCM6022XR	194	FCM6125XCSL	154	FCM735	216
FCM1203161 FCM144189 FCM3487XKSL194 FCM6026191 FCM6125XNSL154 FCM752	CM1202	161	FCM143	170	FCM3487XGSL	194	FCM6023	193	FCM6125XESL	154	FCM736	215
FCM1203161 FCM144189 FCM3487XKSL194 FCM6026191 FCM6125XNSL154 FCM752	CM1202SL	161	FCM143SL	170	FCM3487XJSL	194	FCM6025	185	FCM6125XJSL	154	FCM745	216
FCM1205SL 157 FCM147 170 FCM3487XRSL 194 FCM6029 188 FCM6126SL 162 FCM758.												

FCM760	204	FCM81828	161	FCM86550	150	FCM902	169	S100XKSL	156	S1211SL	16
FCM761		FCM81829		FCM86550SL		FCM902SL		S100XNSL		S1212	
FCM761SL		FCM818SL		FCM86560		FCM904		S100XRSL		S128	
FCM764		FCM81900SL		FCM86560SL		FCM905		S1027		S128XC	
FCM764SL		FCM81918SL		FCM86570		FCM906		S1029		S128XE	
FCM765		FCM81919SL		FCM86580SL		FCM906SL		S104		S128XG	
FCM765SL		FCM81921SL		FCM865SL		FCM907		S104XC		S128XJ	
FCM784		FCM81928SL		FCM866		FCM907SL		S104XE		S128XK	
FCM785	181	FCM81944SL		FCM866SL	189	FCM909	205	S104XG	196	S128XN	15
FCM787	183	FCM81947SL	177	FCM8675SL	198	FCM910	149	S104XJ	196	S128XR	15
FCM788	181	FCM81949SL	177	FCM8678	196	FCM911	191	S104XK	196	S130	157
FCM789	182	FCM81968SL	144	FCM8678SL	196	FCM911SL	191	S104XN	196	S130SL	15
FCM80		FCM81986SL		FCM867SL		FCM912		S104XR		S131	
FCM800		FCM82		FCM870		FCM912SL		S105		S132	
FCM807SL		FCM820		FCM8704		FCM914		S108		S132SL	
FCM808SL		FCM821		FCM8707		FCM915		S1089		S1350	
FCM809SL		FCM822		FCM8708				S1089SL			
						FCM916				S137	
FCM81000		FCM828		FCM870SL		FCM92SL		S108XC		S138SL	
FCM8101SL		FCM82XC		FCM870XC		FCM92XCSL		S108XE		S139	
FCM8101XCSL		FCM82XE		FCM870XCSL		FCM92XESL		S108XG		S139SL	
FCM8101XESL	174	FCM82XG	174	FCM870XE		FCM92XGSL	174	S108XJ	155	S140	166
FCM8101XGSL	174	FCM82XJ	174	FCM870XESL	156	FCM92XJSL	174	S108XK	155	S1400	179
FCM8101XJSL	174	FCM82XK	174	FCM870XG	156	FCM92XKSL	174	S108XN	155	S1400SL	179
FCM8101XKSL		FCM82XN		FCM870XGSL		FCM92XNSL		S108XR		S1401	176
FCM8101XNSL		FCM82XR		FCM870XJ		FCM92XRSL		S11		S1401SL	
FCM8101XRSL		FCM8310SL		FCM870XJSL		FCM966		S1100		S1402	
FCM8103SL		FCM8311SL		FCM870XK		FCM968		S115		S1404	
FCM8104SL		FCM8313SL		FCM870XKSL		FC06184SL		S1170SL		\$1405	
FCM8105SL		FCM8321		FCM870XN		FC06184XCSL		S1170XCSL		S1405SL	
FCM8107SL		FCM8321XC		FCM870XNSL		FC06184XESL		S1170XESL		S1406	
FCM8109SL		FCM8321XE		FCM870XR		FC06184XJSL	155	S1170XGSL	155	S1407	
FCM8110SL	175	FCM8321XG	194	FCM870XRSL	156	FC06184XNSL	155	S1170XJSL	155	S1408	200
FCM8114		FCM8321XJ	194	FCM871	143	FC06184XRSL	155	S1170XKSL	155	S1409	197
FCM8114SL		FCM8321XK	194	FCM871SL	143	FC06185SL	163	S1170XNSL	155	S140STC	218
FCM8115		FCM8321XN		FCM872	144	FC06185XCSL		S1170XRSL		S140XC	
FCM8115SL		FCM8321XR		FCM8721		FC06185XESL		S118		S140XE	
FCM81200		FCM8322		FCM872SL		FC06185XJSL		S118XC		S140XG	
		FCM8323									
FCM81200SL				FCM873		FC06185XNSL		S118XE		S140XJ	
FCM81200XC		FCM8324		FCM8735		FC06185XRSL		S118XG		S140XK	
FCM81200XCSL	156	FCM8545SL		FCM8736		FC06186SL		S118XJ		S140XN	
FCM81200XE		FCM8571		FCM873SL	145	FC06186XCSL	155	S118XK	156	S140XR	
FCM81200XESL	156	FCM8572SL	149	FCM874	148	FC06186XESL	155	S118XN	156	S141	164
FCM81200XG	156	FCM8573SL	149	FCM8745	216	FC06186XJSL	155	S118XR	156	S1411	203
FCM81200XGSL	156	FCM8574	148	FCM874SL	148	FC06186XNSL	155	S12	204	S141STC	218
FCM81200XJ		FCM8581		FCM8752		FC06186XRSL		S120	220	S141XC	15!
FCM81200XJSL		FCM8583SL		FCM881SL		FC06188SL		S1200		S141XE	
FCM81200XK		FCM860		FCM881XCSL		FC06188XCSL		S1200SL		S141XG	
FCM81200XKSL		FCM861		FCM881XESL		FC06188XESL		S1201		S141XJ	
FCM81200XN		FCM861XC		FCM881XGSL						S141XK	
						FC06188XJSL		S1201SL			
FCM81200XNSL		FCM861XE		FCM881XJSL		FC06188XNSL		S1202		S141XN	
FCM81200XR		FCM861XG		FCM881XKSL		FC06188XRSL		S1202SL		S141XR	
FCM81200XRSL	156	FCM861XJ	218	FCM881XNSL	175	FC06189SL		S1203	164	S1442SL	172
FCM81208P	161	FCM861XK	218	FCM881XRSL	175	FC06189XCSL	155	S1204	159	S154	147
FCM81208PSL	161	FCM861XN	218	FCM882SL		FC06189XESL		S1204SL	159	S154SL	
FCM81208SL	161	FCM861XR	218	FCM883SL	168	FC06189XJSL	155	S1205	159	S155	148
FCM81225	157	FCM862	200	FCM884SL	168	FC06189XNSL	155	S1205SL	159	S155SL	148
FCM81225SL		FCM862SL		FCM885SL		FC06189XRSL		S1205XC		S156	
FCM812SL		FCM862XC		FCM886		FC06190SL		S1205XE		S160	
FCM813SL		FCM862XCSL		FCM886SL		FC06190XCSL		S1205XG		S160SL	
FCM814		FCM862XE		FCM887SL		FC06190XESL		S1205XJ		\$161	
FCM8145		FCM862XESL		FCM888		FC06190XJSL		S1205XK		S161SL	
FCM8145SL		FCM862XG		FCM888SL		FC06190XNSL		S1205XN		S162	
FCM8149		FCM862XGSL		FCM889SL		FC06190XRSL		S1205XR		S163	
FCM814SL		FCM862XJ		FCM890		FC06575		S1206		S1645	
FCM815SL	147	FCM862XJSL	195	FCM890SL	149	FWRT	221	S1206SL	159	S1646	173
FCM816	143	FCM862XK	195	FCM891	191	KNRT	221	S1207	159	S1646SL	173
FCM81645	217	FCM862XKSL	195	FCM891SL	191	PBRT	221	S1207XC	153	S1647	173
FCM81646SL		FCM862XN		FCM892SL		RSRT		S1207XE		S1650	
FCM81651		FCM862XNSL		FCM893SL		S10		S1207XG		S1651	
FCM81651SL		FCM862XR		FCM896		S100		S1207XJ		S1651SL	
		FCM862XRSL		FCM896SL		S1000		S1207XK		S1652	
FCM81652											
FCM81652SL		FCM863		FCM898		\$1001		S1207XN		S1652SL	
	193	FCM863SL		FCM898SL		S1006		S1207XR		S1653	
FCM81654					100	CHANCI	166	C1200	16/	DACEA	193
FCM81654FCM81654SL	193	FCM864		FCM899		S100SL		S1208		S1654	
FCM81654	193	FCM864 FCM864SL		FCM899 FCM899SL		\$100SL		S1208SL		\$1654 \$1655	
FCM81654FCM81654SL	193 144		185		189		156		164		208
FCM81654 FCM81654SL FCM816SL	193 144 145	FCM864SL	185 186	FCM899SL	189 146	S100XCSL	156 156	S1208SL	164 163	S1655	208 193

S1661	203	S2103SL	176	S237	217	\$32XE	195	S543	171	S574	149
S17	. 205	S2103XC	174	S241	145	S32XG	195	S545SL	171	S575	190
S198	165	S2103XCSL	174	S243	197	S32XJ	195	S549	207	S577	190
S198SL	165	S2103XE	174	S255	217	S32XK	195	S5700	160	S579	190
S20	205	S2103XESL	174	S256	217	S32XN	195	S5700SL	160	S581	190
S200		S2103XG		S2600		S32XR		S5700XC		S583SL	
S2000		S2103XGSL		S2610		S34		S5700XCSL		S585	
S2000SL		S2103XJ		S2610XC		S3487SL		S5700XE		S5870SL	
S2000SL-2C		S2103XJSL		S2610XE		S3487XCSL		S5700XESL		\$600	
S2000SL-4C		S2103XK		S2610XJ		S3487XESL		S5700XG		\$6000	
S2000XC		S2103XKSL		S2610XN		S3487XGSL		S5700XGSL		S6000SL	
S2000XCSL S2000XCSL-2C		S2103XN S2103XNSL		S2610XR S262		S3487XJSL S3487XKSL		S5700XJ S5700XJSL		\$6002 \$6002\$L	
S2000XCSL-2CS2000XCSL-4C		S2103XR		S2620		S3487XNSL		\$5700XK		S6006	
S2000XCSL-4C		S2103XRSL		S262XC		S3487XRSL		S5700XKSL		S6006SL	
S2000XESL		S2104		S262XE		S35		S5700XN		S6008	
S2000XESL-2C		S2104SL		S262XG		S369		S5700XNSL		S6008SL	
S2000XESL-4C		S2104XC		S262XJ		S37		S5700XR		S6009	
S2000XG		S2104XCSL		S262XK		S38		S5700XRSL		S6009SL	
S2000XGSL		S2104XE		S262XN		S4070SL		S5705		S601	
S2000XJ		S2104XESL	174	S262XR	194	S41	188	S5705XC	153	S6010	169
S2000XJSL	155	S2104XG	174	S2630	210	S416SL	150	S5705XE	153	S6012	204
S2000XJSL-2C	153	S2104XGSL	174	S263SL	199	S42	190	S5705XG	153	S6013	202
S2000XJSL-4C	153	S2104XJ		S263XCSL	195	S426		S5705XJ	153	S6014	202
S2000XK	155	S2104XJSL		S263XESL		S43		S5705XK	153	S601SL	
S2000XKSL	155	S2104XK		S263XGSL		S430	203	S5705XN	153	S601XC	
S2000XN		S2104XKSL		S263XJSL		S430SL		S5705XR		S601XCSL	
S2000XNSL		S2104XN		S263XKSL		S454		S571		S601XE	
S2000XNSL-2C		S2104XNSL		S263XNSL		S4570SL		S5710		S601XESL	
S2000XNSL-4C		S2104XR		S263XRSL		S4800		S5710SL		S601XGSL	
S2000XR		S2104XRSL		S2640		S4810		S5710XC		S601XJ	
S2000XRSL		S2105		S2650		S4810SL		S5710XCSL		S601XJSL	
S2000XRSL-2C		\$2106 \$2107		S2660		S4810XC		S5710XE		S601XKSL	
S2000XRSL-4C S20042		S2107 S2108		S2670 S289		S4810XCSL		S5710XESL		S601XN S601XNSL	
\$20042 \$2009		S210SL		S289E		S4810XE S4810XESL		S5710XG S5710XGSL		S601XR	
S2009SL		S210XCSL		S289ESL		S4810XJ		S5710XJ		S601XRSL	
S2010		S210XESL		S289XC		S4810XJSL		S5710XJSL		\$602	
S2010SL		S210XGSL		S289XE		S4810XN		S5710XK		S6021	
S2010XC		S210XJSL		S289XG		S4810XNSL		S5710XKSL		S6021XC	
S2010XCSL		S210XKSL		S289XJ		S4810XR		S5710XN		S6021XE	
S2010XE		S210XNSL		S289XK		S4810XRSL		S5710XNSL		S6021XG	
S2010XESL	153	S210XRSL	196	S289XN	203	S4812	213	S5710XR	153	S6021XJ	195
S2010XG	153	S211	186	S289XR	203	S4812SL	213	S5710XRSL	154	S6021XK	195
S2010XGSL	153	S213	188	S291	202	S4812XC	212	S5715	159	S6021XN	195
S2010XJ	153	S214	190	S291SL		S4812XCSL	212	S5715XC	153	S6021XR	
S2010XJSL		S2150		S292		S4812XE		S5715XE		S6022	
S2010XK		S220		S292SL		S4812XESL		S5715XG		S6022XC	
S2010XKSL		S2200		S294		S4812XJ		S5715XJ		S6022XE	
S2010XN		S2200XC		S294SL		S4812XJSL		S5715XK		S6022XG	
S2010XNSL		S2200XCSL		\$296		S4812XN		S5715XN		S6022XJ	
\$2010XR		\$2200XE		S296XC		S4812XNSL		S5715XR		S6022XK S6022XN	
S2010XRSL S205		S2200XESL S2200XGSL		S296XE S296XG		S4812XR S4812XRSL		S5720 S5720SL		S6022XR	
S2050		S2200Xd3L		S296XJ		S4813		S5720XC		\$6023	
S2050XC		S2200XJSL		S296XK		S4813XC		S5720XCSL		S6025	
S2050XE		S2200XIS		S296XN		S4813XE		S5720XE		S6026	
S2050XG		S2200XKSL		S296XR		S4813XJ		S5720XESL		S6027	
S2050XJ		S2200XN		S30		S4813XN		S5720XG		S6029	
S2050XK	153	S2200XNSL	175	S308SL	164	S4813XR		S5720XGSL		S602SL	147
S2050XN	153	S2200XR	175	S308XCSL	155	S4814	213	S5720XJ	153	S6030	190
S2050XR	153	S2200XRSL	175	S308XESL	155	S4814XC	212	S5720XJSL	154	S6031	186
S206	. 200	S2250	176	S308XGSL	155	S4814XE	212	S5720XK	153	S6032	184
S206E	194	S2250XC	174	S308XJSL	155	S4814XJ	212	S5720XKSL	154	S6034	197
S206XC		S2250XCSL		S308XKSL		S4814XN		S5720XN		S6035	
S206XE		S2250XE		S308XNSL		S4814XR		S5720XNSL		S6036	
S206XG		S2250XESL		S308XRSL		S4816		S5720XR		S604	
S206XJ		S2250XG		\$30XC		S4816XC		S5720XRSL		S6041	
S206XK		S2250XGSL		S30XE		S4816XE		\$5725		S6041XC	
\$206XN		\$2250XJ		\$30XG		S4816XJ		S5725XC		S6041XE	
\$206XR		\$2250XJSL		S30XJ S30XK		S4816XN		\$5725XE		S6041XG	
S2070SL S210		S2250XK S2250XKSL		\$30XN		S4816XR S506		S5725XG S5725XJ		S6041XJ S6041XK	
S2100		S2250XNSL		\$30XR		S507		S5725XK		S6041XN	
S2101		S2250XNSL		S31		S508		S5725XN		S6041XR	
S2101SL		S2250XR		S310		S529		S5725XR		S6042	
S2102		S2250XRSL		S32		S5425		S572SL		S6042XC	
S2103		S236		S32XC		S5425SL		S573SL		S6042XE	

CC040VC	104	00004	100	00570	100	COOZVE	202	COLOODBYC	105	CO2C1OVN	010
S6042XG S6042XJ		\$6084		S6576 S6577		S807XE		S81929PXG S81929PXJ		\$82610XN	
S6042XK		S6085 S608XC		S6580		S807XG S807XJ		S81929PXK		S82610XR S82620	
S6042XN		S608XE		S6580SL		S807XK		S81929PXN		S82630	
S6042XR		S608XJ		S6582		S807XN		S81929PXR		S82640	
S6043		S608XN		S668		S807XR		S81932P		S82650	
S6045		S608XR		S682		S808		S81933P		S82660	
S6046		S609		S685L		S808SL		S81935P		S82670	
S6047		S6090		S685LXC		S80XC		S81936P		S828	
S6049		S6091		S685LXE		S80XE		S81937P		S829	
S604SL		S6091SL		S685LXG		S80XG		S81938P		S829SL	
S605		S6092		S685LXJ		S80XJ		S81939P		S82SL	
S6050		S6092SL		S685LXK		S80XK		S81940P		S82XC	
S6051		S6093				S80XN		S81941P		S82XCSL	
S6052		S6094		S685LXN S685LXR				S81942P			
S6054		S6095		S685R		S80XR		S81983		S82XE	
S6055		S6100				S810				S82XESL	
		S6100SL		S685RXC		S81000		S82		S82XG	
S6056				S685RXE		S81086SL		S820		S82XGSL	
S605SL		S6101		S685RXG		S81086XCSL		S8200		S82XJ	
S605XC		S6101SL		S685RXJ		S81086XESL		S8201		S82XJSL	
S605XCSL		S6102		S685RXK		S81086XGSL		S8202SL		S82XK	
S605XE		S6102SL		S685RXN		S81086XJSL		S8204SL		S82XKSL	
S605XESL		S6103		S685RXR		S81086XKSL		S8207SL		\$82XN	
S605XJ		S6104		S691		S81086XNSL		S821		S82XNSL	
S605XJSL		S6105		S691XC		S81086XRSL		S82103		S82XR	
S605XN		S6106		S691XE		S81100		S82103XC		S82XRSL	
S605XNSL		S6107		S691XG		S81186SL		S82103XE		S830	
S605XR		S6108		S691XJ		S8120		S82103XG		S830XC	
S605XRSL		S6111		S691XK		S81208		S82103XJ		S830XE	
S606		S6113		S691XN		S81225		S82103XK		S830XG	
S6061		S6117		S691XR		S8132		S82103XN		S830XJ	
S6062		S6119		S704		S8132SL		S82103XR		S830XK	
S6062SL		S6121		S707		S814		S82104	176	S830XN	
S6063	164	S6123	217	S708	216	S8140	166	S82105	176	S830XR	
S6063STC	218	S6124SL	165	S709	182	S81401	176	S82105XC	174	S831	220
S6063XC	155	S6124XCSL	155	S7125SL	199	S81405	200	S82105XE	174	S8310	179
S6063XE	155	S6124XESL	155	S721	215	S8140STC	218	S82105XG	174	S8310SL	179
S6063XG	155	S6124XJSL	155	S735	216	S8140XC	156	S82105XJ	174	S8311	178
S6063XJ	155	S6124XNSL	155	S736	215	S8140XE	156	S82105XK	174	S8311SL	179
S6063XK	155	S6124XRSL	155	S745	216	S8140XG	156	S82105XN	174	S83120	209
S6063XN	155	S6125SL	165	S751SL	180	S8140XJ	156	S82105XR	174	S831203	209
S6063XR	155	S6125XCSL	155	S751XCSL	175	S8140XK	156	S82106	176	S831203XC	208
S606SL	165	S6125XESL	155	S751XESL	175	S8140XN	156	S82106XC	174	S831203XE	208
S606XC	212	S6125XJSL	155	S751XGSL	175	S8140XR	156	S82106XE	174	S831203XG	208
S606XCSL	155	S6125XNSL	155	S751XJSL	175	S8141	209	S82106XG	174	S831203XJ	208
S606XE	212	S6125XRSL	155	S751XKSL	175	S8144	200	S82106XJ	174	S831203XK	208
S606XESL	155	S6126SL	165	S751XNSL	175	S8145	200	S82106XK	174	S831203XN	208
S606XJ	212	S6126XCSL	155	S751XRSL		S8145SL		S82106XN		S831203XR	208
S606XJSL		S6126XESL	155	S752	216	S8149	192	S82106XR	174	S83120XC	208
S606XN		S6126XJSL	155	S755		S814SL		S82107		S83120XE	
S606XNSL		S6126XNSL		S757SL		S815		S82107XC	174	S83120XG	
S606XR		S6126XRSL		S758SL		S816		S82107XE		S83120XJ	
S606XRSL		S6127SL		S770		S81645		S82107XG		S83120XK	
S607		S6128SL		S771		S81646		S82107XJ		S83120XN	
S6070		S6130SL		S773		S81646SL		S82107XK		S83120XR	
S6070SL		S6131SL		S774		S81649		S82107XN		S8313	
S6071		S6132SL		S80		S81650		S82107XR		S8313SL	
S6071SL		S6134SL		S8000		S81651		S82200		S83141	
S6072		S6135SL		S8000-12		S81651SL		S82200XC		S83142	
S6073		S6201SL		S8000-18		S81652		S82200XE		S83143	
S6074		S6240		S8000-10		S81652SL		S82200XG		S83145	
S6075		S6240SL		S8000SL		S81653		S82200XJ		S83147	
S6076		S626		S8000XC		S81654		S82200XK		S83149	
S607SL		S6500		S8000XCSL		S81654SL		S82200XN		S83152	
S607XC		S6500SL		S8000XE		S81656		S82200XR		\$83153	
S607XCSL		S6520		S8000XESL		S817		\$82250		S83154	
S607XE		\$6532		S8000XESL		S818		S822XC		S83155	
S607XESL				\$8000XGSL		S81828		S822XE		\$83156	
		\$6534									
\$607XJ		\$6536		\$8000XJ		S818XC		\$822XG		\$8316	
S607XJSL		\$6550		S8000XJSL		S818XE		\$822XJ		\$8317	
\$607XN		S6550SL		\$8000XK		S818XG		S822XK		\$8318	
\$607XNSL		\$6560		S8000XKSL		S818XJ		\$822XN		\$8319	
\$607XR		\$6565		\$8000XN		S818XK		S822XR		\$832	
S607XRSL		S6565SL		\$8000XNSL		S818XN		S82600		\$8320	
\$608		\$6568		S8000XR		S818XR		\$82610		S8321	
S6080		\$6570		S8000XRSL		S81929P		S82610XC		S8321XC	
S6081		\$6572		\$807		S81929PXC		S82610XE		S8321XE	
S6082	182	S6575	183	S807XC	203	S81929PXE	195	S82610XJ	213	S8321XG	195

S8321XJ	105	S85700XCSL	15/	S85892SL	1/13	S86026	101	S8691XE	153	S902SL	172
S8321XK		S85700XE		S85893		S86027		S8691XG		S90SL	
S8321XN		S85700XESL		S85893SL		S86029		S8691XJ		S90XC	
S8321XR		S85700XG		S85895		S8602SL		S8691XK		S90XE	
S8322		S85700XGSL		S85895SL		S86030		S8691XN		S90XG	
S8323		S85700XJ		S85896		S86031		S8691XR		S90XJ	
S8324		S85700XJSL		S85896SL		S86032	184	S8704		S90XK	
S8325		S85700XK		S85897		S86035		S8707		S90XN	
S8326		S85700XKSL		S85898		S86036		S8708		S90XR	175
S8327		S85700XN		S85898SL		S8604		S8721		S91	
S8328		S85700XNSL		S85900		S8605		S8735		S912	
S832XC	195	S85700XR		S85900SL	169	S8605SL	165	S8736	215	S916	
S832XE	195	S85700XRSL		S85901		S8605XC	212	S8745	216	S916SL	144
S832XG	195	S85705		S85902	172	S8605XE	212	S8752	216	S91SL	168
S832XJ	195	S85705XC	153	S85902SL	172	S8605XJ	212	S880	180	S92	179
S832XK	195	S85705XE	153	S85905	184	S8605XN	212	S880SL	180	S925	209
S832XN	195	S85705XG	153	S85906	188	S8605XR	212	S880XC	175	S926	185
S832XR	195	S85705XJ	153	S85907	185	S8606	214	S880XCSL	175	S92SL	176
S833	186	S85705XK	153	S85908	188	S8606SL	165	S880XE	175	S92XC	175
S837	191	S85705XN	153	S85909	190	S8606XC	212	S880XESL	175	S92XE	175
S84586SL	144	S85705XR	153	S85910SL	201	S8606XE	212	S880XG	175	S92XG	175
S84800	220	S8571	149	S85910XCSL	196	S8606XJ	212	S880XGSL	175	S92XJ	175
S84810	214	S85710	160	S85910XESL	196	S8606XN	212	S880XJ	175	S92XK	175
S84810SL	214	S85710SL	160	S85910XGSL	196	S8606XR	212	S880XJSL	175	S92XN	175
S84810XC	213	S85710XC	153	S85910XJSL	196	S8607	214	S880XK	175	S92XR	175
S84810XCSL	213	S85710XCSL	154	S85910XKSL	196	S86074	189	S880XKSL	175	S93	220
S84810XE	213	S85710XE	153	S85910XNSL	196	S8607SL	165	S880XN	175	S930	202
S84810XESL		S85710XESL		S85910XRSL		S8607XC	212	S880XNSL	175	S930SL	185
S84810XJ	213	S85710XG		S85911SL		S8607XE		S880XR	175	S9320	209
S84810XJSL		S85710XGSL		S85912SL		S8607XJ		S880XRSL		S93203	209
S84810XN		S85710XJ		S85914SL		S8607XN		S881		S93203XC	
S84810XNSL		S85710XJSL		S85915SL		S8607XR		S881SL	179	S93203XE	
S84810XR		S85710XK		S85916SL		S8608		S881XC		S93203XG	
S84810XRSL		S85710XKSL		S85917SL		S8608XC		S881XCSL		S93203XJ	
S84812		S85710XN		S85918SL		S8608XE		S881XE		S93203XK	
S84812SL		S85710XNSL		S85920SL		S8608XJ		S881XESL		S93203XN	
S84812XC		S85710XR		S85922SL		S8608XN		S881XG		S93203XR	
S84812XCSL		S85710XRSL		S85924SL		S8608XR		S881XGSL		S9320XC	
S84812XE		S85715		S85925SL		S8609		S881XJ		S9320XE	
S84812XESL		S85715XC		S85926SL		S86107		S881XJSL		S9320XG	
S84812XJ		S85715XE		S85927SL		S86201SL		S881XK		S9320XJ	
S84812XJSL		S85715XG		S85928SL		S86240		S881XKSL		S9320XK	
S84812XN		S85715XJ		S85930SL		S86240SL		S881XN		S9320XN	
S84812XNSL		S85715XK		S85931SL		S86500		S881XNSL		S9320XR	
S84812XR		S85715XN		S85932SL		S86500SL		S881XR		S9341	
S84812XRSL		S85715XR		S85934SL		S86520		S881XRSL		S9342	
S84813		S85720		S8600		S86533		S882		S9343	
S84813XC		S85720SL		S8600XC		S86536		S884SL		S9345	
S84813XE		S85720XC				S86550		S887		S9347	
				S8600XE							
S84813XJ		S85720XCSL		S8600XJ		S86550SL		S887SL		S9349	
S84813XN		S85720XE		\$8600XN		S86560		S888		S9352	
S84813XR		S85720XESL		S8600XR		S86560SL		S888SL		S9353	
S84814		S85720XG		S8601		S86565		S891		S9354	
S84814XC		S85720XGSL		S8601SL		S86570		S891SL		S9355	
S84814XE		\$85720XJ		S8601XCSL		\$86580		S892		S9356	
S84814XJ		S85720XJSL		S8601XESL		S86580SL		S892SL		S95	
S84814XN		\$85720XK		S8601XGSL		S8675SL		S893		S960	
S84814XR		S85720XKSL		S8601XJSL		S867SL		S894		\$962	
S84816		S85720XN		S8601XKSL		S8682		S894SL		S962SL	
S84816XC		S85720XNSL		S8601XNSL		S8682SL		S895		S964	
S84816XE		S85720XR		S8601XRSL		S8685L		S895SL		S964SL	
S84816XJ		S85720XRSL		S8602		S8685LXC		S896		S966	
S84816XN		S85725		S86021		S8685LXE		S8968		S968	
S84816XR		S85725XC		S86021XC		S8685LXG		S896XC		S97	
S84886SL		S85725XE		S86021XE		S8685LXJ		S896XE		S970	
S84886XCSL		S85725XG		S86021XG		S8685LXK		S896XG		S971	
S84886XESL		S85725XJ		S86021XJ		S8685LXN		S896XJ		S972	
S84886XGSL		S85725XK		S86021XK		S8685LXR		S896XK		S973	
S84886XJSL		S85725XN		S86021XN		S8685R		S896XN		S975	
S84886XKSL		S85725XR		S86021XR		S8685RXC		S896XR		S975SL	
S84886XNSL		S8572SL		S86022XC		S8685RXE		S897		S976	
S84886XRSL		S8573SL		S86022XE		S8685RXG		S89701		S976SL	
S8508		S8574		S86022XG		S8685RXJ		S8971		S977	
S8529		S8575	190	S86022XJ		S8685RXK		S8972		S979	
S8545SL	171	S8579	190	S86022XK	195	S8685RXN	154	S898	179	S980	169
S85700		S8581		S86022XN		S8685RXR	154	S898SL		S981	
S85700SL		S8583SL		S86022XR		S8691		S90		S982	
S85700XC	153	S85892	143	S86025	186	S8691XC	153	S902	172	S983	171

# Steel

S985	202
S988	181
S989	183
S991	182
S992	183
S994	183
S995	182
S997	181
S999	182
SART	221

00		1025HD		1201SL		237HD		584SLHD	
04		1027SL		1201SL		243HD		588HD	24
05		1029SL		1202SL		255HD		601HD	24
08		1031HD		1202SL		256HD		601XCHD	24
18		1031SLHD		128XC		262HD		601XEHD	
28		1032HD		128XE		262HDXC		601XJHD	
30		1034HD		128XG		262HDXE		601XNHD	
31		1035HD		128XJ		262HDXG		601XRHD	
37		1037HD		128XK		262HDXJ		602HD	
39		1037SLHD		128XN		262HDXK		604HD	
98		1038HD		128XR		262HDXN		605HD	
10		1038SLHD		130SL		262HDXR		605HDXC	
69		1039HD		130SL		263HD		605HDXE	
71		1039SLHD	236	132HD		263HDXC	244	605HDXJ	
10	233	1040HD	236	132SLHD	241	263HDXE		605HDXN	
20		1040SLHD	236	138SL	234	263HDXG		605HDXR	
26		1041HD	236	139SL	233	263HDXJ		606HD	
00	252	1041SLHD	236	1400SLHD	237	263HDXK	244	606HDXC	
08	248	1042HD	236	1403HD	237	263HDXN	244	606HDXE	24
10	252	1044HD	243	1405HD	242	263HDXR	244	606HDXJ	24
18	249	1047HD	238	1405SLHD	242	263SLHD	242	606HDXN	24
28	248	104XC	241	1406HD	242	263SLHDXC	241	606HDXR	24
29	248	104XE	241	1408HD	242	263SLHDXE	241	607HD	24
96	252	104XG	241	1411HD	244	263SLHDXG	241	607HDXC	24
16	233	104XJ	241	1643HD	246	263SLHDXJ	241	607HDXE	24
006		104XK	241	1643SLHD	246	263SLHDXK	241	607HDXJ	24
027	233	104XN	241	1644HD	237	263SLHDXN	241	607HDXN	
028	234	104XR	241	1644SLHD	237	263SLHDXR	241	607HDXR	24
029	233	1055HD	245	1650HD	244	289EHD	243	608HD	
200		1089SLHD	237	1651HD		289ESLHD	241	608HDXC	24
201		108XC	234	1651SL		289HD	244	608HDXE	
202		108XE		1657HD	240	289HDXC		608HDXJ	24
203		108XG		1657SLHD		289HDXE		608HDXN	
425		108XJ		1659HD		289HDXG		608HDXR	
132		108XK		1660HD		289HDXJ		609HD	
145		108XN		1662HD		289HDXK		610SL	
206		108XR		19020T		289HDXN		613HD	
317		1101HD		19055T		289HDXR		615HD	24
321		1101XCHD		19080T		294HD		615SLHD	23
322		1101XEHD		19200T		294SLHD		6184SL	23
323		1101XGHD		19210T		296HD		6184SL	
324		1101XJHD		19220T		296HDXC		6184XCSL	
704		1101XKHD		19520T		296HDXE		6184XCSL	
708		1101XNHD		19720T		296HDXG		6184XESL	
752		1101XRHD		19730T		296HDXJ		6184XESL	
3142HD		1102HD		19740T		296HDXK		6184XJSL	
001HD		1107HD		19750T		296HDXN		6184XJSL	
002HD		1110HD		19800T		296HDXR		6184XNSL	
004HD		1111HD		19810T		296SLHD		6184XNSL	
004HD		1112HD		19820T		296SLHDXC		6184XRSL	
005HD 006SL		1113HD		198SL				6184XRSL	
007HD				198SL		296SLHDXE		6185SL	24
007 กม 007 SLHD		1114HD 1115HD		203HD		296SLHDXG		6185SL	
		1116HD				296SLHDXJ		6185XCSL	24
008HD				205HD		296SLHDXK		6185XCSL	23
009HD		1117HD		206EHD		296SLHDXN		0100XUSL	24
009SLHD		1118HD		206HD		296SLHDXR		6185XESL	23
00SL		1119HD		206HDXC		309HD		6185XESL	24
00SL		1120HD		206HDXE		310SL		6185XJSL	23
00XCSL		1121HD		206HDXG		311HD		6185XJSL	24
00XCSL		1123HD		206HDXJ		311SLHD		6185XNSL	23
00XESL		1123HDXC		206HDXK		369SL		6185XNSL	24
00XESL		1123HDXE		206HDXN		371HD		6185XRSL	23
00XGSL		1123HDXG		206HDXR		371SLHD		6185XRSL	24
00XGSL		1123HDXJ		2109HD		374HD		6186SL	23
00XJSL		1123HDXK		210HD		416SL		6186SL	24
00XJSL		1123HDXN		210SLHD		426HD		6186XCSL	23
00XKSL		1123HDXR		210SLHDXC		430HD		6186XCSL	24
00XKSL		115HD		210SLHDXE		430SLHD		6186XESL	23
00XNSL		118XC		210SLHDXG		454HD		6186XESL	24
00XNSL		118XE		210SLHDXJ		4572SLHD		6186XJSL	
00XRSL	234	118XG	234	210SLHDXK	241	508HD	244	6186XJSL	
00XRSL	248	118XJ	234	210SLHDXN	241	5425SL	237	6186XNSL	
011HD	239	118XK	234	210SLHDXR	241	544HD		6186XNSL	
020HD	238	118XN	234	2110HD	237	546SLHD	236	6186XRSL	
021HD	238	118XR	234	2111HD	237	576HD	240	6186XRSL	
022HD		1200SL	235	211HD	239	578HD	240	620SL	
00411D	220	120001	0.40	OOGLID	0.46	EGOLID	0.40	COOLID	0.4

# 

625HD		8321XC		999HD	
625SLHD	. 240	8321XE	. 249	AVRT	. 253
626SL	. 234	8321XG	. 249	AXRT	. 253
627HD	240	8321XJ	249	BSRT	
628HD		8321XK		CNRT	
628SLHD		8321XN	. 249	FWRT	
630HD	. 238	8321XR	. 249	KNRT	. 253
631HD	240	86184SL	248	PBRT	253
632SL		86185SL		RSRT	
632SL		86186SL	. 248	SART	
632XCSL	. 234	896XC	. 252	TS100	. 252
632XCSL	247	896XE	252	TS104	
		896XG			
632XESL				TS104XC	
632XESL	. 247	896XJ	. 252	TS104XE	. 249
632XGSL	. 234	896XK	. 252	TS104XG	. 249
632XGSL		896XN	252	TS104XJ	2/10
632XJSL		896XR		TS104XK	
632XJSL	. 247	916SL	. 233	TS104XN	. 249
632XKSL	. 234	926HD	. 238	TS104XR	. 249
632XKSL		930HD	2/13	TS105	250
632XNSL		930SLHD		TS108	
632XNSL	. 247	956SLHD	. 236	TS108XC	. 247
632XRSL	. 234	959HD	. 237	TS108XE	. 247
632XRSL		959HDXC		TS108XG	
6500HD		959HDXCSL		TS108XJ	
6500SL	. 234	959HDXE	. 237	TS108XK	. 247
6520HD	. 244	959HDXESL	. 237	TS108XN	. 247
6560HD		959HDXG		TS108XR	2/7
6565HD		959HDXGSL		TS115	
6565SLHD	. 240	959HDXJ	. 237	TS118	. 249
6568HD	240	959HDXJSL	237	TS118XC	247
6570HD		959HDXK		TS118XE	
6570SLHD		959HDXKSL		TS118XG	
6572HD	. 243	959HDXN	. 237	TS118XJ	. 247
6578HD	238	959HDXNSL	237	TS118XK	247
6580SLHD		959HDXR		TS118XN	
6582HD		959HDXRSL		TS118XR	
6720HDXCSL	. 237	959SLHD	. 237	TS1200	. 248
6720HDXESL	. 237	961HD	. 237	TS1201	. 248
6720HDXGSL		961HDXC		TS1202	
6720HDXJSL		961HDXE		TS1203	
6720HDXKSL	. 237	961HDXG	. 237	TS128	. 248
6720HDXNSL	237	961HDXJ	237	TS128XC	247
6720HDXRSL		961HDXK		TS128XE	
6720SLHD		961HDXN		TS128XG	
704HD	. 245	961HDXR	. 237	TS128XJ	. 247
707HD	245	965HD	236	TS128XK	247
708HD		965SLHD		TS128XN	
721HD		966SLHD	. 236	TS128XR	
735HD	. 245	967HD	. 236	TS130	. 248
736HD	. 245	967SLHD	. 236	TS131	. 249
745HD		968HD		TS132	
752HD		969HD		TS132SL	
818SL	. 249	971SLHD	. 236	TS137	. 249
818XC	. 247	978HD	. 246	TS1405SL	. 250
818XCSL	248	980HD	242	TS1408	250
818XE		980HDXC		TS1411	
818XESL	. 248	980HDXE	. 241	TS198	. 249
818XG	. 247	980HDXG	. 241	TS206	. 250
818XGSL	248	980HDXJ	241	TS206XC	249
818XJ		980HDXK		TS206XE	
818XJSL	. 248	980HDXN	. 241	TS206XG	
818XK	. 247	980HDXR	. 241	TS206XJ	. 249
818XKSL	. 248	982HD	. 242	TS206XK	. 249
818XN		982HDXC		TS206XN	
818XNSL		982HDXE		TS206XR	
818XR	. 247	982HDXG	. 241	TS210	. 252
818XRSL	. 248	982HDXJ	. 241	TS210SL	. 250
8206XC		982HDXK		TS210XCSL	
8206XE		982HDXN		TS210XESL	
8206XG	. 249	982HDXR	. 241	TS210XGSL	. 249
8206XJ	249	984HD	. 241	TS210XJSL	. 249
8206XK					
UZUUAN		OSEHD	2/1	TC210VVCI	
00001/1	. 249	985HD		TS210XKSL	
8206XN	. 249 . 249	988HD	. 239	TS210XNSL	. 249
8206XN 8206XR	. 249 . 249		. 239		. 249
	. 249 . 249 . 249	988HD	. 239 . 240	TS210XNSL	. 249 . 249

996HD......239

829SL.....248

TS237	252
TS243	249
TS255	251
TS256	251
TS262	250
TS262XC	249
TS262XE	249
TS262XG	249
TS262XJ	249
TS262XK	249
TS262XN	249
TS262XR	249
TS263	251
TS263SL	250
TS263XC	251
TS263XCSL	249
TS263XE	251
TS263XESL	249
TS263XG	251
TS263XGSL	249
TS263XJ	251
TS263XJSL	249
TS263XK	251
TS263XKSL	249
TS263XN	251
TS263XNSL	249
TS263XR	251
TS263XRSL	249
TS289	251
TS289XC	251
TS289XE	251
TS289XG	251
TS289XJ	251
TS289XK	251
TS289XN	251
TS289XR	251
TS296	252
TS296SL	252
TS296XC	252
TS296XCSL	252
	252
TS296XE	252
	252
TS296XGTS296XGSL	252
TS296XJ	252
TS296XJSL	252
TS296XK	252
TS296XKSL	252
TS296XN	252
TS296XNSL	252
TS296XR	252
TS296XRSL	252
TS572SL	234
TS704	251
TS708	251

TS752.....251

100	258
1005HD	258
203HD	258
205HD	258
210HD	258
969HD	258
978HD	258
FCF100	257
FCF160	257
FCF31	256
FCF755	257
FCF809	256
FCF8100	257
FCF8160	257
FCF862	257
FMF100	256
FMF134	256
FMF205	256
FMF220	256
	256
FMF60	256
FMF600	256
FMF755	256
FMF8100	256
FMF860	256
SSF100	258
SSF11	258
SSF1100	257
SSF120	257
SSF160	258
SSF200	257
SSF205	257
SSF220	257
SSF31	257
SSF4800	258
SSF600	258
SSF755	257
SSF8100	258
SSF81100	257
SSF8120	257
SSF8160	258
SSF8200	257
SSF8205	257
	257
SSF831	257
SSF84800	
SSF8600	258
	257
	258
TS100	
TS210	258

DRS2131SL	271
DRS82131SL	271
S10AXSL	
S10CLSL	272
S10PBSL	271
S10XCSL	272
S10XESL	272
S10XGSL	272
S10XJSL	272
S10XKSL	272
S10XNSL	272
S10XRSL	272
S1651SL	271
S1AV	265
S1AX	266
S1BL	264
S1BS	264
S1CL	266
S1LAV	265
S1LAX	266
S1LBL	264
S1LBS	264
S1LCL	266
S1LPB	266
S1LRS	265
S1LSA	265
S1LSG	265
S1LSN	265
S1LXC	266
S1LXE	266
S1LXG	266
S1LXJ	266
S1LXK	266
S1LXN	266
S1LXR	266
S1PB	266
S1RAV	265
S1RAX	266
S1RBL	265
S1RBS	264
S1RCL	266
S1RPB	266
S1RRS	266
S1RS	265
S1RSA	265
S1RSG	265
S1RSN	265
S1RXC	266
S1RXE	
S1RXG	
S1RXJ	266
S1RXK	266
\$1RXN	266
	266
S1RXR	
S1SA	265
S1SG	265
S1SN	265
S1XC	266
\$1XE	266
S1XG	266
S1XJ	266
S1XK	266
S1XN	266
S1XR	266
S2AX	264

Pulse<sub>®</sub>

 S2CL
 264

 S2PB
 264

 S2RS
 264

 S2SG
 264

 S2SN
 264

 S2XE.
 264

 S2XG.
 264

 S2XJ.
 264

 S2XK.
 264

 S2XN.
 264

S2XR	264	S5XK	269	S811LXG	270	S83AX	264	S85RXC	269	S8RPB	267
S4570SL		S5XKSL		S811LXJ		S83CL		S85RXE	269	S8RXC	
S4AX	268	S5XN	269	S811LXK	270	S83PB	264	S85RXG	269	S8RXE	270
S4AXSL	272	S5XNSL		S811LXN	270	S83RS		S85RXJ	269	S8RXG	
S4CL	269	S5XR	269	S811LXR	270	S83SG	264	S85RXK	269	S8RXJ	270
S4CLSL	272	S5XRSL	272	S811PB	267	S83SN	264	S85RXN	269	S8RXK	270
S4LAX	268	S601SL	271	S811PBSL	271	S83XC	264	S85RXR	269	S8RXN	270
S4LCL	269	S601XCSL	271	S811RAX	269	S83XE	264	S85XC	269	S8RXR	270
S4LPB	266	S601XESL	271	S811RCL	270	S83XG	264	S85XCSL	272	S8XC	270
S4LXC	269	S601XGSL		S811RPB	267	S83XJ	264	S85XE		S8XE	
S4LXE		S601XJSL		S811RXC		S83XK		S85XESL		S8XG	
S4LXG		S601XKSL		S811RXE		S83XN		S85XG		S8XJ	
S4LXJ		S601XNSL		S811RXG		S83XR		S85XGSL		S8XK	
S4LXK		S601XRSL		S811RXJ		S84586SL		S85XJ		S8XN	
S4LXN		S602SL		S811RXK		S84AX		S85XJSL		S8XR	
S4LXR		S604SL		S811RXN		S84AXSL		S85XK		S9AX	
S4PB		S6127SL		S811RXR		S84CL		S85XKSL		S9AXSL	
S4PBSL		S6130SL		S811XC		S84CLSL		S85XN		S9CL	
54r bol S4RAX		S6134SL		S811XCSL		S84LAX		S85XNSL		S9CLSL	
54RCL											
		S6500SL		S811XE		S84LCL		S85XR		S9LAX	
S4RPB		S81086SL		S811XESL		S84LPB		S85XRSL		S9LCL	
S4RXC		S81086XCSL		S811XG		S84LXC		S86500SL		S9LPB	
S4RXE		S81086XESL		S811XGSL		S84LXE		S86AX		S9LXC	
S4RXG		S81086XGSL		S811XJ		S84LXG		S86AXSL		S9LXE	
S4RXJ		S81086XJSL		S811XJSL		S84LXJ		S86CL		S9LXG	
S4RXK		S81086XKSL		S811XK		S84LXK		S86CLSL		S9LXJ	
S4RXN		S81086XNSL		S811XKSL	272	S84LXN		S86LAX		S9LXK	270
S4RXR		S81086XRSL	271	S811XN	270	S84LXR	269	S86LCL	269	S9LXN	270
S4XC	269	S810AX	269	S811XNSL	272	S84PB	266	S86LPB	267	S9LXR	270
S4XCSL	272	S810AXSL	272	S811XR	270	S84PBSL	271	S86LXC	269	S9PB	267
S4XE	269	S810CL	270	S811XRSL	272	S84RAX	268	S86LXE	269	S9PBSL	271
S4XESL	272	S810CLSL	272	S81651SL	271	S84RCL		S86LXG	269	S9RAX	268
S4XG	269	S810LAX	269	S81AX	266	S84RPB		S86LXJ	269	S9RCL	
S4XGSL		S810LCL		S81BL		S84RXC		S86LXK		S9RPB	
S4XJ		S810LPB		S81BS		S84RXE		S86LXN		S9RXC	
S4XJSL		S810LXC		S81CL		S84RXG		S86LXR		S9RXC	
S4XK		S810LXE		S81LAX		S84RXJ		S86PB		S9RXE	
S4XKSL		S810LXG		S81LBL		S84RXK		S86PBSL		S9RXJ	
S4XN		S810LXJ		S81LBS				S86RAX			
S4XNSL						S84RXN				S9RXK	
		S810LXK		S81LCL		S84RXR		S86RCL		S9RXN	
S4XR		S810LXN		S81LPB		S84XC		S86RPB		S9RXR	
S4XRSL		S810LXR		S81LRS		S84XCSL		S86RXC		S9XC	
S572SL		S810PB		S81LSA		S84XE		S86RXE		S9XCSL	
S5AX		S810PBSL		S81LSG		S84XESL		S86RXG		S9XE	
S5AXSL		S810RAX		S81LXC		S84XG		S86RXJ		S9XESL	
S5CL		S810RCL		S81LXE		S84XGSL		S86RXK		S9XG	
S5CLSL		S810RPB		S81LXG		S84XJ		S86RXN		S9XGSL	
S5LAX		S810RXC		S81LXJ		S84XJSL		S86RXR		S9XJ	
S5LCL	269	S810RXE	270	S81LXK	266	S84XK	269	S86XC		S9XJSL	272
S5LPB	266	S810RXG	270	S81LXN	266	S84XKSL		S86XCSL	272	S9XK	270
S5LXC	269	S810RXJ	270	S81LXR	266	S84XN	269	S86XE	269	S9XKSL	272
S5LXE	269	S810RXK	270	S81PB	266	S84XNSL	272	S86XESL	272	S9XN	270
S5LXG	269	S810RXN	270	S81RAX	266	S84XR	269	S86XG	269	S9XNSL	272
S5LXJ		S810RXR		S81RBL		S84XRSL		S86XGSL		S9XR	
S5LXK	269	S810XC		S81RBS		S8572SL		S86XJ		S9XRSL	
S5LXN		S810XCSL		S81RCL		S85927SL		S86XJSL			<b>-</b>
S5LXR		S810XE		S81RPB		S85931SL		S86XK			
S5PB		S810XESL		S81RRS		S85932SL		S86XKSL			
S5PBSL		S810XG		S81RS		S85AX		S86XN			
S5RAX		S810XGSL		S81RSA		S85AXSL		S86XNSL			
S5RCL		S810XJ		S81RSG		S85CL		S86XR			
S5RPB		S810XJSL		S81RXC		S85CLSL		S86XRSL			
S5RXC		S810XK		S81RXE		S85LAX		S8AX			
S5RXE		S810XKSL		S81RXG		S85LCL		S8CL			
S5RXG		S810XN		S81RXJ		S85LPB		S8LAX			
S5RXJ		S810XNSL		S81RXK		S85LXC		S8LCL			
S5RXK		S810XR		S81RXN		S85LXE		S8LPB			
S5RXN		S810XRSL	272	S81RXR		S85LXG		S8LXC			
S5RXR		S811AX		S81SA		S85LXJ		S8LXE			
S5XC	269	S811AXSL	272	S81SG	265	S85LXK	269	S8LXG	270		
S5XCSL	272	S811CL	270	S81XC	266	S85LXN	269	S8LXJ	270		
S5XE	269	S811CLSL	272	S81XE	266	S85LXR		S8LXK	270		
S5XESL	272	S811LAX		S81XG	266	S85PB		S8LXN	270		
S5XG		S811LCL		S81XJ		S85PBSL		S8LXR			
		S811LPB		S81XK		S85RAX		S8PB			
55XG5L			=0.								
S5XGSL S5XJ		S811LXC	270	S81XN	266	S85RCL	269	S8RAX	268		










Top: Pulse Línea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB














### Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

### Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



### **Education Center**

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at **thermatru.com/learning.** 



### Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at **thermatru.com/installer**.



### Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



### Trade Professionals Online

Find everything from selling tools and training materials to technical information at **thermatru.com/professionals.** 







Where Home Begins...

thermatru.com 1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537









Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally.

©2022 Larson Manufacturing Company. All rights reserved. LARSON, QUICKFIT and CLICK&HOLD are trademarks of Larson Manufacturing Company.

Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Home & Security, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.